







CARBON RIM & WHEELS CATALOG








14"255 CARBON RIM & WHEEL




PROFILE	MODEL	TYPE	HEIGHT & WIDTH (H*W)	ERD(MM)	WEIGHT	IMAGE	HUB
	255R-28C23	Clincher	28-23	221	180±10g		
	255R-25C26	Clincher	25-26	224	160±10g		
	255R-30C30	Clincher	30-30	219	195±10g		
	255X3-35C23	Clincher	35-23	/	F: 375±30g R: 520±30g		F Hub O.L.D : 74 / 100mm R Hub O.L.D : 85 / 130 / 135mm Brake System : Rim brake / 6 Bolts disc / Center lock Freehub: 1-3 S / 8-11 S

16"305 CARBON RIM & WHEEL

PROFILE	MODEL	TYPE	HEIGHT & WIDTH (H*W)	ERD(MM)	WEIGHT	IMAGE	HUB
	305R-36C25	Clincher	36-25	253	230±10g		
	305R-38C25	Clincher	38-25	248	210±10g		
	305X3-35C25	Clincher	35-25	/	F: 435±30g R: 550±30g		F Hub O.L.D : 74 / 100mm R Hub O.L.D : 85 / 130 / 135mm Brake System : Rim brake / 6 Bolts disc / Center lock Freehub: 1-3 S / 8-11 S

16"349 CARBON RIM & WHEEL


PROFILE	MODEL	TYPE	HEIGHT & WIDTH (H*W)	ERD(MM)	WEIGHT	IMAGE	HUB
	349R-38C23	Clincher	38-23	292	280±10g		
	349R-38C25	Clincher	38-25	292	280±10g		
	349R-30C25	Clincher	30-25	308	260±10g		
	349R-25C25	Clincher	25-25	317	200±10g		
	349R-38C27	Clincher	38-27	292	250±10g		
	349R-40C27	Clincher	40-27	286	250±10g		
	349X3-45C23	Clincher	45-23	/	F: 445±30g R: 560±30g		F Hub O.L.D : 74 / 100mm R Hub O.L.D : 112 / 130 / 135mm Brake System : Rim brake / 6 Bolts disc / Center lock Freehub: 2-4 S / 5-7 S / 8-11 S
	349X3-35C25	Clincher	35-25	/	F: 410±30g R: 540±30g		F Hub O.L.D : 74 / 100mm R Hub O.L.D : 112 / 130 / 135mm Brake System : Rim brake / 6 Bolts disc / Center lock Freehub: 2-4 S / 5-7 S / 8-11 S
	349X3-37C25	Clincher	37-25	/	F: 415±30g R: 517±30g		F Hub O.L.D : 74 / 100mm R Hub O.L.D : 112 / 130 / 135mm Brake System : Rim brake / 6 Bolts disc / Center lock Freehub: 2-4 S / 5-7 S / 8-11 S

PROFILE	MODEL	TYPE	HEIGHT & WIDTH (H*W)	ERD(MM)	WEIGHT	IMAGE	HUB
	349X3-32C25	Clincher	32-25	/	F:412±30g R:530±30g		F Hub O.L.D : 74 / 100mm R Hub O.L.D : 112 / 130 / 135mm Brake System : Rim brake / 6 Bolts disc / Center lock Freehub: 2-4 S / 5-7 S /8-11 S
	349X3-38C25	Clincher	38-25	/	F:390±30g R:490±30g		F Hub O.L.D : 74 / 100mm R Hub O.L.D : 112 / 130 / 135mm Brake System : Rim brake / 6 Bolts disc / Center lock Freehub: 2-4 S / 5-7 S /8-11 S
	349X5-30C23	Clincher	30-23	/	F:445±30g R:550±30g		F Hub O.L.D : 74 / 100mm R Hub O.L.D : 112 / 130 / 135mm Brake System : Rim brake / 6 Bolts disc / Center lock Freehub: 2-4 S / 5-7 S /8-11 S
	349X5-30C23 (privacy model) Not sell to Indonesia	Clincher	30-23	/	F:455±30g R:562±30g		F Hub O.L.D : 74 / 100mm R Hub O.L.D : 112 / 130 / 135mm Brake System : Rim brake / 6 Bolts disc / Center lock Freehub: 2-4 S / 5-7 S /8-11 S
	349D-23	Clincher	23	/	F:625±30g R:755±30g		F Hub O.L.D : 74 / 100mm R Hub O.L.D : 112 / 130 / 135mm Brake System : Rim brake / 6 Bolts disc / Center lock Freehub: 2-4 S / 5-7 S /8-11 S

17"369 CARBON RIM & WHEEL



PROFILE	MODEL	TYPE	HEIGHT & WIDTH (H*W)	ERD(MM)	WEIGHT	IMAGE	HUB
	369R-40C23	Clincher	40-23	310	285±10g		

18"355 CARBON RIM & WHEEL

PROFILE	MODEL	TYPE	HEIGHT & WIDTH (H*W)	ERD(MM)	WEIGHT	IMAGE	HUB
	355R-36C25	Clincher	36-25	303	260±10g		
	355R-38C25	Clincher	38-25	298	245±10g		
	355X3-45C25	Clincher / Tubeless	45-25	/	F:470±30g R:580±30g		F Hub O.L.D : 74 / 100mm R Hub O.L.D : 112 / 130 / 135mm Brake System : Rim brake / 6 Bolts disc / Center lock Freehub: 2-4 S / 5-7 S /8-11 S



20"406 CARBON RIM & WHEEL

PROFILE	MODEL	TYPE	HEIGHT & WIDTH (H*W)	ERD(MM)	WEIGHT	IMAGE	HUB
	406R-38C23	Clincher	38-23	353	295±10g		
	406R-30C25	Clincher	30-25	366	310±10g		
	406R-30CT25	Clincher / Tubeless	30-25	366	320±10g		
	406R-38C25	Clincher	38-25	350	320±10g		
	406R-38CT25	Clincher / Tubeless	38-25	350	340±10g		
	406R-50C25	Clincher	50-25	350	330±10g		


PROFILE	MODEL	TYPE	HEIGHT & WIDTH (H*W)	ERD(MM)	WEIGHT	IMAGE	HUB
	406R-50CT25	Clincher / Tubeless	50-25	326	350±10g		
	406R-25C30	Clincher / Tubeless	25-30	379	310±10g		
	406R-30C30	Clincher	30-30	369	320±10g		
	406R-30CT30	Clincher / Tubeless	30-30	366	330±10g		
	406R-27CT30	Clincher / Tubeless	27-30	372	320±10g		
	406R-25CT32	Clincher / Tubeless	25-32	376	300±10g		
	406R-38C30	Clincher	38-30	350	350±10g		
	406R-50C30	Clincher	50-30	326	340±10g		
	406RW-38C25	Clincher	38-25	350	340±10g		
	406X3-48CT25	Clincher / Tubeless	48-25	/	F:540±30g R:660±30g		F Hub O.L.D : 74 / 100mm R Hub O.L.D : 130 / 135 /142mm Brake System : Rim brake / 6 Bolts disc / Center lock Freebody: Shimano(HG)/Sram(XD, XDR)/ Campagnolo/Fixed Gear
	406X3-32C25	Clincher	32-25	/	F:590±30g R:735±30g		F Hub O.L.D : 74 / 100mm R Hub O.L.D : 130 / 135 /142mm Brake System : Rim brake / 6 Bolts disc / Center lock Freebody: Shimano(HG)/Sram(XD, XDR)/ Campagnolo/Fixed Gear
	406X3-40C25	Clincher	40-25	/	F:580±30g R:670±30g		F Hub O.L.D : 74 / 100mm R Hub O.L.D : 130 / 135 /142mm Brake System : Rim brake / 6 Bolts disc / Center lock Freebody: Shimano(HG)/Sram(XD, XDR)/ Campagnolo/Fixed Gear
	406X5-38C23	Clincher	38-23	/	F:553±30g R:680±30g		F Hub O.L.D : 74 / 100mm R Hub O.L.D : 130 / 135 /142mm Brake System : Rim brake / 6 Bolts disc / Center lock Freebody: Shimano(HG)/Sram(XD, XDR)/ Campagnolo/Fixed Gear
	406D-25	Clincher	25	/	F:695±30g R:810±30g		F Hub O.L.D : 74 / 100mm R Hub O.L.D : 130 / 135 /142mm Brake System : Rim brake / 6 Bolts disc / Center lock Freebody: Shimano(HG)/Sram(XD, XDR)/ Campagnolo/Fixed Gear




20"451 CARBON RIM & WHEEL













PROFILE	MODEL	TYPE	HEIGHT & WIDTH (H*W)	ERD(MM)	WEIGHT	IMAGE	HUB
	451R-25C21	Clincher	25-21	420	300±10g		
	451R-30C21	Clincher	30-21	410	275±10g		
	451R-38C21	Clincher	38-21	394	320±10g		
	451R-35C23	Clincher	35-23	400	325±10g		
	451R-38C23	Clincher	38-23	396	320±10g		
	451R-25C21	Clincher	25-21	420	300±10g		



PROFILE	MODEL	TYPE	HEIGHT & WIDTH (H*W)	ERD(MM)	WEIGHT	IMAGE	HUB
	451R-30C25	Clincher	30-25	410	320±10g		
	451R-38C25	Clincher	38-25	394	330±10g		
	451R-50C25	Clincher	50-25	370	340±10g		
	451R-25C30	Clincher	25-30	420	270±10g		
	451R-30C30	Clincher	30-30	410	350±10g		
	451RW-50C25	Clincher	50-25	370	350±10g		
	451X3-48CT25	Clincher / Tubeless	48-25	/	F:550±30g R:700±30g		F Hub O.L.D : 74 / 100mm R Hub O.L.D : 130 / 135 / 142mm Brake System : Rim brake / 6 Bolts disc / Center lock Freebody: Shimano(HG)/Sram(XD, XDR)/Campagnolo/Fixed Gear
	451X3-32C25	Clincher	32-25	/	F:560±30g R:730±30g		F Hub O.L.D : 74 / 100mm R Hub O.L.D : 130 / 135 / 142mm Brake System : Rim brake / 6 Bolts disc / Center lock Freebody: Shimano(HG)/Sram(XD, XDR)/Campagnolo/Fixed Gear
	451X3-50C25	Clincher	Gradients/25mm	/	F:590±30g R:735±30g		F Hub O.L.D : 74 / 100mm R Hub O.L.D : 130 / 135 / 142mm Brake System : Rim brake / 6 Bolts disc / Center lock Freebody: Shimano(HG)/Sram(XD, XDR)/Campagnolo/Fixed Gear
	451X3-43C25	Clincher	Gradients/25mm	/	F:650±30g R:760±30g		F Hub O.L.D : 74 / 100mm R Hub O.L.D : 130 / 135 / 142mm Brake System : Rim brake / 6 Bolts disc / Center lock Freebody: Shimano(HG)/Sram(XD, XDR)/Campagnolo/Fixed Gear
	451X5-38C23	Clincher	38-23	/	F:595±30g R:710±30g		F Hub O.L.D : 74 / 100mm R Hub O.L.D : 130 / 135 / 142mm Brake System : Rim brake / 6 Bolts disc / Center lock Freebody: Shimano(HG)/Sram(XD, XDR)/Campagnolo/Fixed Gear
	451D-23	Clincher	23	/	F:790±30g R:930±30g		F Hub O.L.D : 74 / 100mm R Hub O.L.D : 130 / 135 / 142mm Brake System : Rim brake / 6 Bolts disc / Center lock Freebody: Shimano(HG)/Sram(XD, XDR)/Campagnolo/Fixed Gear

20"507 CARBON RIM & WHEEL




PROFILE	MODEL	TYPE	HEIGHT & WIDTH (H*W)	ERD(MM)	WEIGHT	IMAGE	HUB
	507R-38C25	Clincher	38-25	452	365±10g		
	507R-30C30	Clincher	30-30	469	380±10g		
	507X3-48C25	Clincher / Tubeless	48-25	/	F:625±30g R:740±30g		F Hub O.L.D : 74 / 100mm R Hub O.L.D : 130 / 135 / 142mm Brake System : Rim brake / 6 Bolts disc / Center lock Freebody: Shimano(HG)/Sram(XD, XDR)/Campagnolo/Fixed Gear

20"520 CARBON RIM & WHEEL							
PROFILE	MODEL	TYPE	HEIGHT & WIDTH (H*W)	ERD(MM)	WEIGHT	IMAGE	HUB
	520R-30C21	Clincher	30-21	477	330±10g		
	520R-35C23	Clincher	35-23	470	410±10g		
	520X3-48C25	Clincher / Tubeless	48-25	/	F:645±30g R:760±30g		F Hub O.L.D : 74 / 100mm R Hub O.L.D : 130 / 135 / 142mm Brake System : Rim brake / 6 Bolts disc brake / Center lock Freebody: Shimano(HG)/Sram(XD, XDR)/Campagnolo/Fixed Gear



700C CARBON RIM & WHEEL							
PROFILE	MODEL	TYPE	HEIGHT & WIDTH (H*W)	ERD(MM)	WEIGHT	IMAGE	HUB
	700CR-35C23	Clincher	35-23	571	390±15g		
	700CR-38CT23	Clincher / Tubeless	38-23	568	460±15g		
	700CR-38T23	Tubular	38-23	568	330±15g		
	700CR-44T23	Tubular	44-23	553	365±15g		
	700CR-50CT23	Clincher / Tubeless	50-23	544	505±15g		
	700CR-50T23	Tubular	50-23	544	385±15g		
	700CR-60CT23	Clincher / Tubeless	60-23	524	550±15g		
	700CR-60T23	Tubular	60-23	524	420±15g		
	700CR-88CT23	Clincher / Tubeless	88-23	468	675±15g		
	700CR-88T23	Tubular	88-23	468	525±15g		
	700CR-30CT25	Clincher / Tubeless	30-25	584	445±15g		
	700CR-30T25	Tubular	30-25	584	335±15g		
	700CR-35CT25	Clincher / Tubeless	35-25	574	480±15g		
	700CR-38CT25	Clincher / Tubeless	38-25	568	485±15g		
	700CR-38T25	Tubular	38-25	568	350±15g		
	700CR-40C25	Clincher	40-25 (Asymmetric)	560	425±15g		
	700CR-45CT25	Clincher	45-25 (Asymmetric)	543	500±15g		
	700CR-46CT25	Clincher / Tubeless	46-25	552	510±15g		
	700CR-50CT25	Clincher / Tubeless	50-25	544	525±15g		
	700CR-50T25	Tubular	50-25	544	415±15g		
	700CR-56CT25	Clincher / Tubeless	56-25	532	540±15g		
	700CR-60CT25	Clincher / Tubeless	60-25	524	550±15g		

PROFILE	MODEL	TYPE	HEIGHT & WIDTH (H*W)	ERD(MM)	WEIGHT	IMAGE	HUB
	700CR-60T25	Tubular	60-25	524	450±15g		
	700CR-88CT25	Clincher / Tubeless	88-25	468	695±15g		
	700CR-88T25	Tubular	88-25	468	540±15g		
	700CR-38CT27	Clincher / Tubeless	38-27	568	465±15g		
	700CR-50CT28	Clincher / Tubeless	50-27	544	500±15g		
	700CR-60CT27	Clincher / Tubeless	60-27	524	515±15g		
	700CR-88CT27	Clincher / Tubeless	88-27	468	710±15g		
	700CR-35CT28	Clincher / Tubeless	35-28	571	410±15g		
	700CR-40CT28	Clincher / Tubeless	40-28	561	420±15g		
	700CR-45CT28	Clincher / Tubeless	45-28	550	460±15g		
	700CR-50CT28	Clincher / Tubeless	50-28	540	490±15g		
	700CR-55CT28	Clincher / Tubeless	55-28	530	530±15g		
	700CR-40CT29	Clincher / Tubeless	40-29	564	400±15g		
	700CR-44CT30	Clincher / Tubeless	44-30	552	465±15g		
	700CR-36CT31	Clincher / Tubeless	36-31	572	450±15g		
	700CR-38CT31	Clincher / Tubeless	38-31	564	480±15g		
700C CARBON WAVE RIMS							
	700CR-45-40C	Clincher	45-25 45-28	550	440±15g		
	700CR-50-45C	Clincher	50-25 50-28	540	450±15g		
	700CR-55-50C	Clincher	55-25 55-28	530	460±15g		
	700CR-60-55C	Clincher	60-25 60-28	510	535±15g		
	700CR-65-60C	Clincher	65-25	520	545±15g		
	700CR-80C25-CC	Clincher	80-25 80-28	580	660±15g		
700C CARBON SPOKES WHEEL							
	700CX3-50C29	Clincher / Tubeless	50-29 55-29	/	F:650±30g R:770±30g		F Hub O.L.D : 100mm R Hub O.L.D : 130 / 135 /142mm Brake System : Rim brake / 6 Bolts disc brake / Center lock Freebody: Shimano(HG)/Sram(XD, XDR)/ Campagnolo/Fixed Gear
	700CX3-69C28	Clincher / Tubeless	69-27	/	F:860±30g R:1000±30g		F Hub O.L.D : 100mm R Hub O.L.D : 130 / 135 /142mm Brake System : Rim brake / 6 Bolts disc brake / Center lock Freebody: Shimano(HG)/Sram(XD, XDR)/ Campagnolo/Fixed Gear

PROFILE	MODEL	TYPE	HEIGHT & WIDTH (H*W)	ERD(MM)	WEIGHT	IMAGE	HUB
	700CX3-66C23	Clincher	66-23	/	F:870±30g R:1005±30g		F Hub O.L.D : 100mm R Hub O.L.D : 130 / 135 /142mm Brake System : Rim brake / 6 Bolts disc brake / Center lock Freebody: Shimano(HG)/Sram(XD, XDR)/Campagnolo/Fixed Gear
	700CX3-65C23	Clincher (tubular)	65-23	/	F:880±30g R:1000±30g		F Hub O.L.D : 100mm R Hub O.L.D : 130 / 135 /142mm Brake System : Rim brake / 6 Bolts disc brake / Center lock Freebody: Shimano(HG)/Sram(XD, XDR)/Campagnolo/Fixed Gear
	700CX3-70C23	Clincher	70-23	/	F:880±30g R:1000±30g		F Hub O.L.D : 100mm R Hub O.L.D : 130 / 135 /142mm Brake System : Rim brake / 6 Bolts disc brake / Center lock Freebody: Shimano(HG)/Sram(XD, XDR)/Campagnolo/Fixed Gear
	700CX3W-56C23	Clincher (tubular)	56-23	/	F:840±30g R:950±30g		F Hub O.L.D : 100mm R Hub O.L.D : 130 / 135 /142mm Brake System : Rim brake / 6 Bolts disc brake / Center lock Freebody: Shimano(HG)/Sram(XD, XDR)/Campagnolo/Fixed Gear
	700CX4-55C26	Clincher (tubular)	55-26	/	F:800±30g R:1000±30g		F Hub O.L.D : 100mm R Hub O.L.D : 130 / 135 /142mm Brake System : Rim brake / 6 Bolts disc brake / Center lock Freebody: Shimano(HG)/Sram(XD, XDR)/Campagnolo/Fixed Gear
	700CX5-56C23	Clincher (tubular)	56-23	/	F:1110±15g R:1220±15g		F Hub O.L.D : 100mm R Hub O.L.D : 130 / 135 /142mm Brake System : Rim brake / 6 Bolts disc brake / Center lock Freebody: Shimano(HG)/Sram(XD, XDR)/Campagnolo/Fixed Gear
	700CX5-66C23	Clincher	66-23	/	F:1015±30g R:1150±30g		F Hub O.L.D : 100mm R Hub O.L.D : 130 / 135 /142mm Brake System : Rim brake / 6 Bolts disc brake / Center lock Freebody: Shimano(HG)/Sram(XD, XDR)/Campagnolo/Fixed Gear
	700CX5-36C27	Clincher / Tubeless	36-27	/	F:690±30g R:830±30g		F Hub O.L.D : 100mm R Hub O.L.D : 130 / 135 /142mm Brake System : Rim brake / 6 Bolts disc brake / Center lock Freebody: Shimano(HG)/Sram(XD, XDR)/Campagnolo/Fixed Gear
	700CX5-30C28	Clincher / Tubeless	30-28	/	F: 580±30g R: 670±30g		F Hub O.L.D : 100mm R Hub O.L.D : 130 / 135 /142mm Brake System : Rim brake / 6 Bolts disc brake / Center lock Freebody: Shimano(HG)/Sram(XD, XDR)/Campagnolo/Fixed Gear
	700CX6-34C25	Clincher	34-25	/	F:653±30g R:771±30g		F Hub O.L.D : 100mm R Hub O.L.D : 130 / 135 /142mm Brake System : Rim brake / 6 Bolts disc brake / Center lock Freebody: Shimano(HG)/Sram(XD, XDR)/Campagnolo/Fixed Gear
	700CX6SL-34C25 Super light model	Clincher	34-25	/	F:593±30g R:687±30g		F Hub O.L.D : 100mm R Hub O.L.D : 130 / 135 /142mm Brake System : Rim brake / 6 Bolts disc brake / Center lock Freebody: Shimano(HG)/Sram(XD, XDR)/Campagnolo/Fixed Gear
	700CX6SL-40C29 Super light model	Clincher / Tubeless	40-29	/	F:610±30g R:730±30g		F Hub O.L.D : 100mm R Hub O.L.D : 130 / 135 /142mm Brake System : Rim brake / 6 Bolts disc brake / Center lock Freebody: Shimano(HG)/Sram(XD, XDR)/Campagnolo/Fixed Gear
	700CD-C23	Clincher	23	/	R:1300±30g		F Hub O.L.D : 100mm R Hub O.L.D : 130 / 135 /142mm Brake System : Rim brake / 6 Bolts disc brake / Center lock Freebody: Shimano(HG)/Sram(XD, XDR)/Campagnolo/Fixed Gear

PROFILE	MODEL	TYPE	HEIGHT & WIDTH (H*W)	ERD(MM)	WEIGHT	IMAGE	HUB
	700CD-CT28	Clincher / Tubeless	28	/	R:1100±30g		F Hub O.L.D : 100mm R Hub O.L.D : 130 / 135 /142mm Brake System : Rim brake / 6 Bolts disc brake / Center lock Freebody: Shimano(HG)/Sram(XD, XDR)/ Campagnolo/Fixed Gear
	700CD-CT28	Clincher / Tubeless	28	/	R:890±50g		F Hub O.L.D : 100mm R Hub O.L.D : 130 / 135 /142mm Brake System : Rim brake / 6 Bolts disc brake / Center lock Freebody: Shimano(HG)/Sram(XD, XDR)/ Campagnolo/Fixed Gear
	700CD-CT27	Clincher / Tubeless	27	/	R:1210±50g R:1030±50g		F Hub O.L.D : 100mm R Hub O.L.D : 130 / 135 /142mm Brake System : Rim brake / 6 Bolts disc brake / Center lock Freebody: Shimano(HG)/Sram(XD, XDR)/ Campagnolo/Fixed Gear

26" FAT CARBON RIM & WHEEL

PROFILE	MODEL	TYPE	HEIGHT & WIDTH (H*W)	ERD(MM)	WEIGHT	IMAGE	HUB
	26er FAT rims Hookless	Hookless	25-80	535	700±15g		
	26er FAT rims Hookless	Hookless	25-100	535	840±15g		

27.5" MTB CARBON RIM & WHEEL

PROFILE	MODEL	TYPE	HEIGHT & WIDTH (H*W)	ERD(MM)	WEIGHT	IMAGE	HUB
	27.5" MTB Rims Hookless	Tubeless Hookless	25-27	554	360±15g		
	27.5" MTB Rims Hookless	Tubeless Hookless	25-30	557	380±15g		
PROFILE	MODEL	TYPE	HEIGHT & WIDTH (H*W)	ERD(MM)	WEIGHT	IMAGE	HUB
	27.5" MTB Rims Hookless	Tubeless Hookless	25.5-35	556	400±15g		
	27.5" MTB Rims Hookless	Tubeless Hookless	30-40	554	475±15g		
	27.5" MTB Rims Hookless	Tubeless Hookless	28-42	551	430±15g		
	27.5" MTB Rims Hookless	Tubeless Hookless	34-45	536	520±15g		
	27.5" MTB Rims Hookless	Tubeless Hookless	30-50	547	460±15g		
	27.5" MTB Rims Hookless	Tubeless Hookless	25-36	/	F:700±30g R:800±30g		F Hub O.L.D : 15*100/15*110mm/100mm QR R Hub O.L.D : 12*142/12*148mm/135mm QR Brake System : 6 Bolts disc brake / boost Freebody: Shimano(HG)/XD/ Campagnolo

29" MTB CARBON RIM & WHEEL

PROFILE	MODEL	TYPE	HEIGHT & WIDTH (H*W)	ERD(MM)	WEIGHT	IMAGE	HUB
	29" MTB Rims Hookless	Tubeless Hookless	25-27	591	390±15g		
	29" MTB Rims Hookless	Tubeless Hookless	25-30	591	390±15g		

PROFILE	MODEL	TYPE	HEIGHT & WIDTH (H*W)	ERD(MM)	WEIGHT	IMAGE	HUB
	29" MTB Rims	Tubular	30-30	584	380±15g		
	29" MTB Rims Hookless	Tubeless Hookless	30-30	584	425±15g		
	29" MTB Rims Hookless	Tubeless Hookless	25.5-35	593	410±15g		
	29" MTB Rims Hookless	Tubeless Hookless	28-35	585	450±15g		
	29" MTB Rims Hookless	Tubeless Hookless	28-42	588	455±15g		
	29" MTB Rims Hookless	Tubeless Hookless	30-50	584	485±15g		
	29" MTB Rims Hookless	Tubeless Hookless	25-36	/	F:760±30g R:860±30g		F Hub O.L.D : 15*100/15*110mm/100mm QR R Hub O.L.D : 12*142/12*148mm/135mm QR Brake System : 6 Bolts disc brake / boost Freebody: Shimano(HG)/XD/ Campagnolo

NORAML WEAVE

SPECIAL WEAVE



ROAD

& V BRAKE



& DISC BRAKE



MTB





CAMPANY PROFILE

Established in 2014, EK(Xiamen) Composite Technology Co.,Ltd. is a professional manufacturer of carbon bicycle wheelset, carbon rims, carbon frames and other related carbon fiber composite products.

We have a professional design team with rich experience and high level technical ability. We can design and make mold or decals according customers' specifications rapidly.

We will offer the best quality products,fast delivery, considerate service for you ,We are looking forward to working together with your esteemed company !

Email Address: beskardi@gmail.com

Sales Contact: +86 17135747188

Facebook Page: Beskardi Cycling

Instagram: Beskardi Cycling

Whats App: +86 17135747188



TECHNOLOGY



Exhibition



ISO Certificate

