



Reshine Display (HK) Technology Co., Limited

Email: info@reshine-display.com

Skype: +86 15338759716

Tel: +86 15338759716

LCD Display Module

Size	Part Number	Resolution	LCD OD	Active area	Interface	IC	FPC	Remark
1.44"	RXL014001-C	128x128	29.50*36.50*2.20	25.50x26.50	RGB	ST7735S	10 PIN	
2.0"	RXL020032-A	176x270	37.68*51.30*2.25	31.68*39.60	RGB	ILI9225G	36 PIN	
	RXL020027-A	320x240	46.00*40.80*2.50	40.80*30.60		JD9852	39 PIN	
	RXL020128-A	240x320	34.98*50.60*2.0	30.60*40.80	MIPI	JD9852	15 PIN	
2.4"	RXL024074-A	240x320	42.72*58.90*2.20	36.72*48.96	MCU(P)	ILI9341V	40 PIN	
	RXL024066-A	240x320	42.70*60.26*2.30	36.72*48.96		ST7789V	10 PIN	
	RXL024102-A	240x320	42.72*60.26*3.6	36.72*48.96	MCU	ST7789V	45 PIN	
2.8"	RXL028052-A	240*320	50.20*69.70*2.60	43.20*57.60	MCU/SPI/RGB	ST7789V	50 PIN	
	RXL028075-A	240*320	50.50*69.70*2.60	43.20*57.60	MCU/SPI/RGB	ST7789V	50 PIN	IPS
	RXL028092-A	240*320	50.0*69.2*2.45	43.20*57.6	MCU(P)	ILI9341V	37 PIN	
3.0"	RXL030053-A	240*400	45.40*77.00*2.60	39.24*65.40	MCU/SPI/RGB	ILI9327	45 PIN	IPS
	RXL030076-A	240*400	45.40*77.00*2.60	38.88*64.80	MCU/SPI/RGB	ILI9327	45 PIN	
3.2"	RXL032054-A	240*320	55.04*77.20*2.50	48.6*64.8	MCU(P)&RGB	ILI9341	40 PIN	
	RXL032077-A	240*320	55.00*77.20*2.60	48.60*64.80	MCU/SPI/RGB	ST7789V	40 PIN	
	RXL035093-A	320*480	54.50*83.00*2.10	48.56*73.44	MCU(P)&RGB	ILI9488	40 PIN	RTP/CTP
3.5"	RXL035103-A	320*240	76.9*63.9*4.5	70.08*52.56	RGB	HX8238A	54 PIN	RXA-035006-01
	RXL035039-D (TIANMA)	320*240	76.9*63.9*4.55	70.08*52.56	RGB	NV3035GTC	54 PIN	RXC-PG03501-01
	RXL035039-C	320*240	76.90*63.90*3.15	70.08*52.56	RGB	NV303DTV	54 PIN	IPS
	RXL035039-A (CHIMEI)	320*240	63.90*76.90*3.30	70.08*52.56	RGB	HX8238D	54 PIN	
4.0"	RXL040026-A	480*800	57.15*104.62*2.30	51.84 *86.40	MCU&RGB	ILI9806	30 PIN	IPS
	RXL040028-A (Square)	480*480	76.43*79.38*2.80	71.85*70.17	SPI+RGB	ST7701S	50 PIN	IPS
4.3"	RXL043079-A	480*800	62.50*105.55*2.5	56.16*93.60	16/18/24 RGB	ILI9806E	45 PIN	IPS
	RXL043057-A (TIANMA)	480*800	62.50*105.55*2.5	56.16*93.60	MIPI	ILI9806E	20 PIN	IPS
	RXL043119-A	480*272	67.2*105.5*4.15	53.85*95.04	RGB	HX8257-A00	40PIN	RXA-043001-09
4.5"	RXL045058-A	480*854	61.5*110.1*2.55	55.44*98.64	SPI+RGB	ILI9806E	24 PIN	
	RXL050059-A	480*272	120.8*75.9*4.2	110.88*62.83	RGB	HX8257-A00	40 PIN	RXA-050004-01
5.0"	RXL050115-A	480*854	66.10*120.40*1.80	61.56*109.52	MIPI	JD9161	45 PIN	
	RXL050063-A	800*480	120.7*75.8*4.3	108.00*64.80	RGB	ILI6122+ILI5960	40 PIN	RXA-050002-01
	RXL050081-A	800*480	120.7*75.8*4.5	108.00*64.80	RGB	ILI6122+ILI5960	40 PIN	RXC-PG05003-01
	RXL050096-A	800*480	120.90*78.1*2.95	108.00*64.80	16/18/24 RGB	ST7262	40 PIN	Wide temp/IPS
	RXL050131-A	800*480	120.70*75.80*2.70	108.00*64.80	RGB	ST7262	40 PIN	IPS
	RXL050025-A	720*1280	67.56*122.35*2.6	62.10*110.40	MIPI	ILI9881C	30 PIN	IPS HD
5.5"	RXL055060-A	1080*1920	74.28*133.21*2.6	68.04*120.96	4 Lane MIPI	NT35532	25 PIN	IPS 1080P
5.6"	RXL056061-A	640*480	126.50*100.0*4.5	112.90*84.67	16/18 RGB	/	40 PIN	
6.0"	RXL060087-A	720*1440	70.24*142.43*1.51	68.04*136.08	MIPI	/	30PIN	
7.0"	RXL070018-A	800*480	165.0*100.0*3.5	154.08*85.92	RGB	ILI6122+ILI5960	50 PIN	RXA-070017-02
	RXL070083-A	800*480	165.00*100.0*5.7	154.08*85.92	RGB	ILI6122+ILI5960	50 PIN	RXA-070016-04
	RXL070014-A	800*480	165.00*100*5.7	154.08*85.92	RGB	/	50 PIN	500 nits
	RXL070111-A	1024*600	165.0*100.0*3.5	154.21*85.92	MIPI	EK79007AD+EK73215BCG	30 PIN	RXC-GG070089D-1.0
	RXL070114-A	1024*600	165.0*100.0*3.5	154.21*85.92	LVDS	EK79001/EK73215BCGA	40 PIN	500 nits
	RXL070024-A	1024*600	163.90*97.0*2.6	154.22*85.92	LVDS	/	50 PIN	IPS
	RXL070114-A	1024*600	164.9*100*3.5	154.21*85.92	LVDS	EK79001/EK73215BCGA	30 PIN	MVA
	RXL070118-A (MIPI)	1024*600	164.0*97.0*2.60	154.21*85.92	LVDS	/	50 PIN	IPS
	RXL070129-A	1024*600	163.80*97.0*2.60	154.21*85.92	LVDS	/	40 PIN	IPS
	RXL070083-A	800*1280	103.46*160.78*2.17	94.20*150.72	MIPI	NT35521	31 PIN	IPS
	RXL070084-A	800*1280	103.46*160.78*2.17	94.20*150.72	MIPI	/	40 PIN	IPS
8.0"	RXL070029-A	1200*1920	98.75*160.85*2.10	94.50*151.20	MIPI	/	40 PIN	IPS
	RXL080064-A	800*600	183.0*141.0*5.9	162.0*121.5	RGB	/	50 PIN	RXA-080012-02
	RXL080050-A	800*1280	184.104*114.6*2.6	172.224*107.64	MIPI	/	31 PIN	IPS
	RXL080120-A	1024*768	136*174*2.5	162*121.5	RGB	/	50 PIN	
9.0"	RXL080049-A	1024*768	183*141*6.3	162*121.5	LVDS	/	50 PIN	RXC-GG080093F-1.0
	RXL090065-A	800*480	211.10*126.50*3.5	198.0*111.7	RGB	/		
	RXL090085-A	1024*600	210.7*126.5*5	196.61*114.15	RGB	/	50 PIN	
10.1"	RXL101038-A	800*1280	143.0*228.60*2.8	135.36*216.57	MIPI	/	40 PIN	IPS
	RXL101100-A	1200*1920	143.0*228.7*2.2	135.36*216.58	MIPI	/		IPS
	RXL101108-A	1024*600	235*143*5.2	222.72*125.28	LVDS	/	40 PIN	
	RXL101112-A	1024*600	235*143*5	222.72*125.28	RGB	/	30 PIN	IPS
	RXL101073-A	1080X1920	142.80*228.20	135.36*216.58	MIPI	/	40 PIN	IPS
10.4"	RXL101121-A	1280*800	229*46*150.2*4.5	216.96*135.6	LVDS	/	40 PIN	
	RXL104067-A	800*600	228.4*175.4*5.90	211.20*158.4	24 RGB	/	60 PIN	
11.6"	RXL116134-A	1920x1080	263.40*157.22*2.55	256.32*144.18	EDP	/	30 PIN	IPS
12.1"	RXL121068-A	1024*768	279.0*209.0*9.0	245.76*184.32	LVDS	/	20 PIN	
	RXL121122-A	1024*768	260.5*204.0*8.40	245.76*184.3	LVDS	/	30 PIN	IPS
13.3"	RXL133101-A	1920x1080	305.2*178.1*2.6	293.76*165.24	EDP	/	30 PIN	IPS
15.6"	RXL156089-A	1920*1080	359.5*223.8*3.20	344.16*193.59	EDP	/	30 PIN	220 nits IPS
21.5"	RXL215072-A	1920*1080	495.6*292.2*10.6	476.64*268.11	LVDS	/	30 PIN	
	RXL215090-A	1920*1080	489.3*287.0*12.8	476.06*267.8	LVDS	/	30 PIN	IPS



Reshine Display (HK) Technology Co.,Limited

Email: info@reshine-display.com

Skype:+86 15338759716

Tel:+86 15338759716

Capacitive Touch Screen

Size	Picture	Part Number	LENS O.D (mm)	V.A (mm)	SENSOR O.D (mm)	Lens T (mm)	Total T (mm)	Interface	IC
2.4"		RXC-GF024147A	42.72*60.26	37.92*50.26	42.22*59.76	0.55	0.8	I2C	FT6236U
		RXC-GF024148A	48.70*63.20	37.32*49.56	42.22*59.76	0.55	1.01	I2C	TBD
		RXC-PG024104A-1.0	50.60*45.50	47.35*36.06	50.90*45.80	0.25	1.08	I2C	FT6236U
2.8"		RXC-GF028126A	49.8*68.7	44.2*58.6	49.6*65.64	0.55	0.8	I2C	FT6336U
		RXC-GF028126A	48.5*69.3	43.2*57.2	49.6*65.64	0.7	0.95	I2C	FT6336G
3.0"		TBD							
3.5"		RXC-GG035081A	54.66*82.94	48.96*73.44	54.26*82.54	0.55	1.3	I2C	GT911
		RXC-PG03501-01	76.4*63.4	70.08*52.56	76.2*63.2	0.25	1.08	I2C	FT5316
		RXC-GG03501F-1.0	76.6*63.6	70.08*52.56		0.7	1.6	I2C	GT911
4.0"		RXC-GG040230A	67.05*104.62	52.84*87.4	59.2*96.55	0.7	1.45	I2C	GT911
4.3"		RXC-GG04305-01	105.14*66.5	96.04*54.86	104.74*65.3	0.55	1.45	I2C	FT5336
		RXC-GG043061A	105.5*67.2	96.04*54.86	104.74*64.91	1.1	1.85	I2C	GT911
		RXC-PG04302-02	104.8*64	96.14*54.76	104.6*63.8	0.25	1.08	I2C	FT5316
4.5"		RXC-GG045128A	68*113.6	55.84*99.037	63.16*106.78	1.1	1.85	I2C	GT911
5.0"		RXC-GG05004-01	143.76*96.35	109*65.7	120.3*75.4	0.7	1.6	I2C	FT5316
		RXC-GG05023C	120.7*76.3	109*65.8	119.6*74.3	1.1	1.85	I2C	GT911
		RXC-GG050158B	134*88	107.8*64.6	120.3*75.4	1.1	1.85	I2C	GT911
		RXC-GG050233A	70.5*133	62.2*110.2	69.5*123.4	1.1	2	I2C	GT911
		RXC-PG05002-01	119.8*74.5	110.88*62.83	119.6*74.3	0.25	1.08	I2C	FT5316
		RXC-PG05003-01	119.8*74.5	108*64.8	119.6*74.3	0.25	1.08	I2C	FT5316
5.6"		RXC-GG056142A	126.5*100	113.9*85.67	125.5*95.01	0.7	1.6	I2C	GT911
6.8"		RXC-GG068223A	180.1*110.8	152.61*84.32	164.3*99.4	0.7	1.6	COB	

Size	Picture	Part Number	LENS O.D (mm)	V.A (mm)	SENSOR O.D (mm)	Lens T (mm)	Total T (mm)	Interface	IC
7.0"		RXC-GG07004-01	171.5*111	154.08*85.92	163.4*96.66	0.7	1.6	I2C	GT911
		RXC-GG07032C	164.5*99.6	154.28*86.32	164.9*100	1.1	2	I2C	FT5446
		RXC-GG070089A	176.7*111.7	154.88*86.72	163.9*99	0.7	1.45	I2C	GT911
		RXC-GG070089D	164.9*100	155.08*86.92	163.9*99	0.7	1.6	I2C	GT911
		RXC-PG070089C	164.4*99.5	155.08*86.92	163.9*99	0.25	1.53	I2C	GT911
		RXC-GG070122E	104.72*161.67	95*151.52	105.12*162.07	0.7	1.45	I2C	GT911
		RXC-GG070136A	165.75*105.39	154.4*90.8	164.75*104.39	1.8	2.55	I2C	FT5446
		RXC-PG07009-01	164.5*99.6	158.08*89.92	164.5*99.6	0.23	1.33	COB	
7.8"		RXC-GG078241A	207.78*73.8	191.08*60.4	207.38*70.9	1.1	2	I2C	GT911
8.0"		RXC-GG080093F	182.6*140.6	162.45*121.9	182.4*140.4	1.1	2	I2C	GT911
		RXC-PG080093C	182*140	162*121.5	182.4*140.4	0.25	1.2	I2C	GT911
		TBD							
8.9"		RXC-GG089141A	206.6*136.3	191.52*119.7	205.6*132.8	0.7	1.6	I2C	FT5526
9.0"		RXC-GG090205A	219.93*127.92	195.62*113.16	215.43*126.92	0.7	1.6	I2C	GT911
10.1"		RXC-GG10036-01	234.5*142	222.72*125.28	233.9*141.4	1.1	2	I2C	GT9271
		RXC-PG10105B	228.06*147.7	217.56*136.2	228.06*148.1	0.25	1.53	I2C	GT9271
		RXC-GG101080A	252*155.5	223.72*126.28	235*143	0.7	1.45	I2C	GT911
		RXC-GG101135A	257.06*170.2	218*136.64	228.46*150.14	0.7	1.45	I2C	GT928
		RXC-GG101182A	247.3*165.9	218*136.6	227.7*148.45	0.7	1.45	USB	ILI2511
11.6"		RXC-GG116091A	269*159.55	257.3*144.9	268.4*158.95	0.7	1.45	I2C	FT5626
		RXC-GG116169A	269.62*158.76	257.32*145.18	270.02*159.16	1.1	2	USB	ILI2511
		TBD							
12.1"		RXC-GG121144A	286.76*225.26	246.38*185.26	259.76*202.34	1.1	2	I2C	GT9110
		RXC-GG121127A-1.0	294.67*245.36	245.76*184.32	255.92*199.21	1.1	2.5	I2C	GT928
		RXC-GG121228-1.0	301.12*213.1	262.13*164.13	286*187.1	1.1	1.85	I2C	GT928
12.3"		RXC-GG123129A	318.2*140.2	291.63*109.11	317.2*139.2	1.1	2	I2C	GT911
13.3"		RXC-GG133191C	305*178.09	295*166.6	178.69*305.6	1.1	2	USB	ILI2511
		RXC-GG133201A	305*177.84	294.50*166	304.20*177.04	1.1	2	USB	/
		RXC-GG133208A	329.5*201	293.5*165	304.2*177.04	1.1	2	USB	/
15.1"		RXC-GG151253A	325.50*252.50	304.80*229.30	321.4*246.4	1.1	2	USB	WDT8752A
		TBD							

Size	Picture	Part Number	LENS O.D (mm)	V.A (mm)	SENSOR O.D (mm)	Lens T (mm)	Total T (mm)	Interface	IC
21.5"		RXC-GG215062A	511.8*309	477.84*269.31	491.8*289	1.1	2.4	USB	ILI2511
		TBD							
32"		RXC-GG320094A	724.6*422.1	697.4*391.85	719.7*414.3	4	5.3	USB	ILI2312M
		*Remark:We have thousands types of CTP&RTP,just put several types of each size here,please contact us freely if you want to check more types or custom details,thank you!							
40"	/	RXC-GG4001435A	921.31*528.55	881.31*488.55	919.31*525.99	2	3.4	USB	ILI2315
43"	/	RXC-GG4301402A	974.6*562.8	943.8*532	969.6*559.3	3	4.4	USB	ILI2315
49"	/	RXC-GG4901443A	1182*712	1076*606	1105.82*639.32	3	4.35	USB	EXC82H100
55"	/	RXC-GG5501403A	1315*786	1211*682	1244*714.3	3	4.5	USB	EXC82H100



Reshine Display (HK) Technology Co., Limited

Email: info@reshine-display.com

Skype: +86 15338759716

Tel: +86 15338759716

Resistive touch Screen

Size	Part Number	TP O.D (mm)	TP A.A (mm)	Lenth of FPC (mm)	Total T (mm)	Remark
1.7"	RXA-017003-01	33.4*44.30	29.03*36.04	9	1.15	We have thousands types of CTP&RTP, just put several types of each size here, please contact us freely if you want to check more types or custom details, thank you!
	RXA-017004-01	34.40*46.30	28.43*35.44	12.35	1.15	
	RXA-017005-01	33.63*43.22	28.03*35.04	9.6	1.15	
2.0"	RXA-020002-02	35.4*46.75	31.24*41.27	11.2	1.2	
2.2"	RXA-022001-01	38.3*53.69	34.84*46.12	27.82	1.2	
	RXA-022002-01	49.1*40.6	44.1*33.22	25.3	1.2	
2.4"	RXA-024001-01	42.32*59.86	35.72*47.96	11.2	1.2	
	RXA-024002-01	41.82*58.04	38.92*50.46	12.5	1.2	
	RXA-024005-01	42.32*59.86	37.32*53.16	7.72	1.2	
	RXA-024020-01	37.28*49.1	32.68*40.6	9.4	1.2	
2.6"	RXA-026001-01	45.70*63.5	40.60*57.45	7.62	1.25	
2.8"	RXA-028001-02	42.7*74	37.72*62.7	10.3	1.15	
	RXA-028004-01	49.4*68.80	44.10*58.15	13.3	1.2	
	RXA-028012-01	49.80*69	44.20*58.60	12.5	1.25	
2.9"	RXA-028030-01	51.6*69.8	46.5*61.5	50	1.45	
3.0"	RXA-030008-01	44.5*76.3	40.5*66.5	12.7	1.15	
	RXA-030009-01	51.4*70.2	44.9*60.2	28.8	1.15	
3.2"	RXA-032007-01	51.2*78.2	45.64*67.96	16.35	1.2	
	RXA-032011-01	55.74*77.4	50.20*66.4	15.85	1.2	
3.5"	RXA-035003-01	60.95*83	52.40*73.20	24.8	1.45	
	RXA-035004-01	76.50*63.5	70.48*52.96	17.7	1.2	
4.0"	RXA-040001-02	56.74*96.3	52.44*87	12.73	1.1	
	RXA-040011-01	65.60*104.50	54.80*92.30	21.7	1.15	
4.3"	RXA-043001-01	104.8*65	98.3*56.6	25	1.15	
	RXA-043002-01	102.0*63.5	95.84*54.66	25	1.2	
4.5"	RXA-045002-01	65.5*108.5	54.86*96	19.28	1.2	
	RXA-045003-01	63.5*111	56.04*99.237	23.15	1.15	
4.6"	RXA-046001-01	62.8*112.5	55.6*100.48	50	1.2	
4.7"	RXA-047003-01	63*112.5	58.2*103.08	11.1	1.2	
4.8"	RXA-048004-01	109*72.10	94.74*53.86	23	1.45	
5.0"	RXA-050001-01	120*73.5	110.70*62.5	28	1.2	
	RXA-050002-01	119.8*73	108.8*65.6	28	1.2	
	RXA-050003-01	117.5*70.2	111.88*63.83	28.4	1.2	
	RXA-050026-01	66.3*121	62.7*110.8	50	1.4	

Size	Part Number	TP O.D (mm)	TP A.A (mm)	Lenth of FPC (mm)	Total T (mm)	Remark
5.6"	RXA-056001-01	126.5*100	110.9*82.7	79.7	1.4	
	RXA-056002-01	128*79	108*65.5	25.5	1.45	
	RXA-056011-01	126.35*99.85	114.28*85.71	38.1	2.2	
5.7"	RXA-057002-01	128*98.2	115.2*86.4	39	2.2	
	RXA-057007-01	101.5*129.1	86.4*115.2	70	1.4	
	RXA-057007-01	129.1*101.7	115.20*86.4	43	1.49	
6.1"	RXA-061004-01	104.7*132.5	87.38*116.18	80	1.48	
6.5"	RXA-065005-01	154.85*89	145*78.4	50.2	1.4	
7.0"	RXA-070001-01	163*97	154.40*88.80	30.3	1.2	Flug FPC
	RXA-070003-01	163.5*98.5	154.08*85.92	61	1.4	
	RXA-070004-01	161.9*94.5	153.68*85.52	50	1.45	
	RXA-070007-01	161*96.5	154*87.1	30	1.4	
	RXA-070010-01	164.3*99.30	152.0*84.50	55.5	1.45	
	RXA-070108-01	99.8*161	94.5*151	50	1.5	
7.5"	RXA-075013-01	164*103	157*91.5	84.5	1.1	
8.0"	RXA-080001-01	192.8*116.5	175.2*99.36	79.5	1.4	
	RXA-080010-01	191.2*115.3	176.64*99.36	62.47	1.5	
	RXA-080014-01	182*140	163.4*122.4	89	1.4	
9.0"	RXA-090001-01	210.2*126.3	194.9*109.4	98	1.45	
10.1"	RXA-101001-01	229.17*148.8	217.06*135.7	98	1.4	
	RXA-101004-01	234.2*148.7	220.8*130.5	79.5	1.5	
	RXA-101013-01	233.8*148.4	221.2*130.5	80	1.53	
	RXA-101027-01	145.8*235	125.3*220.8	80	1.5	
	RXA-101038-01	234.5*142	223.72*126.28	50.5	1.5	
10.2"	RXA-102001-01	234.5*145.3	221.4*132.5	57.5	1.4	
10.4"	RXA-104002-01	225*172	211.8*159	88	1.5	
	RXA-104003-01	224.5*172	212.2*159.4	50	1.4	
	RXA-104013-01	230.4*179.8	212.2*159.4	100	2.2	
12.1"	RXF-12003-01	265*208.99	245.98*184.48	135.9	2	5 wire
	RXH-12004-01	278.2*211.2	245.5*184	127.5	5.3	5 wire
15.0"	RXH-15006-01	332.9*248.9	307*230.5	355	3.4	5 wire
	RXH-15007-01	322*247	304*228	108	2.3	5 wire
15.0"	RXA-15003-01	322*247	304*228			
	RXA-150002-01	322*247	302*226	87.85	2.3	
	RXA-150008-01	325*252	305.13*229.07	81.02	2.2	
17.0"	RXF-17003-01	379*311.5	338*271	110	2.1	5 wire
19.0"	RXF-190001-01	418.8*343.7	377*302	110	2.1	5 wire
21.5"	RXF-210002-01	517.64*309.11	475.64*267.11	110	2.1	5 wire