

青岛万顷国际贸易有限公司

Qingdao WanQing International Trade Co.,Ltd

Phone: +86 0532 87191999

Mobile: +86 13280840805

E-mail : Sales@wanqingtrade.com

Add :Qingdao WanQing International Trade Co.,Ltd

Wanqing Building 001, Feng Huang Shan Road, Dong Yuan Road, Huang Dao , Qing Dao City,
Shan Dong Province, China,

About

Qingdao WanQing International Trade Co.,Ltd

Qingdao WanQing International Trade Co.,Ltd located in Wanqing Building 001, Feng Huang Shan Road, Dong Yuan Road, Lingang Industrial Park, huangdao, Qingdao, China. Our plant has been comprised of 11,000 square meters of manufacturing work space.

WanQing aims to establish Long-term supply partnership with our clients, and provide professional products, we produce covering all fields of garden products like Wheelbarrow, Hand trolley, Flower cart, Yard signs and other products.

WanQing pays attention to R & D investment, according to the market ,we have successfully developed a large of new products with independent intellectual property rights, We already gained 23 and TUV GS certification major products.

WanQing have also passed BSCI audit and different international group 3rd party factory audit it has also been registered the china trade mark W&Q . WanQing also focus on safety and environmental protection production, which was named the safety production of Two-level enterprise.



HAND TROLLEY



HT1429 (HT1428AL)

Load Capacity(kg):100
Pneumatic Tyre:3.00-4
L/W/H(mm):1115x525x450



HT1428

Load Capacity(kg):100
Pneumatic Tyre:3.00-4
L/W/H(mm):1130(773)495x562(300)



HT1426

Load Capacity(kg):100
Pneumatic Tyre:3.00-4
L/W/H(mm):1142(790)x422x524



HT1422

Load Capacity(kg):100
Pneumatic Tyre:2.50-4
L/W/H(mm):1085x505x475

HT1423

Load Capacity(kg):100
Pneumatic Tyre:2.50-4
L/W/H(mm):1090x540x475



HT1505

Load Capacity(kg):120
Solid Tyre:8"x1.75"
L/W/H(mm):1445x455x430



HT1525

Load Capacity(kg):150
Solid Tyre:8"x1.75"
L/W/H(mm):1368x422x390



HT1560

Load Capacity(kg):80
Solid Tyre:8"x1.75"
L/W/H(mm):1000x460x355



HT1562 (HT1561A)

Load Capacity(kg):60
Solid Tyre:6"x1.5"
L/W/H(mm):1000x450x320



HT1563

Load Capacity(kg):100
Solid Tyre:8"x2"
L/W/H(mm):1003x425x369



HT1564 (HT1561-1)

Load Capacity(kg):120
Solid Tyre:7"x1.75"
L/W/H(mm):1080x445x340



HT1565

Load Capacity(kg):100
Solid Tyre:8"x1.75"
L/W/H(mm):1112x455x385



HT1583

Load Capacity(kg):100
Solid Tyre:8"x2"
L/W/H(mm):1120x530x405



HT1568

Load Capacity(kg):100
Solid Tyre:8"x1.75"
L/W/H(mm):1000x455x365



HT1822 (HT1827A)

Load Capacity(kg):180
Pneumatic Tyre:10"x3.5"
L/W/H(mm):1100x580x815



HT1828

Load Capacity(kg):250
Pneumatic Tyre:10"x3.5"
L/W/H(mm):1315x550x495



HT1830

Load Capacity(kg):160
Pneumatic Tyre:10"x3.5"
L/W/H(mm):1130x555x425



HT1858 (HT1857A)

Load Capacity(kg):120
Pneumatic Tyre:10"x3.5"
L/W/H(mm):1170x550x485



HT1865

Load Capacity(kg):150
Pneumatic Tyre:10"x3.5"
L/W/H(mm):1260x500x440



HT1866

Load Capacity(kg):200
Pneumatic Tyre:10"x3.5"
L/W/H(mm):1196x605x475



HT1831

Load Capacity(kg):150
Pneumatic Tyre:10"x3.5"
L/W/H(mm):1250x546x433



HT1832

Load Capacity(kg):200
Pneumatic Tyre:10"x3.5"
L/W/H(mm):1170x465x490



HT1833

Load Capacity(kg):200
Pneumatic Tyre:10"x3.5"
L/W/H(mm):1295x560x480



HT1841

Load Capacity(kg):180
Pneumatic Tyre:10"x3.5"
L/W/H(mm):1620x510x450



HT1842

Load Capacity(kg):250
Pneumatic Tyre:10"x3.5"
L/W/H(mm):1450x550x460



HT1849

Load Capacity(kg):180
Pneumatic Tyre:10"x3.5"
L/W/H(mm):1120x522x460



HT1850

Load Capacity(kg):150
Pneumatic Tyre:10"x3.5"
L/W/H(mm):1130x565x495




HT1851

Load Capacity(kg):250
Pneumatic Tyre:10"x3.5"
L/W/H(mm):1260x570x460



HT1857

Load Capacity(kg):150
Pneumatic Tyre:10"x3.5"
L/W/H(mm):1170x550x488



■ **HT508**
Load Capacity(kg):200
Solid Tyre:10"x2.5"
L/W/H(mm):1160x510x480



■ **HT1100**
Load Capacity(kg):150
Solid Tyre:6"x1.5"
L/W/H(mm):1100x415x355



HT1312
Load Capacity(kg):75
Solid Tyre:6.5"x1.75"
L/W/H(mm):1160x605x780



HT1313 (HT1312A)
Load Capacity(kg):75
Solid Tyre:6.5"x1.75"
L/W/H(mm):1160x605x795



HT1314 (HT1312B)
Load Capacity(kg):80
Solid Tyre:6.5"x1.75"
L/W/H(mm):1120x590x410



HT1311 (HT1310B)
Load Capacity(kg):120
Solid Tyre:6.5"x1.75"
L/W/H(mm):1300x517x595



HT1413
Load Capacity(kg):100
Pneumatic Tyre:2.50-4
L/W/H(mm):990x535x375



■ **HT1118**
Load Capacity(kg):120
Solid Tyre:6"x1.5"
L/W/H(mm):1181x445x335



■ **HT1214 (HT1211R)**
Load Capacity(kg):100
Solid Tyre:8"x1.5"
L/W/H(mm):1270x750x425



■ **HT1310**
Load Capacity(kg):100
Solid Tyre:6.5"x1.75"
L/W/H(mm):1300x535x600



HT1316 (HT1312D)
Load Capacity(kg):120
Solid Tyre:6.5"x1.75"
L/W/H(mm):1110x685x555



HT1317 (HT1310A)
Load Capacity(kg):150
Solid Tyre:6.5"x1.75"
L/W/H(mm):1300x517x595



HT1584

Load Capacity(kg):120
Solid Tyre:8"x2"
L/W/H(mm):1110x550x430



HT1585

Load Capacity(kg):160
Solid Tyre:8"x2"
L/W/H(mm):1155x565x640



HT1586

Load Capacity(kg):120
Solid Tyre:8"x2"
L/W/H(mm):1295x470x505



HT1601

Load Capacity(kg): 120
Solid Tyre:10"x2"
Body Size (LxWxH)(mm):
1530x615x350



HT1805

Load Capacity(kg):180
Pneumatic Tyre:10"x3.5"
L/W/H(mm):1310x550x480



HT1596

Load Capacity(kg):120
Solid Tyre:8"x2"
L/W/H(mm):1120x470x375



HT1546

Load Capacity(kg):120
Solid Tyre:8"x1.75"
L/W/H(mm):1118x418x366



HT1544 (HT1546A)

Load Capacity(kg):120
Solid Tyre:7.5"x1.25"
L/W/H(mm):1120x415x355



HT1512

Load Capacity(kg):100
Solid Tyre:8"x1.75"
L/W/H(mm):1115x480x460



HT1545

Load Capacity(kg):150
Solid Tyre:8"x2"
L/W/H(mm):1180x470x435



HT1511

Load Capacity(kg): 100
Solid Tyre:8"x1.75"
Body Size (LxWxH)(mm):
1450x395X410





HT1818

Load Capacity(kg):200
Pneumatic Tyre:10"x3.5"
L/W/H(mm):1270x525x475



HT1819

Load Capacity(kg):250
Pneumatic Tyre:10"x3.5"
L/W/H(mm):1270x523x475



HT1820

Load Capacity(kg):250
Pneumatic Tyre:10"x3.5"
L/W/H(mm):1280x525x480



HT1894

Load Capacity(kg):200
Pneumatic Tyre:3.00-4
L/W/H(mm):1200x595x670



HT1896

Load Capacity(kg):200
Pneumatic Tyre:3.50-4
L/W/H(mm):1280x550x495



HT1899

Load Capacity(kg):150
Pneumatic Tyre:3.00-4
L/W/H(mm):1180x530x525



HT1812

Weight(kg):10.6
Load Capacity(kg):200
Pneumatic Tyre:10"x3.5"
L/W/H(mm):1255x530x444



HT1809

Weight(kg):11.5
Load Capacity(kg):200
Pneumatic Tyre:10"x3.5"
L/W/H(mm):1310x550x460



HT1815

Weight(kg):10.5
Load Capacity(kg):200
Pneumatic Tyre:10"x3.5"
L/W/H(mm):1310x550x460



HT1900

Load Capacity(kg):150
Solid Tyre:10"x2.75"
L/W/H(mm):1180x545x475



HT1921

Load Capacity(kg):200
Solid Tyre:10"x2.5"
L/W/H(mm):1688x505x418



HT1821

Load Capacity(kg):230
Pneumatic Tyre:10"x3.5"
L/W/H(mm):1320x630x580



HT1823

Load Capacity(kg):250
Pneumatic Tyre:10"x3.5"
L/W/H(mm):1275x614x560



HT1827

Load Capacity(kg):250
Pneumatic Tyre:10"x3.5"
L/W/H(mm):1249x650x578



HT1922

Load Capacity(kg):200
Solid Tyre:10"x2.5"
L/W/H(mm):1688x505x418



HT1936

Load Capacity(kg):200
Solid Tyre:10"x2.5"
L/W/H(mm):1250x500x455



HT1920

Load Capacity(kg):200
Pneumatic Tyre:3.00-4
Solid Tyre:10"x2.5"
L/W/H(mm):1200x515x450



HT2000

Load Capacity(kg):150
 Pneumatic Tyre:3.00-4
 L/W/H(mm):1315x530x480



HT2006 (HT2003A)

Load Capacity(kg):80
 Solid Tyre:8"x1.75"
 L/W/H(mm):990x450x370




HT2400

Load Capacity(kg): 270
 Pneumatic Tyre:13"x4"
 L/W/H(mm):1308x630x550



HT2401

Load Capacity(kg): 270
 Pneumatic Tyre:13"x4"
 L/W/H(mm):1308x565x590



HT3000

Load Capacity(kg):150
 Pneumatic Tyre:3.00-4
 L/W/H(mm):1105x545x470



HT3800

Load Capacity(kg):150
 Pneumatic Tyre:3.00-4
 L/W/H(mm):1105x630x415



HT2505

Load Capacity(kg):200
 Solid Tyre:13"x3"
 L/W/H(mm):1150x555x615



HT2510 (HT2505AL)

Load Capacity(kg):100
 Pneumatic Tyre:3.50-4
 L/W/H(mm):1195x509x742



HT2506

Load Capacity(kg):120
 Solid Tyre:3.00-4
 L/W/H(mm):1205x540x480



HT2508

Load Capacity(kg):120
 Solid Tyre:3.00-4
 L/W/H(mm):1220x535x468



HT8001

Load Capacity(kg):120
 Solid Tyre:6.5"x1.75"
 L/W/H(mm): 1270x515x640(1020)



HT1877

Load Capacity(kg):200
 Pneumatic Tyre:10"x3.5"
 L/W/H(mm):1320x550x445



HT1887

Load Capacity(kg):12.50-4
 Pneumatic Tyre:8"x2.5"
 L/W/H(mm):1000x450x440



HT1875 (HT1883G)

Load Capacity(kg):150
 Pneumatic Tyre:3.50-4
 L/W/H(mm):1148x500x750



HT1826 (HT1827AN)

Load Capacity(kg):180
 Pneumatic Tyre:3.00-4
 L/W/H(mm):1115x520x470(840)



WHEELBARROW



WB 3800

Load(kg) :	150kg
Water capacity :	65L
Sand capacity :	4CBF
Wheel :	13"x3" solid wheel
LxHxCxAxBxh :	1380x540x600x830x620x250
QTY :	In bulk 1900pcs/40'HQ



WB3802

Load:	200kg
Water capacity:	65L
Sand capacity:	5CBF
Wheel:	13"x3" plastic wheel
LxHxCxAxBxh:	1380x540x450x830x620x250mm
QTY:	In bulk 1900pcs/40'HQ



WB3800P

Load:	150kg
Water capacity:	60L
Sand capacity:	5CBF
Wheel:	13"x3" solid wheel
LxHxCxAxBxh:	1380x540x600x880x690x285
QTY:	In bulk 1800pcs/40'HQ



WB5009

Load(kg) :	200kg
Water capacity :	90L
Sand capacity :	5.5CBF
Wheel :	16"x4.00-8
LxHxCxAxBxh :	1530x580x670x880x600x280mm
Packing :	In bulk 2200PCS/40HQ



WB 5009N

Load:	200kg
Water capacity:	90L
Sand capacity:	5.5CBF
Wheel:	16"x4.00-8
L×H×C×A×B×h:	1400×600×570×880×600×280
Packing:	In bulk 1800PCS/40'HQ



WB 5009H

Load:	200kg
Water capacity:	90L
Sand capacity:	5.5CBF
Wheel:	16"x4.00-8
L×H×C×A×B×h:	1380x620x620x880x600x280
Packing:	In bulk 1900PCS/40'HQ



WB5206

Load(kg) :	80kg
Water capacity :	65L
Sand capacity :	5CF
Wheel :	4.00-6 pneumatic
LxHxCxAxBxh :	1280x620x600x800x600x200
QTY :	3300pcs/40HQ



WB 6203A

Load:	150kg
Water capacity:	65L
Sand capacity:	5CBF
Wheel:	3.25/3.00-8
L×H×C×A×B×h:	1400x460x560x820x655x210
Packing:	In bulk 2000pcs/40'HQ



WB 6410

Load:	150kg
Water capacity:	65L
Sand capacity:	5CF
Wheel:	14"x3.50-8
L×H×C×A×B×h:	1250x665x560x820x655x210
Packing:	In bulk 1100pcs/40'HQ



WB6400

Load(kg) :	130kg
Water capacity :	65L
Sand capacity :	5CBF
Wheel :	3.50-8 Pneumatic wheel
LxHxCxAxBxh :	1430x545x560x830x670x210
QTY :	2800pcs/40HQ



WB6400D

Load:	150kg
Water capacity:	65L
Sand capacity:	5CBF
Wheel:	16"x4.00-8
L×H×C×A×B×h:	1430x540x550x830x670x210
QTY:	2400pcs/40HQ



WB 6400W

Load:	180kg
Water capacity:	65L
Sand capacity:	5CBF
Wheel:	15" solid powder wheel
L×H×C×A×B×h:	1430x515x527x830x670x210
QTY:	In bulk 2400pcs/40'HQ



WB6404HR

Load(kg) : 200kg

Water capacity : 90L

Sand capacity : 6CBF

Wheel : 4.00-8

LxHxCxAxBxh : 1390x680x583x880x600x285

Packing : In bulk 2200PCS/40HQ



WB 6404HP

Load:	200kg
Water capacity:	90L
Sand capacity:	6CBF
Wheel:	4.00-8
L×H×C×A×B×h:	1390x680x583x880x600x285
Packing:	In bulk 2000PCS/40'HQ



WB 6404H-1

Load:	200kg
Water capacity:	90L
Sand capacity:	6CBF
Wheel:	4.00-8
L×H×C×A×B×h:	1390x680x583x880x600x285
Packing:	In bulk 2000PCS/40'HQ



WB6414

Load(kg) :	160kg
Water capacity :	90L
Sand capacity :	5.5CBF
Wheel :	16"x4.00-8
LxHxCxAxBxh :	1430x650x560x950x600x330
QTY :	In bulk 1100PCS/40'HQ



WB 6414S

Load:	180kg
Water capacity:	90L
Sand capacity:	5.5CBF
Wheel:	15"x3" solid wheel
LxHxCxAxBxh:	1430x650x560x875x600x275
Packing:	In bulk 1100PCS/40'HQ




WB 6414C

Load:	150kg
Water capacity:	85L
Sand capacity:	5.5CF
Wheel:	16"x4.00-8
LxHxCxAxBxh:	1460x560x480x950x600x330
Packing:	In bulk 1100pcs/40'HQ



WB 6418

Load:	180kg
Water capacity:	90L
Sand capacity:	5.5CBF
Wheel:	16"x4.00-8
L×H×C×A×B×h:	1480×610×615×880×600×285mm
Packing:	In bulk 1500PCS/40HQ



WB6418S

Load:	160kg
Water capacity:	90L
Sand capacity:	5.5CBF
Wheel:	3.25/3.00-8
L×H×C×A×B×h:	1390×530×620×880×600×285mm
Packing:	In bulk 1200PCS/40'HQ



WB6418D

Load:	200kg
Water capacity:	90L
Sand capacity:	5.5CBF
Wheel:	16"x4.00-8
L×H×C×A×B×h:	1500×550×580×880×590×275
Packing:	1200pcs/40HQ



WB4207

Load:	130KGS
Water capacity:	65L
Sand capacity:	5CBF
Wheel:	3.25/3.00-8
L×H×C×A×B×h:	1370×650×375×820×655×210
Packing:	In bulk 1800pcs/40'HQ



WB6407

Load:	120kg
Water capacity:	65L
Sand capacity:	5CBF
Wheel:	14"x3.50-8
L×H×C×A×B×h:	1260×675×570×820×655×210
Packing:	In bulk 1100pcs/40'HQ



WB6408A

Load:	150KGS
Water capacity:	65L
Sand capacity:	5CBF
Wheel:	3.25/3.00-8
L×H×C×A×B×h:	1300×650×600×820×655×210
Packing:	In bulk 1800pcs/40'HQ



WB6211

Load:	80kg
Water capacity:	65L
Sand capacity:	5CBF
Wheel:	4.00-6
L×H×C×A×B×h:	1370×650×375×820×655×210
Packing:	In bulk 2000pcs/40'HQ



WB4500

Load(kg) :	200kg
Water capacity :	65L
Sand capacity :	4.5CBF
Wheel :	16"x4.00-8
LxHxCxAxBxh :	1430x580x560x930x685x195
QTY :	In bulk 1350PCS/40'HQ



WB 5500

Load:	250kg
Water capacity:	80L
Sand capacity:	5.5CBF
Wheel:	16"x4.00-8
LxHxCxAxBxh:	1430x580x560x930x685x220
Packing:	1250PCS/40'HQ



WB 6600

Load:	300kg
Water capacity:	100L
Sand capacity:	6.0CBF
Wheel:	16"x4.00-8
LxHxCxAxBxh:	1430x650x560x980x660x310
Packing:	1200PCS/40'HQ



WB 6600P

Load:	300kg
Water capacity:	100L
Sand capacity:	6.0CBF
Wheel:	16"x4.00-8
LxHxCxAxBxh:	1430x650x560x1010x680x310
Packing:	1200PCS/40'HQ



WB 7500

Load:	150kg
Water capacity:	75L
Sand capacity:	5CBF
Wheel:	16"x4.00-8
LxHxCxAxBxh:	1490x495x545x900x620x225
Packing:	In bulk 1900pcs/40'HQ



WB 7600

Load:	180kg
Water capacity:	90L
Sand capacity:	6CBF
Wheel:	16"x4.00-8
LxHxCxAxBxh:	1605x505x545x980x660x275
Packing:	In bulk 1800PCS/40'HQ



WB 7200H

Load:	200kg
Water capacity:	75L
Sand capacity:	5CBF
Wheel:	16"x4.00-8
LxHxCxAxBxh:	1460x560x480x900x620x225
Packing:	In bulk 1600pcs/40'HQ



WH6600R

Load(kg) :	300kgs
Water capacity :	100L
Sand capacity :	6.0FT
Wheel :	16"X4.50/4.00-8
LxHxCxAxBxh :	1430x650x560x980x660x310
QTY :	1350pcs/40'HQ



WH5501

Load:	180kgs
Water capacity:	75L
Sand capacity:	5CBF
Wheel:	16"x4.00-8
LxHxCxAxBxh:	1430x650x560x900x620x225
Packing:	1400pcs/40'HQ



WH5500

Load:	200kgs
Water capacity:	80L
Sand capacity:	5CBF
Wheel:	16"x4.00-8
LxHxCxAxBxh:	1405x580x600x930x685x220
Packing:	1400pcs/40'HQ



WH6600M

Load:	300kgs
Water capacity:	100L
Sand capacity:	6CBF
Wheel:	16"x4.00-8
LxHxCxAxBxh:	1430x650x560x980x660x310
Packing:	1350pcs/40'HQ



WH7600M

Load:	300kgs
Water capacity:	100L
Sand capacity:	7CBF
Wheel:	16"x4.00-8
LxHxCxAxBxh:	1430x650x560x980x660x310
Packing:	1350pcs/40'HQ



WH8600

Load:	180kgs
Water capacity:	100L
Sand capacity:	6CBF
Wheel:	16"x4.00-8
LxHxCxAxBxh:	1460x580x540x1010x680x310
Packing:	1350pcs/40'HQ



WH8600D

Load:	240kgs
Water capacity:	160L
Sand capacity:	10CBF
Wheel:	16"x4.00-8 (2pcs)
LxHxCxAxBxh:	1460x580x540x1010x680x310
Packing:	900pcs/40'HQ



WH 8614

Load(kg) :	200kg
Water capacity :	100L
Sand capacity :	7CBF
Wheel :	16"x6.50-8
LxHxCxAxBxh :	1515x525x520x980x660x310
QTY :	1000pcs/40'HQ



WH 8612

Load:	150kg
Water capacity:	100L
Sand capacity:	7CBF
Wheel:	16"x6.50-8
LxHxCxAxBxh:	1510x605x590x998x715x335
Packing:	1000PCS/40'HQ



WH 8613

Load:	200kg
Water capacity:	100L
Sand capacity:	7CBF
Wheel:	16"x4.00-8
LxHxCxAxBxh:	1520x575x600x980x660x305
Packing:	1200pcs/40'HQ



WH 7808

Load:	250kg
Water capacity:	100L
Sand capacity:	7CBF
Wheel:	16"x4.00-8
LxHxCxAxBxh:	1510x580x550x980x660x305
Packing:	1200PCS/40'HQ



WH 6601

Load:	180kg
Water capacity:	90L
Sand capacity:	6CBF
Wheel:	16"x4.00-8
LxHxCxAxBxh:	1505x530x530x980x660x275
Packing:	In bulk 1800pcs/40'HQ



WH 6602

Load:	200kg
Water capacity:	90L
Sand capacity:	6CBF
Wheel:	16"x4.00-8
LxHxCxAxBxh:	1505x530x530x980x660x275
Packing:	In bulk 1800pcs/40'HQ



WH 9600

Load:	180kg
Water capacity:	140L
Sand capacity:	10CBF
Wheel:	16"x4.00-8
LxHxCxAxBxh:	1575x575x540x1100x885x478
Packing:	In bulk 1000pcs/40'HQ

PU Wheel



ETPU-0601
(6x2)



ETPU-0801
(8"x2.50-4)



ETPU-1005
(10"x3.50-4)



ETPU-1304
(13"x5.00-6)



ETPU-1005-1
(10"x3.50-4)



ETPU-1335-1
(13"x3.50-6)



ETPU-1607
(16"x1.75)



ETPU-1608
(16"x4.00-8)



ETPU-1608-1
(16"x4.00-8)

SIZE(inch)	 Diameter(mm)	 Width(mm)	 Hub Length(mm)	 Bearing hole(mm)
6x2	152	49	60	12.7
8"x2.50-4	217	56	38	16
10"x3.50-4	259	84	54	16
13"x5.00-6	330	98	59	16
10"x3.50-4	259	89	57	16
13"x3.50-6	328	93	75	19
16"x1.75	394	41	69	12.7
16"x4.00-8	394	94	150	16
16"x4.00-8	394	94	75	19

PNEUMATIC Wheel



ETPR-1402
(8"X2.50-4)



ETPR-1806
(10"X3.50-4)



ETPR-1800
(10"X3.50-4)



ETPR-1212-1
(12"X5.00-6)



ETPR-2402-3
(13"X4.00-6)



ETPR-2402-2
(13"X4.00-6)



ETPR-1305-1
(13"X5.00-6)



ETPR-1505-1
(15"X6.00-6)



ETPR-3013-1
(16"X4.00-8)



ETPR-3008-1
(16"X5.00-8)

SIZE(inch)	 Diameter(mm)	 Width(mm)	 Hub Length(mm)	 Bearing hole(mm)
8"X2.50-4	213	58	81	16
10"X3.50-4	257	82	81	16
10"X3.50-4	257	81	55	16
12X5.00-6	327	109	45	16
13"X4.00-6	330	91	100	16
13"X4.00-6	326	94	60	16
13"X5.00-6	327	109	95	16
15"X6.00-6	368	129	76	19
16"X5.00-8	393	123	68	25.7
16"X4.00-8	386	95	75	19

FLOWER TROLLEY



FLOWER PLANT TROLLEY

Storage & Transportation

1350*565*1900mm

1500*565*1900mm

675*565*1900mm

1195*565*1900mm

22.24*53.15*72inch

44.25*31*83.75inch

22*59*77inch

客户定制尺寸/Customized size



胶合板/Plywood




金属板/Metal sheet




拉板网
Expanded mesh wire



焊接网/Welded wire



Plywood shelf



Wire mesh shelf



Metal shelf



Castors



Rods



Shelves

TIRE TROLLEY



1200*1000*1500mm
 最大承重：1T
 表面处理：热镀锌



2345*1124*1353mm
 最大承重：1.5T
 表面处理：喷塑




W60**D60**H60"
 W72**D72**H72"
 W72**D72**H67"
 W86**D48**H52"
 最大承重：1.5T
 表面处理：喷塑



1400*1200*(1250/1450/1550)
 最大承重：1T
 表面处理：喷塑

1500*1500*1700mm
 最大承重：1T
 表面处理：喷塑



GARDEN TROLLEY



MODEL	GC1840A
Load capacity	300KG
Wheel	10"x3.50-4 air
Size:LxWxH	1170x514x765MM
Quantity	300pcs/20'GP



MODEL	GC1840
Load capacity	500KG
Wheel	13"x5.00-6 air
Size:LxWxH	1370x615x1035MM
Quantity	200pcs/20'GP



MODEL	ETGCC-B01
Load capacity	330Lbs/150Kgs
Wheel	10"x3.50-4 Air
Size(LxWxH)	876 x 450 x 460mm



MODEL	ETGCC-R01
Load capacity	330Lbs/150Kgs
Wheel	10"x3.50-4 Air
Size(LxWxH)	590x450x460mm



MODEL	GC1840C
Load capacity	300KG
Wheel	10"x3.50-4 air
Size:LxWxH	1170x514x765MM
Quantity	300pcs/20'GP



MODEL	ETGCC-H-G01
Load capacity	330Lbs/150Kgs
Wheel	10"x3.50-4 Air
Size(LxWxH)	876x450x460 mm
Handle Size	495mm-762mm



TC2150
Weight(kg):33
Load capacity(kg):300
Wheel:4.00-8
Body size(L*W*H):1500*935*765



TC2151
Weight(kg):33
Load capacity(kg):300
Wheel:4.00-8
Body size(L*W*H):1500*935*765



TC2168
Weight(kg):37
Load capacity(kg):300
Wheel:4.00-6
Body size(L*W*H):1476*794*680



TC2169
Weight(kg):37
Load capacity(kg):300
Wheel:4.00-6
Body size(L*W*H):1476*794*680



TC102
Weight(kg):6.1
Body size(L*W*H):
505*303*1070



TC104
Weight(kg):11.3
Body size(L*W*H):
780*330*1110



TC101
Weight(kg):9.6
Body size(L*W*H):
620*330*1070



TC2245
Load capacity(kg):30
Weight(kg):2.7
Body size(L*W*H):940*510*210

TC2145
Weight(kg):15.8
Load capacity(kg):300
Wheel:3.00-4
Body size(L*W*H):1016*495*940



OTHER TROLLEY



TC2073
Load capacity(kg):80
Body size(L*W*H):735*420*720



TC2073B
Load capacity(kg):80
Body size(L*W*H):800*395*690



TC1850
Wheel:10 inch
Body size(L*W*H):950*570*970



TC3110
Load capacity(kg):80
Body size(L*W*H):540*660*1100



PH0500
Load capacity(kg):300
Weight(kg):4.6
Body size:760*460*135



PH0501
Load capacity(kg):150
Weight(kg):2.4
Body size:600*300*130



PH0508
Load capacity(kg):300
Weight(kg):6.5
Body size:760*460*178



PH0535B
Load capacity(kg):150
Weight(kg):6
Body size:600*450*130



HT2020
Load capacity(kg):100
Body size:420*400*1080



HT2022D
Load capacity(kg):100
Body size:480*480*980



HT2142
Load capacity(kg):80
Body size:385*390*990



平板手推车: Trolley (铁板)

ITEM	JL-844
SIZE	72x48mm
MAX LOAD	150kg
QTY	1pcs
G.W/N.W	8.5kg/7.9kg
MEAS	73x49x9cm



平板手推车: Trolley (铁板)

ITEM	JL-845
SIZE	90x60mm
MAX LOAD	300kg
QTY	1pcs
G.W/N.W	13.5kg/12.8kg
MEAS	92x62x11cm



平板手推车-Trolley (塑料)

ITEM	JL-854
SIZE	72x48mm
QTY	2pcs
G.W/N.W	16kg/15kg
MEAS	73.5x48x30cm



平板手推车-Trolley (塑料)

ITEM	JL-855
SIZE	90x60mm
QTY	2pcs
G.W/N.W	20.5kg/19.5kg
MEAS	91.5x61.5x32cm



HT2020A
Load capacity(kg):150
Body size:1080*400*890



HT2030
Load capacity(kg):100
Body size:1005*190*385



HT2031
Load capacity(kg):100
Body size:1010*190*383



平板手推车-Trolley (塑料)

ITEM	JL-856
SIZE	72x48mm
QTY	1pcs
G.W/N.W	7.4kg/6.9kg
MEAS	72.5x49x10.5cm



平板手推车-Trolley (塑料)

ITEM	JL-857
SIZE	90x60mm
QTY	1pcs
G.W/N.W	9.7kg/8.9kg
MEAS	90x60.5x11cm



平板手推车-Trolley (塑料)

ITEM	JL-860
SIZE	90x60mm
QTY	1pcs
G.W/N.W	8.1kg/7.5kg
MEAS	72.5x49x10.5cm



平板手推车-Trolley (塑料)

ITEM	JL-861
SIZE	90x60mm
QTY	1pcs
G.W/N.W	10.6kg/9.8kg
MEAS	90x60.5x11cm



WHY CHOOSE US



Honest and Reliable Factory

We are factory located in Jiannan of Qingdao City



Professional Team

Professional design, production, sales and service team



Small MOQ

Small order quantity are acceptable



Prompt Delivery

Delivery within 15-25 working days