



Bathroom & Sanitary Grease Products & Solutions

Shenzhen EUBO New Material Technology Co., Ltd.

COMPANY PROFILE



Shenzhen EUBO New Material Technology Co., Ltd.

- *Founded in 2000, headquartered in Shenzhen, with a 30,000 m² factory in Jiangxi
- *National high-tech enterprise, among China's first "Specialized & Innovative" SMEs
- *Certified with ISO 9001, IATF 16949, ISO 14001, ISO 45001, QC080000
- *Product range includes:
Food-grade, automotive, robot, gear, bearing, silicone, and damping greases
Forosilicone materials, dry film lubricants, nano waterproof agents, and PFAS-free solutions
- *Widely used in food, automotive, electronics, and smart equipment
- *Serving 1,000+ global clients, including 30+ Fortune 500 companies
- *Offices in Shanghai, Fujian, Chongqing, and Hong Kong



National High-Tech
Enterprise



Shenzhen High-Tech
Enterprise



Guangdong Famous
Trademark




Top 100 Innovative
SMEs in China

Jiangxi EUBO New Material Technology Co., Ltd.

A joint venture between Shenzhen EUBO and the Yuanzhou Pharmaceutical Industrial Park in Jiangxi Province, with a total planned area of 100,000 m², production capacity of 30,000 tons per year, and total investment of RMB 550 million.

National High-Tech Enterprise
Guangdong Provincial Engineering Center
Postdoctoral Innovation Base
Top 100 Innovative SMEs



R & D Center

*The company’s R&D Center is recognized by the Guangdong Provincial Science and Technology Department as the Advanced Lubrication and Protective Materials Engineering Technology Research Center and is a Postdoctoral Innovation Base in Shenzhen. It collaborates closely with top institutions such as Shenzhen Tsinghua University Research Institute, Southern University of Science and Technology, and the Chinese Academy of Sciences.

*The center has over 30 R&D staff, including senior engineers and postdoctoral researchers, with strong innovation and development capabilities.

*Facilities include advanced materials labs, pilot plants, and testing labs equipped with 100+ specialized instruments, supporting over 200 testing projects.



DSC




DMA



TMA



ICP



SEM-EDS



Rs6000



FT-IR



XRD




Faucet Cartridge Silicone Grease

Product Features:

EUBO faucet cartridge grease offers excellent lubrication and water resistance, ensuring smooth operation with less resistance. NSF H1 certified, it is safe for drinking water use, eco-friendly, and compatible with most materials. It performs reliably in a wide temperature range, improving cartridge performance and extending service life.

Applications:

Commonly used in sanitary ware, water filters, kitchen appliances, water heaters, precision valves, and home or commercial equipment.



Product Parameters

Product Model	Appearance	Condition	Consistency Number	Use Temperature (°C)	Environmental Certification	Application	Features
T100M	White	Uniform paste	0-1	-40~200	RoHS REACH NSF WRAS KTW ACS WATERMARK	Cartridge	Lasting lube, strong water repellent
T100N	White	Uniform paste	2	-45~200	RoHS REACH NSF WRAS KTW ACS WATERMARK	Cartridge	High viscosity, heat wash resistant
N96	White	Uniform paste	2-3	-40~200	RoHS REACH NSF WRAS KTW ACS WATERMARK	Cartridge	Thermal stability oxidation resistance
E353	Off-white	Uniform paste	1-2	-40~180	RoHS REACH NSF WRAS KTW ACS WATERMARK	Cartridge	Good material compatibility
M822	White	Uniform paste	1	-50~200	RoHS REACH NSF WRAS KTW ACS WATERMARK	Cartridge	Very low volatility chemical stability


O-Ring Sealing Grease

Product Features:

EUBO O-ring grease is highly compatible with most plastics and elastomers, significantly extending O-ring life and improving equipment reliability. It is non-toxic, environmentally friendly, and offers excellent lubrication, chemical stability, and resistance to extreme temperatures, acids, alkalis, corrosion, and water washout. Ideal for high-performance sealing

Applications:

Used in toys, home appliances, instruments, sanitary ware, electronic components, and cable connectors.



Product Parameters

Product Model	Appearance	Condition	Consistency Number	Use Temperature (°C)	Environmental Certification	Application	Features
N98	White	Uniform paste	0-1	-50~200	RoHS REACH NSF WRAS KTW ACS WATERMARK	O-Ring	Strong adhesion low loss
T100K	White	Uniform paste	2-3	-40~200	RoHS REACH NSF WRAS KTW ACS WATERMARK	O-Ring	Corrosion resistance waterproof sealing
T100G	White	Uniform paste	0	-60~200	RoHS REACH NSF WRAS KTW ACS WATERMARK	O-Ring	Long life, strong weather resistance
Z404	Off-white	Uniform paste	1-2	-45~180	RoHS REACH NSF WRAS KTW ACS WATERMARK	O-Ring	Long-lasting sealing lubrication
LV1422	White	Uniform paste	-	5~40	RoHS REACH NSF WRAS KTW ACS WATERMARK	O-Ring	O-ring assembly lubrication

Damping Grease

Product Features:

EUBO damping grease is a high-performance lubricant based on high-purity synthetic oil. It offers excellent damping, smooth motion, noise reduction, and sealing protection. It ensures soft feel, quiet operation, and prevents moisture and dust intrusion. The formula is non-toxic, environmentally friendly, and long-lasting.

Applications:


Widely used in faucets, showers, toilet seat hinges, home appliances, consumer electronics, optical and precision instruments, toys, and daily products.



Product Parameters

Product Model	Damping Grade	Use Temperature (°C)	Dynamic Viscosity (25°C)	Application
Damping Grease P37	Relatively light	-30~200	100000	Damping and anti-slip for washing machine lid dampers, piano lid dampers, and toilet seat hinge dampers.
Damping Grease P39	Lighter	-20~200	300000	
Damping Grease P42	General	-17~200	600000	
Damping Grease P46	Medium	-10~200	800000	Damping and soft-close mechanism for automotive sunglasses holders and storage box interior
Damping Grease P807	Relatively heavy	-3~200	1500000	
Damping Grease P8202	Heavier	0~200	2000000	

Faucet Cartridge Sealing and Lubrication Solution



Partners

JOMOO

KOHLER®

TOTO

American Standard

ARROW

名迪阀芯

HUIDA 惠达

恒洁 HEGII

亿展阀芯

T O K
CREATE NEW MOTION

Solex
BESTER

赤心
CHIXIN GROUP

All bathroom products have passed the following certifications and comply with drinking water industry standards and regulations, including NSF, ACS, WRAS, KTW, and WATERMARK.



Shenzhen EUBO New Material Technology Co., Ltd.

Shenzhen Factory Address: Xufa Technology Park, Heshui Kou,
Matian, Guangming District, Shenzhen

Jiangxi Factory Address: Pharmaceutical Industrial Park, Yuanzhou
District, Yichun City, Jiangxi Province

Sales Rep:

Mia Song: +86 188 4989 0463 (WeChat/WhatsApp available) Email: ssm@euboltd.com

Frank Yue: +86 133 1699 8426 (WeChat/WhatsApp available) Email: yuelel@euboltd.com

**For more information about our products, feel free to follow us
on LinkedIn and Facebook — just search for "EUBO New Materials"**