Gemlight®

GEMLIGHT®

AGRICULTURAL & GARDENING TOOLS



DINGZHOU GEMLIGHT CUTTING TOOLS CO., LTD
www.ganzhedao.com

GEMLIGHT

Gemlight®

A professional manufacturer and trader, specialized in Gardening Tools and Agricultural Tools since 1990.

ODM OEM

Engineers team with years of experiences on designing and tooling.

CERTIFIED ISO 9001:2015 COMPANY

ISO9001:2015 Quality management systems certified, which could ensure product quality, provide consistency of product supply quality.



We carefully track the environmental impact of our work and continually strive to improve it, to help build green world.

Dingzhou Gemlight Cutting Tools Co., Ltd., was founded in 1990, is a modern farm and garden hand tools manufacturing company, factory based in the city of Dingzhou, which in the middle of Hebei Province, the world steel heart. Gemlight specializes in design and manufacturing tools and wire meshes.

More than 26 years of experience in garden tools ,farm tools and wire mesh.
With more than 26 years of experience in hand tools of garden, farm and wire mesh, Dingzhou Gemlight Cutting Tools has developed an advanced production line covering stamping, heat treatment, painting and assembling under one roof. Our products have SGS and intertek approvals for your assurance.

4 Million Tools and Wire mesh Produced Annually and sell to all over the world.
Our 32000sqm factory, with intelligent electronic control heat treatment system, and Pneumatic punching machine, Gemlight guarantee every tools and wire-mesh's quality, also the production capacity of 4 million tools. You can find our tools in USA, Mexico, Kenya, Uganda and Nigeria, Slovenia, Poland etc. At same time, ODM and OEM services are provided to meet your request and satisfaction.

CONTENT

Agricultural and Garden Tools



Long handle Shovel ——— 4-20
Shovel head ——— 21-25



Fork ——— 26-27



Machete ——— 28-33
Sickle ——— 34-34
Steel File ——— 35-35



Pickaxe ——— 36-37
Hoe & Garden hoe ——— 38-41



Rakes ——— 42-44
Post Hole Digger ——— 45-45
Hammer&Axe ——— 46-49



Hand Saw ——— 50-50
Pruning Shear ——— 51-51



Water Hose ——— 52-52
Wheel barrow ——— 53-54

Wiremesh and Netting

Iron Wire ——— 55-56
Wire Netting ——— 57-63



Bag&sacks ——— 64-64
Nails ——— 65-65


Work protection



Rainboot ——— 65-67
Glove ——— 67



LONG HANDLE SHOVEL





BS519-9DC
Size(mm) 295x240x1050

BS518-5AD
Size(mm) 300x215x1050

BS519-C1L
Size(mm) 280x230x1480

BS519-C6L
Size(mm) 310x230x1480

BS505-3DQ
Size(mm) 325x270x1050

DS526B-1DP
Size(mm) 360x160x1050

BS525-3DS
Size(mm) 305x185x1050

BS550-EX4
Size(mm) 465x370x1050



BS518GY
Size(mm) 205x290x1020

BS501MHY
Size(mm) 235x300x970

BS512MHY
Size(mm) 190x300x970

BS503MHD
Size(mm) 225x300x1020

BS512MHY-1
Size(mm) 190x300x1020

BS501MHY-1
Size(mm) 245x300x1020

BS503MHY-1
Size(mm) 225x300x1020

BS501MHD
Size(mm) 245x300x1020

BS503MHY3
Size(mm) 235x300x1000

LONG HANDLE SHOVEL



BS503HV
Size(mm) 240x300x1020

BS503D
Size(mm) 240x300x1020

BS512D
Size(mm) 190x300x1020

BS501Y
Size(mm) 235x300x1020

BS503Y
Size(mm) 240x300x1020

BS502Y
Size(mm) 275x390X1020

BS512HV
Size(mm) 190x300x1020



BS518-MZY
Size(mm) 240x320x1030

BS519F-MZ
Size(mm) 230x340x1050

BS519-10D
Size(mm) 255x295x1020

BS518-10D
Size(mm) 265x325x1020

BS518-28Y
Size(mm) 360x340x1050

BS518-8Y
Size(mm) 215x290x970

BS518-19PY
Size(mm) 285x338x1050

BS518-22ZD
Size(mm) 210x300x1020

LONG HANDLE SHOVEL



BS501MHD1
Size(mm) 260x320x910

BS503MHD1
Size(mm) 230x330x910

BS108D
Size(mm) 190x300x980

BS512MHD1
Size(mm) 195x300x910

BS805-2Y
Size(mm) 245x310x1100

BS518-MY4
Size(mm) 230x305x1070

BS519-MY4
Size(mm) 240x305x1070

BS518-16Y
Size(mm) 225x295x1000



BS518-4YY
Size(mm) 290x340x1020

BS519-4TT
Size(mm) 265x340x1020

BS526-STY
Size(mm) 160x360x1020

BS252-ADS
Size(mm) 210x290x1070

BS518-4WY
Size(mm) 290x340x1000

BS519-4WY
Size(mm) 265x340x1000

BS518-YBP
Size(mm) 240x305x1070

BS519-YBP
Size(mm) 240x305x1070



BS518FD
Size(mm) 215x290x1140

BS519-4FHV
Size(mm) 235x280x1020

BS518FD
Size(mm) 210x290x1000

BS519-4FHV
Size(mm) 240x280x1000

BS6046
Size(mm) 155x410x1100

BS518-15PD
Size(mm) 205x305x1050

BS525PD
Size(mm) 180x300x1120

BS525PD
Size(mm) 145x360x1070



BS503-WH1
Size(mm) 230x300x1000

BS503-WH6
Size(mm) 230x300x1000

BS501-WG1
Size(mm) 180x225x1000

BS501-KRB
Size(mm) 215x280x980

BS502-KRB
Size(mm) 255x315x1000

BS503-KRB
Size(mm) 220x280x980

BS512-KRB
Size(mm) 180x250x980

BS501GY
Size(mm) 245x300x1020

LONG HANDLE SHOVEL



BS512-SPY
Size(mm) 185x270x1200

BS512-SSY
Size(mm) 185x270x1200

BS502-SPY
Size(mm) 235x320x1200

BS519-SPY
Size(mm) 240x290x1200

BS518-SD1
Size(mm) 212X295X1200

BS518-SD2
Size(mm) 210X300X1200

BS519-SD1
Size(mm) 217X280X1200

BS519-SD2
Size(mm) 228X274X1200



BS502-A2D
Size(mm) 395x510x1150

BS502-P3V
Size(mm) 370x470x1150

BS502-P3D
Size(mm) 370x470x1150

BS502-1FD
Size(mm) 380x465x1150

BS502-AFD
Size(mm) 395x510x1150

BS502-AMD
Size(mm) 395x510x1150

BS502-AMY
Size(mm) 380x465x1150

BS502-PSY
Size(mm) 370x470x1230

LONG HANDLE SHOVEL



BS518-1Y
Size(mm) 150x210x760

BS531T
Size(mm) 170x290x750

BS519-14D
Size(mm) 150x210x720

BS503MHY-2
Size(mm) 160x200x720

BS518-27JY
Size(mm) 150x210x700

BS503-9D
Size(mm) 100x210x610

BS503-5Y
Size(mm) 180x215x830

BS503-8Y
Size(mm) 215x280x960

BS503-4Y
Size(mm) 175x240x820



BS518-29L
Size(mm) 240x300x1500

BS518-22L
Size(mm) 210x300x1480

BS518-19L
Size(mm) 285x338x1500

BS518-22L brown
Size(mm) 210x300x1480

BS501L
Size(mm) 235x300x1500

BS503L
Size(mm) 235x300x1500

BS501SL
Size(mm) 235x300x1500

BS503SL
Size(mm) 215x270X1450

BS501GL
Size(mm) 235x300x1500



BS518-13L
Size(mm) 255x310x1500

BS518-5L
Size(mm) 210x270x1450

BS518-11L
Size(mm) 210x285x1500

BS518-30L
Size(mm) 245x345x1450

BS518-22ZL
Size(mm) 210x300x1500

BS518-3ZL
Size(mm) 220x295x1500

BS506-3L
Size(mm) 230x305x1500

BS519-4L
Size(mm) 235x280x1500

BS519-4ZL
Size(mm) 235x280x1500



BS518L
Size(mm) 265X310X1500

BS512-12L
Size(mm) 185X265X1350

BS515L
Size(mm) 245X310X1500

BS518FHL
Size(mm) 245X310X1520

BS529L
Size(mm) 290x290x1500

BS588L
Size(mm) 120x335x1440

BS518TL
Size(mm) 265x315x1480

BS501TL
Size(mm) 225x300x1480

LONG HANDLE SHOVEL



BS508-3TS
Size(mm) 210x265x1230

BS508-4TS
Size(mm) 250x270x1250

BS526-5LL
Size(mm) 115x290x1480

BS526-6LL
Size(mm) 180x305x1480

BS508-1YL
Size(mm) 260x295x1480

BS530-LCL
Size(mm) 270x290x1480

BS525-4LL
Size(mm) 215x290x1480

BS518-R2L
Size(mm) 240x320x1480



BS518-FBL
Size(mm) 240x280x1480

BS502-FQL
Size(mm) 280x338x1480

BS518-FBT
Size(mm) 210x290x1480

BS526-FLH
Size(mm) 105x300x1480

BS518-FHB
Size(mm) 215x290x1450

BS518-FHC
Size(mm) 215x290x1450

BS519-FHL
Size(mm) 235x275x1450

BS519-FHC
Size(mm) 237x290x1450



BS520-1TB
Size(mm) 230x320x1300

BS520-2TS
Size(mm) 230x320x1300

BS520-3TFB
Size(mm) 255x385x1370

BS520-4TY
Size(mm) 275x385x1370


BF606-4TS
Size(mm) 220x325x1120

BS525-3LS
Size(mm) 180x285x1480

BS518-1TL
Size(mm) 240x300x1460

BS525-5FL
Size(mm) 190x270x1450

SHOVEL HEAD





BS502-1
Size(mm) 315x410x570

BS502
Size(mm) 275x395

BS555-2
Size(mm) 220X295X360

BS510-2
Size(mm) 265X285X330

BS510-1
Size(mm) 265X285X395

BS557-5
Size(mm) 240X330X500

BS598
Size(mm) 205x215x270

BS701
Size(mm) 230x260

BS533
Size(mm) 220x310

BS501-2X
Size(mm) 250x215x420



BS501-1X
Size(mm) 215x225x365

BS804-3
Size(mm) 265x285x353

BS804-2
Size(mm) 280x290x353

BS804-1
Size(mm) 225x270

BS554-2
Size(mm) 215x270x370



BS554-1
Size(mm) 180x275x345

BS552
Size(mm) 140x365

BS526-4
Size(mm) 150x400

BS526-3
Size(mm) 140x360

BS526-2
Size(mm) 125x355x600

SHOVEL HEAD



BS526-1
Size(mm) 115x360x640



BS525-10
Size(mm) 165x290x530



BS525-11
Size(mm) 175x275



BS525-8
Size(mm) 160x290x420



BS525-7
Size(mm) 160x290x420



BS525-6
Size(mm) 175x290x490



BS525-5
Size(mm) 185x290x525



BS525-4
Size(mm) 185x210x520



BS525-3
Size(mm) 285x300



BS525-2
Size(mm) 180x260x435



BS525-1
Size(mm) 210x320x500



BS519-13
Size(mm) 265x335



BS519-12
Size(mm) 240x278x490



BS519-11
Size(mm) 210x300x495



BS519-9
Size(mm) 240x300x500



BS519-7
Size(mm) 245x310x495



BS519-6
Size(mm) 215x295x453



BS519-5
Size(mm) 240x295x500



BS519-2
Size(mm) 235x275x495



BS519-3
Size(mm) 215x295x490



BS519-4
Size(mm) 235x280x490



BS519-1
Size(mm) 235x300x500



BS519-2
Size(mm) 260x340X535



BS518-22
Size(mm) 210x300x500



BS518-21
Size(mm) 240x330x500



BS518-20
Size(mm) 208x280x495



BS518-19
Size(mm) 285x338x525



BS518-18
Size(mm) 250x320x470



BS518-16
Size(mm) 215x300x492



BS518-15
Size(mm) 205x305x500



BS518-13
Size(mm) 255x310x480



BS518-12
Size(mm) 235x320x450



BS518-11
Size(mm) 210x285x495



BS518-10
Size(mm) 215x295x495



BS518-9
Size(mm) 230x310x510



BS518-8
Size(mm) 215x290x480



BS518-7
Size(mm) 210x310x490



BS518-6
Size(mm) 210x295x500



BS518-5
Size(mm) 210x270x485



BS518-4
Size(mm) 305x295X495

SHOVEL HEAD



BS518-3
Size(mm) 220x295x495



BS518-1
Size(mm) 150x210x365



BS516-1
Size(mm) 110x290x505



BS514
Size(mm) 190x270



BS512-4
Size(mm) 200x290x525



BS512-6
Size(mm) 195x270x360



BS512-2
Size(mm) 190x326



BS512-3
Size(mm) 165x225x348



BS512
Size(mm) 185x295x445



BS527
Size(mm) 270x270x390



BS529
Size(mm) 290x290x390



BS530
Size(mm) 300x300x440



BS510-6
Size(mm) 280x280x360



BS510-5
Size(mm) 260x280x330



BS510-3
Size(mm) 265x300x360



BS510-2
Size(mm) 215x305X350



BS510-1
Size(mm) 265x280X335



BS510
Size(mm) 260x285x335



BS508
Size(mm) 285x290



BS507
Size(mm) 240x300X470



BS506-6
Size(mm) 215x280x360



BS506-4
Size(mm) 210x285x365



BS506-3
Size(mm) 230x305x410



BS506-2
Size(mm) 395x295x410



BS506-1
Size(mm) 210x295x425



BS506
Size(mm) 215x295



BS504
Size(mm) 260x270



BS504-6
Size(mm) 235x295x355



BS504-5
Size(mm) 255x280x335



BS504-3
Size(mm) 230x280x352



BS503K
Size(mm) 220x275x285



BS503-5
Size(mm) 180x215x305



BS503-6
Size(mm) 150x190x280



BS503-7
Size(mm) 170x230x330



BS504-2
Size(mm) 225x270x342



BS503-3G
Size(mm) 260x320x447



BS503G
Size(mm) 225x300X420



BS503-1
Size(mm) 160x195x280



BS503
Size(mm) 240x300X420



BS501
Size(mm) 245x300X420



F102-3T
Size(mm) 200×300



F108-5T
Size(mm) 230×325



F102-4T
Size(mm) 225×325



F102-5T
Size(mm) 230×325



F101-5T
Size(mm) 230×325



F117-4
Size(mm) 175×335



F101-9T
Size(mm) 255×340



F005
Size(mm) 200×220



F115
Size(mm) 170×265



F115H
Size(mm) 170×265



F105-4T
Size(mm) 200×345



F105-3T
Size(mm) 175×335



F112
Size(mm) 150×295



F102-2T
Size(mm) 180×280



F101-4T
Size(mm) 225×325



F111
Size(mm) 135×215



BF107-4SMY
Size(mm) 230x310x400

BF117-1D
Size(mm) 190x290x400

BF108-4Y
Size(mm) 220x320x400

BF101-10D
Size(mm) 250x330x400

BF102-2L
Size(mm) 180x280x450

BF101-4L
Size(mm) 235x325x450

BF108-3L
Size(mm) 220x310x450

BF108-4L
Size(mm) 220x320x450

BF108-5L
Size(mm) 230x320x450



Machete

new



M202
Machete with wood handle
Size: 19.5"

new



M448
Machete with wood handle
Size:19"



M206A
Machete with wood handle or plastic handle
Size: 11" 14" 16" 18" 19.5"



M212A
Machete with wood handle or plastic handle
Size:19" 21" 22.5"



M208A
Machete with wood handle or plastic handle
Size:19"



M2002A
Machete with plastic handle
Size:18" 20"



M1778C
Machete with wood handle
Size: 22"



M1778A
Machete with wood handle
Size:22"



M244
Machete with wood handle
Size:18"



M1779A
Machete with wood handle
Size:22"



M1779B
Machete with wood handle
Size:24"



M321
Machete with wood handle
Size: 18" 20" 22"



M206
Machete with wood or plastic handle
Size:11" 14" 16" 18" 19.5"



M702
Machete with wood handle
Size:20" 22"



M741
Machete with wood handle
Size:19"



M208B
Machete with wood handle
Size:19"



M206B
Machete with wood handle
Size:18"



M204A
Machete with wood handle
Size: 20"

Machete



M204B

Machete with wood or plastic handle

Size:12" 16" 18" 20" 22"



M204

Machete with wood handle or plastic handle

Size: 12" 16" 18" 20" 22"



M212

Machete with wood handle or plastic handle

Size:12" 16" 18"



M214A

Grass Slasher

Size:27"



M214T

Grass Slasher Twist

Size:29"



M214S

Grass Slasher Straight

Size: 18" 20" or customized



212C

Machete with wood handle

Size: 27"



212D

Machete with plastic handle

Size: 24" 27"



M207

Machete with wood handle

Size:12.5" or any length.



M251

Machete with wood handle

Size:15"



M205C

Machete with wood handle

Size: 18"



M2200A

Machete with wood handle

Size:14"



M2200

Machete with wood and plastic handle

Size: 14"



M201

Machete with wood handle

Size:18"



M2002

Machete with wood or plastic handle

size:10" 12" 14" 16" 18" 20" 22" 24" 26"



M252

Machete Straight with wood or plastic handle

Size:18"



M252S

Machete Serrated, plastic handle

Size:18"



M252B

With injection handle

Size:18"



M252A

Machete with cooper wire. Wood handle

Size:17" 21"



M5510

Machete with plastic handle

Size:20" 22"



M2003

Machete with plastic handle

Size:20"



M206

Machete with wood handle

Size:18"



M204C

Machete with plastic handle

Size:24"



M203

Machete with wood handle

Size: 12" 15"

Machete



M213P
Cane knife plain, wood and injection handle
Size: 14"



M213
Cane knife with hook, wood handle or injection handle
Size:14"



M213R
Cane knife with wood handle
Size:14"



M213B
Cane knife with hood
Size:12"



M213F
Cane knife, Fiji type, wood handle
Size:14"



M213L
Cane knife, long handle
Size:12"



M201B
Corn knife, Triangle type, wood handle.
Size:14"



M201C
Corn knife, Triangle type, wood handle or injection handle
Size:14.5"



M213C
Machete with wood handle
Size:14"



K100
Machete with wood handle
Size:10.5" 12.5" 13.5"



M213L-01
Machete with plastic handle
Size:13"



M213L-02
Machete with wood handle
Size: 14"



M205
Machete with wood handle/plastic handle
Size:10" 12" 14" 16" 18" 20" 22" 24" 26"



M205D
Machete with plastic handle
Size:16"



M205E
Machete with wood handle
Size: 22" 24"



M205B
Machete with plastic handle
Size: 24"

Machete Sheath



Canvas



Heavy Duty Cordura Nylon



Nylon

Retail package



Plastic Hanging card



Paper card



PVC bag



Blister package

Sickle



SI202
Wood handle injection handle
Size: 8" 10" 12" 14" 16" 18" 20"



S1319
Wood handle or plastic handle
Size 6.5" 7.5" 8.5" 10.5"



S33
With wood handle
Size(cm) 33



S34
With wood handle
Size(cm) 34



S40
With wood handle
Size(cm) 40



SI206C
With wood handle
Size 7"



206C-G
With wood handle
Size 4.5"



Spain S20
With wood handle
Size 20" 21"



SI213
With wood handle



Spain S20
Rubber knife
Small rubber knife



CO-3
Coconut knife



CO-06
Coconut knife



CO-01
Coconut Knife



CO-02
Banana knife



CO-04
COCONUT KNIFE



POS-01
Palm Harvesting Sickle



SC227
Scythe
Size 60cm 70cm 80cm









MF100 Mill File
Single cut or double cut
Size:4" 5" 6" 8" 10" 12" 14" 16" 18"



FF100 Flat File
Single cut or double cut
Smooth, Second, Bastard Wave
Size:4" 5" 6" 8" 10" 12" 14" 16" 18"



OW100
Farmer' s Own File
Single cut or double cut
Size:8" 10" 12"



HR100 Half-round File
Smooth, Second, Bastard Wave
Size: 4" 5" 6" 8" 10" 12" 14" 16" 18"



TF100 Triangular Taper File
Heavy Taper/Regular
Slim/Extra Slim/Double extra slim taper file
Smooth, Second, Bastard Wave
Size: 4" 5" 6" 8" 10" 12" 14" 16" 18"



Available in plastic handle
wood handle



RF100 Round File
Smooth, Second, Bastard Wave
Size: 4" 5" 6" 8" 10" 12" 14" 16" 18"

Pickaxe&Mattok



P401

Weight 5LB,5.5LB



P402

Weight 1.5KG 2KG 2.25KG 2.5KG 2.7KG 3.2KG



P403

Weight 5LB,5.5LB



P404

Weight 1.5KG 2KG 2.5Kg 3KG



P405

Weight 7.5LB



P406

Weight 4.5LB,5LB



P406R

Weight 5LB



P406B

Weight 5LB



P406N

Weight 5LB



P406W

Weight 2.45KG



P406I

Weight 5LB 5.5LB



P407

Weight 4.5LB 5LB



P407B

Weight 1.8KG



P409

Weight 2.25KG



P410

Weight 1.5KG 2KG 2.5KG 3KG



P412

Weight 4LB



P415

Weight 1KG 1.5KG 1.8KG 3KG



P430

Weight 4LB



P434

Weight 1KG 1.5KG 2.6KG



PR131

Weight 1KG 1.5KG 2.6KG



PR133

Weight 1KG 1.5KG 2.6KG



JP100

Weight 1KG 1.5KG 2.5KG



KR100

Weight 2KG



RS100

Weight Weight:2KG



MX100

Weight 5LB



GM100

Weight 1.5KG 2.5KG 3KG



Pickaxe with fiberglass/ plastic-coating handle



Pickaxe with wood handle
With first grade wood handle

Garden hoe



ArtNo.	Weight (lb)	Size AxB(mm)	Quantity per pkg (doz)	Quantity	Gross wt. (kg)	Net wt. (kg)	Dimmensions (cm)
H301	2½	241x140	2	24	28	27	36x34x16
	3	246x155	2	24	34	33	39x37x16
	3½	263x160	2	24	37	36	40x35x18
	4	263x160	2	24	44	43	40x35x19



ArtNo.	Weight (lb)	Size AxB(mm)	Quantity per pkg (doz)	Quantity	Gross wt. (kg)	Net wt. (kg)	Dimmensions (cm)
H302	2½	230x176	2	24	28	27	38x32x14
	3¼	243x190	2	24	36	35	39x33x15
	3½	262x202	2	24	39	38	46x35x18.5
	4	277x215	2	24	44	43	46x35x18.5



ArtNo.	Weight (lb)	Size AxB(mm)	Quantity per pkg (doz)	Quantity	Gross wt. (kg)	Net wt. (kg)	Dimmensions (cm)
H304	2	218x150	2	24	23	22	36x33x13
	2¼	228x166	2	24	26	25	36x34x14
	2½	234x180	2	24	28	27	36x34x16
	2¾	240x190	2	24	31	30	40x34x16
	3	255x195	2	24	34	33	40x34x16



ArtNo.	Weight (lb)	Size AxB(mm)	Quantity per pkg (doz)	Quantity	Gross wt. (kg)	Net wt. (kg)	Dimmensions (cm)
H305	1½	218x120	2	24	18	17	30x30x15
	2	218x155	2	24	23	22	40x32x15
	2½	242x160	2	24	28	27	40x34x15
	3	277x178	2	24	34	33	40x34x17



ArtNo.	Weight (lb)	Size AxB(mm)	Quantity per pkg (doz)	Quantity	Gross wt. (kg)	Net wt. (kg)	Dimmensions (cm)
H3042	3¼	235x225	1	12	18	17.5	29x29x16



ArtNo.	Weight (lb)	Size AxB(mm)	Quantity per pkg (doz)	Quantity	Gross wt. (kg)	Net wt. (kg)	Dimmensions (cm)
H3041	4	260X205	1	12	22.5	22	30X30X17



ArtNo.	Weight (kg)	Size AxB(mm)	Quantity per pkg (doz)	Quantity	Gross wt. (kg)	Net wt. (kg)	Dimmensions (cm)
H3753-1	1	190x193	1	12	12.5	12	29x22x22
H3753-2	1.05	213x210	1	12	13.5	13	30x23x22
H3753-3	1.1	200x225	1	12	14	13.5	30x23x24



ArtNo.	Weight (kg)	Size AxB(mm)	Quantity per pkg (doz)	Quantity	Gross wt. (kg)	Net wt. (kg)	Dimmensions (cm)
H3118	1.4	260x192	1	12	17.5	17	30x23x20



ArtNo.	Weight (kg)	Size AxB(mm)	Quantity per pkg (doz)	Quantity	Gross wt. (kg)	Net wt. (kg)	Dimmensions (cm)
H3119	1.2	307x186	2	12	15.5	15	40x34x17



ArtNo.	Weight (kg)	Size AxB(mm)	Quantity per pkg (doz)	Quantity	Gross wt. (kg)	Net wt. (kg)	Dimmensions (cm)
H3120	1.45	260x192	1	12	18.5	18	30x23x20



ArtNo.	Weight (lb)	Size AxB(mm)	Quantity per pkg (doz)	Quantity	Gross wt. (kg)	Net wt. (kg)	Dimmensions (cm)
H4230	2.5	215x100	1	12	30.5	30	27x27x10



ArtNo.	Weight (lb)	Size AxB(mm)	Quantity per pkg (doz)	Quantity	Gross wt. (kg)	Net wt. (kg)	Dimmensions (cm)
H313	2	204x185	2	24	23	22	38x32x14



ArtNo.	Weight (lb)	Size AxB(mm)	Quantity per pkg (doz)	Quantity	Gross wt. (kg)	Net wt. (kg)	Dimmensions (cm)
H315	4	315x240	1	12	23	22	46x25x21



ArtNo.	Weight (lb)	Size AxB(mm)	Quantity per pkg (doz)	Quantity	Gross wt. (kg)	Net wt. (kg)	Dimmensions (cm)
H316	2¼	239x165	2	24	26	25	37x36x16
	2¾	268x171	2	24	31	30	40x34x16

Garden hoe

Available in wood and plastic handle


HH104


HH105


HH201


HH202


HH203


HH204


HH205


HH301


HH302


HH303


HH304


HH305


HH401


HH402


HH403


HH404


HH501


HH502


HH503


HH504

Heavy Duty Ice Chopper
Available in handles


IC101


IC102


IC103


Palm oil harvesting Chisel for young palm tree

CHS 2" (5cm)/ CHS 3" (7.5cm)/ CHS4" (10cm) /CHS 5" (12.5cm) /CHS 6" (15cm)


HH106L
Size:150x125x1400mm


HH108L
Size:165x75x1400mm


HH108L
Size:165x75x1400mm


HH202-WH


HH201-WH


HH107L
Size:160x120x1400mm


HH109L
Size:230x120x1330


HH109L
Size:230x120x1330


FH115-WH


HH202-WHL

Rake



PR132



PR136



PR130



PR131



PR133



PR161



PR166



PR122



PR126



MR110



MR102



MR103



MR104



MR105



MR106



MR113



PR162



MR114



PR127



MR115



PR107



PR108



PR109



PR110



PR111



MR112



MR113



MR114



MR115



MR116



Best Sale!
Two-way adjustable Rake
MR104-AR15T



PR131-WH30T



MR106-WH22T



MR113-FH14T



MR113-FH12T



MR113-WH16T



MR113-WH14T



MR109-WH14T



MR109-FB12T



MR113-FB14T



MR109-WH14T



MR112-FB14T



MR110-WH16T



MR109-FB12T



MR112-FB14T



MR110-WH16T



MR109-WH16T

Post Hole Digger







PHD01
Size(mm):105x296x1200

PHD02
Size(mm):120x350x1200

PHD03
Size(mm):135x350x1200

PHD04
Size(mm):135x350x1200

PHD05
Size(mm):140x390x1200

PHD06
Size(mm):110x298x1410

PHD07
Size(mm):115x355x1500

HAMMER



AH101
American Type
Stoning Hammer with
Fiberglass Handle
Spec.: 2LB 2.5LB 3LB 4LB



AH102
One-piece Stoning Hammaer
Spec.: 2KG 3KG 4KG



GH101
German Type
Stoning Hammer with
Wood Handle
Spec.: 0.8KG 1KG 1.25KG 1.5KG 2KG
3KG 4KG 5KG 6KG 8KG



GH103
German Type
Stoning Hammer with
Plastic coating Handle
Spec.: 0.8KG 1KG 1.25KG 1.5KG 2KG
3KG 4KG 5KG 6KG 8KG



GH103
German Type
Stoning Hammer with
Self-lock color-plastic coating Handle
Spec.: 0.8KG 1KG 1.25KG 1.5KG 2KG
3KG 4KG 5KG 6KG 8KG



SH101
Sledge Hammer
With wood handle
Spec.: 2LB 3LB 4LB 6LB 8LB 10LB 12LB
14LB 16LB 18LB 20LB 22LB



SH102
Sledge Hammer
With Fiberglass Handle
Spec.: 2LB 3LB 4LB 6LB 8LB 10LB 12LB
14LB 16LB 18LB 20LB 22LB



SH102
Sledge Hammer
With plastic coating Handle
Spec.: 2LB 3LB 4LB 6LB 8LB 10LB 12LB
14LB 16LB 18LB 20LB 22LB



GM101
German Type
Machinist Hammer
Wood handle
Spec.: 0.1KG 0.2KG 0.3KG 0.4KG 0.5KG
0.6KG 0.8KG 1KG 1.5KG 2KG



GM102
German Type
Machinist Hammer
Fiber glass handle
Spec.: 0.1KG 0.2KG 0.3KG 0.4KG 0.5KG
0.6KG 0.8KG 1KG 1.5KG 2KG



GM102
German Type
Machinist Hammer
Plastic coating handle
Spec.: 0.1KG 0.2KG 0.3KG 0.4KG 0.5KG
0.6KG 0.8KG 1KG 1.5KG 2KG



FM101
French Type
Machinist Hammer with wood handle
Spec.: 20mm 22mm 25mm 28mm 30mm
35mm 40mm 45mm



FM102
French Type
Joiner Hammer with
Wood handle
Spec.: 20mm 22mm 25mm
28mm 30mm



RH
Roofing Hammer
With steel/fiberglass handle
Spec.: 500g 600G



CH001
One-Pieced Mason Hammer
Spec.: 600g



PH001
Ball Pein Hammer
with wood handle
Spec.: 0.25LB 0.5LB 0.75LB 1LB 1.5LB
2.0LB 2.5LB 3.0LB



PH002
Ball Pein Hammer
with fiberglass/plastic coated
handle
Spec.: 0.25LB 0.5LB 0.75LB 1LB 1.5LB
2.0LB 2.5LB 3.0LB



AH103
American Type
Claw Hammer with
Wood Handle
Spec.: 8oz 12oz 16oz 20oz 24oz



AH104
American Type
Claw Hammer with
Fiberglass/Plastic coated Handle
Spec.: 8oz 12oz 16oz 20oz 24oz



AH105
American Type
Mini Claw Hammer
With Plastic coating handle
Spec.: 8oz



AH106
American Type
Claw Hammer
With Steel handle
Spec.: 8oz 12oz 16oz 20oz 24oz



BH101
British Type
Claw Hammer
With wood handle
Spec.: 18mm 21mm 23mm 25mm
27mm 29mm



BH101
British Type
Claw Hammer
With fiberglass handle
Spec.: 18mm 21mm 23mm 25mm
27mm 29mm



IH100
Italy Type
Claw Hammer
With fiberglass handle
Spec.: 300g 400g 500g

Axe



A606

Axe head

Spec.: 1LB 1.25LB 1.5LB 1.75LB 2LB 2.25LB 2.5LB 2.75LB 3LB 3.5LB 4LB 4.5LB 5LB 5.5LB 6LB 7LB





A606

Axe head

Spec.: 400G 500G 600G 700G 800G 1000G 1200G 1250G 1400G 1600G 1800G 2000G



A613WS

Axe with wood handle



A601W

Axe with wood handle



A601WF

Axe with fiberglass handle



A613FS

Axe with wood handle



A613WL

Axe with wood handle



A601WC

Axe with plastic coating handle

Spec.: 1000G 1200G 2000G 3000G



A601WH

Axe with wood handle



A601WC

Axe with plastic coating handle



A660WL

Axe with wood handle

Spec.: 3.5LB



A621CAL

Chisel Axe with wood handle

Spec.: 3.5LB



A100

Camp Axe with steel rubber handle

Spec.:600G

Hand Saw



Back Saw HS2506
With wood handle
Size:12" 14" 16" 18" 20" 22" 24" 26"



Back Saw HS2507
With double color plastic handle
Size:12" 14" 16" 18" 20" 22" 24" 26"



Back Saw HS2508
With wood handle
Size: 250mm 300mm 350mm



Back Saw HS2509
With Plastic handle
Size:250mm 300mm 350mm



Prunning Saw HS2510
With wood handle
Size: 250mm 300mm 350mm



Pruning Saw HS2511
With plastic handle and cover
Size: 250mm 300mm 350mm



JOB SAW HS2512
With plastic handle
Size: 150mm



Garden Bow Saw
Diameter of tube:14*24*1mm
Size:18" 21" 24" 30" 36"



Pruning Shear HS1216
Carbon steel blade
Size: 8"



Pruning Shear HS1217
Carbon steel blade
Size: 8"



Pruning Shear HS1218
Carbon steel blade
Size: 8"



Pruning Shear HS1219
Carbon steel blade
Size: 28"



Pruning Shear HS1220
Carbon steel blade
Size: 8"



Lopping Shear HS1212
Size: 28"



Lopping Shear HS1213
Size:28"



Lopping Shear HS1214
Size: 28"



Lopping Shear HS1215
Size:28"



Water Hose



WH1100
Garden Water Hose



WH1101
Garden Water Hose Set



WH1102
Garden Water Hose



WH1103
Garden Water Hose



WH1104
Magic Garden Water Hose Set



WH1105
Garden Water Hose Set



WH803
Hose reel




WH813
Hose reel



KPS
Knapsack-Backpack-Sprayer

Wheel Barrow





WH6601



WB3200



WB3201



WB3202



WB3203



WB3204



WB4200



WB5200



WB5201

Itean	Load Capacity(kg)	Weight(kg)	Water Capacity(L)	Sand Capacity(CBF)	Wheel	L/H/C/A/B/h(mm)
WH6601	160	17.4	97	6	16"x4" A	1495x560x540x975x670x275
WB3200	130	9.6	65	5	13"x3"A	1400x460x560x820x660x246
WB3201	130	10	65	5	14"x4"A	1430x515x527x830x680x250
WB3202	130	10	65	5	13"x3"A	1400x460x560x820x665x250
WB3203	150	10	65	5	13"x3"A	1390x470x550x820x665x250
WB3204	130	10.6	65	5	4.00-8	1430x555x515x820x665x250
WB4200	160	11	78	5	14"x4"A	1470x440x520x895x642x298
WB5200	130	12.6	65	5	13"x3"A	1395x460x550x820x665x300
WB5201	160	15.1	72	5	16"x4"A	1405x580x600x875x595x285



WB5202



WB5203



WB5204



WB1004



WB1014



WB2201



WB6410



WB6418



WB6600S

Itean	Load Capacity(kg)	Weight(kg)	Water Capacity(L)	Sand Capacity(CBF)	Wheel	L/H/C/A/B/h(mm)
WB5202	200	26.9	100	7	6.50-8	1535x480x545x980x635x335
WB5203	120	10.7	72	5	4.00-8	1480x515x590x825x640x250
WB5204	80	8.8	50	4.5	4.00-6	1270x610x570x803x610x205
WB1004	120	10.7	85	4.5	4.00-8	1270x610x570x803x610x205
WB1014	120	11.2	100	5.5	4.00-8	1430x560x550x940x600x295
WB2201	120	10.2	58	5	13"x3"A	1320x540x520x770x495x260
WB6410	130	13.5	65	5	3.50-8	1250x665x565x835x680x225
WB6418	200	13.7	90	5	4.00-8	1440x605x575x897x590x290
WB6600s	150	13.4	100	7	16"x4"A	1510x480x545x1015x680x335



ELECTRO GALVANIZED WIRE

Material: carbon steel wire.
Wire diameter: 6–24 gauge (0.55–5 mm).
Tensile strength: 350–550 N/mm2.
Elongation: 8% – 15%.
Common zinc coating: 8-28g/m2



HOT DIPPED GALVANIZED WIRE

Material: low carbon steel wire.
Common diameter: 8 gauge to 16 gauge.
Common zinc coating: 30–60 g/m2. Also accept other sizes.
Heavy zinc coating: ≥100 g/m2, max. 300 g/m2.
Tensile strength: 500–800 MPa.



BLACK ANNEALED WIRE
SOFT ANNEALED WIRE

Wire material: iron wire, low carbon steel wire.
Wire diameter: 6–38 gauge.
Surface: slightly oiled wire surface.
Barbed spacing: 7.5–15 cm.
Sizes available:
Wire size: 2.24–3.55 mm.
Coil size: 50 kg.



BLACK IRON WIRE

Wire material: carbon steel wire.
Processing: oxygen free annealed process.
Color: plain black.
Treatment: plain oil painted.
Forms available: coil wire, spooled wire, big package wire, U type wire, cut wire.
Sizes: 8 gauge – 38 gauge (0.15 mm – 4.5 mm).



PVC COATED WIRE

Materials before PVC coating: steel wire, galvanized wire.
Surface: plastic covering or plastic coating.
Color: green, blue, gray, white and black; other colors also available on request.
Average tensile strength: 350 N/mm2 – 900 N/mm2.
Elongation: 8% – 15%.
Wire diameter before coating: 0.6 mm – 4.0 mm (8–23 gauge).
Wire diameter with coating: 0.9 mm – 5.0 mm (7–20 gauge).
Plastic layer: 0.4 mm – 1.5 mm.
Wire diameter tolerance: ±0.05 mm.



U TYPE WIRE

Material: black iron wire, black annealed wire, galvanized wire, PVC coated wire, electric galvanized iron wire and hot-dip zinc-plating iron wire.
Wire diameter: 0.5 mm – 1.5 mm.
Wire length: 25 cm – 65 cm.
Size: detail specifications can be produced according to clients' request.





TIE WIRE

Raw material: usually with black iron wire, galvanized iron wire, painted iron wire, PVC coated wire, stainless steel wire.
Length: 3"–24".
Diameter: 0.5–4.0 mm.
Supplied forms: cut wire, spooled wire, coil wire.
Finishes: black annealed, copper, galvanized, PVC coated.
Pattern: straight cut wire, U type wire, loop tie wire, coil tying wire.



CUT WIRE

Material: carbon steel wire, galvanized wire, annealed wire and black iron wire.
Surface treatment: PE, PVC coated, hot-galvanized, galvanized, etc.
Standard wire gauge: 8–23 gauge (wire diameter from 0.6 mm to 4.5 mm).
Length: varies according to customers' needs.
Tensile strength: 350–500 MPa.

BARBED WIRE

Barbed wire, also known as barb wire, bob wire or bobbed wire, is a type of steel fencing wire constructed with sharp edges or points arranged at intervals along the strand (s). It is used to construct inexpensive fences and is used atop walls surrounding secured property.



CONCERTINA BARBED WIRE



DOUBLE STRAND/TWISTED BARBED WIRE

RAZOR WIRE

The multiple blades of a razor wire fence are designed to inflict serious cuts on anyone attempting to climb through and therefore have a strong psychological deterrent effect.



Razor Wire-Coil



RAZOR WIRE FLAT WRAP



RAZOR MESH Panel/FENCE



Rapid razor wall





Slope Protection Net



Gabion Wire Mesh



Poultry Netting

PACKAGING



Sales in big rolls



Retail common carton



Pallet

CHAIN LINK ROLLS & FENCE

- Hot-dipped Galvanized chain link fencing
- Electro Galvanized chain link fencing
- PVC Coated chain link fencing



PVC Coated Chain Link Fence



Galvanized Chain Link Fence

FARM/CATTLE FENCE

Farm fence is special for farm using. This type field fence (wire mesh farm fence) uses galvanized wire to weave the fence rolls.



Electro Galvanized farm fence



Hot dipped farm fencing



WELDED WIRE MESH IN ROLL

- Hot-dipped Galvanized Welded Wire Mesh in roll
- Electro Galvanized Welded Wire Mesh in roll
- PVC Coated Welded Wire Mesh in roll



Electro Galvanized Welded Wire Mesh




Hot-dipped Galvanized Welded Wire Mesh



PVC Coated Welded Wire Mesh

WELDED WIRE MESH PANEL

- Hot-dipped Galvanized Welded Wire Mesh Panel
- Electro Galvanized Welded Wire Mesh Panel
- PVC Coated Welded Wire Mesh Panel



WELDED MESH FENCE

Using high quality iron rod as raw material, the welded panel, after galvanization, powders primer, and powders top coating, it can resist the corrosive and ultraviolet radiation very strongly.



SHS Post welded Mesh



C+F Post Welded Mesh



CHS Post welded Mesh



I Post Welded Mesh



Peach Post Welded



Euro Post Welded Mesh



RHS Post Welded Mesh

ANTI-CLIMB FENCE

"358" comes from its measurements 3" x 0.5"x 8" gauge which equates to approx 76.2mm x 12.7mm x 4mm in metric. It is a professional structure designed for high security environments, combined with a steel framework, coated with heavily zinc or RAL color Powder coating.



Anti-Climb Fencing 2D



Anti Climb Fencing 2D Plus



Anti-Climb Fencing 3D



Corromesh anti climb fence

TWIN WIRE PANEL FENCE

Twin wire panel fence is a kind of fence widely used in Europe and Middle East.



656 twin wire panel fence



868 twin wire panel fence

ROLL-TOP FENCE

The rolled top is bend from normal welded panel, and it is more safety and beautiful looks than the spike welded mesh panels. We call it BRC fence as well. It is very popular used in Singapore and Korea. Available in round pole and square pole.



PVC coated Roll-top fence



Galvanized Roll-top Fence

EURO FENCE

Euro fence is a simple and economical mesh mainly used as a garden fence or road fence. It is include with PVC coated fence rolls and Special post.



50X50 MESH EURO FENCE



50X100 MESH EURO FENCE

PVC COATED GARDEN BORDER FENCE



TEMPORARY FENCE

Temporary fence is widely used in temporary construction sites, a variety of sporting events such as the Olympics, world cup several kinds of sports championships. As the fence in most cases is for the purpose of temporary use, so the product can be used for leasing, recycling.



PVC Coated Temporary Fence



Welded Mesh Infilled Temporary Fence



Chain Link Infilled Temporary Fence

CROWD CONTROL BARRIER

Crowd control barrier is hot dipped galvanized fence panel. The feet has two options, one is welded foot, and the other is bolted foot. For welded feet, we also have some alternatives, flat feet, bridge feet, bend feet, etc. For bolted feet, we can also supply flat feet, and bridge feet. Customized advertising board is available according to client's require.



TEMPORARY CORRAL PANELS

Farm gate also named horse fence, it is made from steel tube, and then galvanized. The steel horse fence is strong, beautiful looks and more durable. Standard height is 48".



WINDOW SCREENING

Window Screening/Anti-insect Netting/Insect proof Mesh is using to stop the insects, mosquito inside the room and other places.


Fiberglass screening



Stainless steel window screening


Galvanized iron screening


Aluminum Alloy window screening

PLASTIC NETTING

Window Screening/Anti-insect Netting/Insect proof Mesh is using to stop the insects, mosquito inside the room and other places.


Anti-bird Netting


Insect Proof Netting


Plastic Poultry Mesh


Nylon weaved Netting


Safety Mesh


Turf/Grass Reinforcement Mesh


HDPE Sun shade netting/fabric


Seed nursery Bags/Tray


Common nail


Lost Head Nail


Large head nail


Drywall Nail



"K" head concrete nail


Black concrete nails fluted shank


Coated colorful concrete nails


Roofing nails with umbrella


Shoe tack nails


U staple


WT STEEL ROW NAIL

Bags&Sacks

NET BAGS





SMALL MESH BAG




SACKS GUNNY/JUTE



PP WOVEN BAG/SACK







PS 211
PVC, Shining surface
Size: 38-46



PS828
PVC, matte surface
Size: 38-46

CE

CE Certification
Steel toe
steel midsole
Size:38-46
Standard Color:





No.801
PVC, matte
Size:37–47



No.113
PVC, matte
Size:38–45



No.818
PVC, shining
Size:38–45



No.218
PVC, shinning
Size: 28–46



No.318 Peru Type
PVC, shinning
Size: 39–42



EVA Saft/work boot\ No.306
Eva,matte
Size:M(40,41) L (42 43) LL (44 45)
3L (46 47) 4L (48,49) 5L (50,51)



No.317
EVA
Size:M(40,41) L (42 43) LL (44 45)
3L (46 47) 4L (48,49)



No.313 B
EVA
Size: M(40,41) L (42 43) LL (44 45)



No.313
EVA
Size: M(40,41) L (42 43) LL (44 45)



CG100



CG102



CG103



CG104



CG105



CG106



CG107



CG108



CG109



CG110



CG111



CG112



Gemlight®

GEMLIGHT®

CONTACT US TODAY!