

EdaRigging®

滨州易达金属制品有限公司
Binzhou Eda Metal Products Co.,Ltd.

TEL:+86-159-54378677

Email:sales@edarigging.com

WEB:www.edarigging.com

**ADD:No.113,Xinda International city,
Binzhou City,Shandong,China**

EdaRigging Product Catalog

2020



C 公司简介 Company Profile

www.edarigging.com

滨州易达金属制品有限公司是一家从事索具五金，船索具，船用起重，安全扣索具等行业的经验丰富的制造商。

工艺：铸造，精密铸造，冲压，锻造，机加工，弯曲，冷成型，焊接，精加工，抛光和电解等。

我们以更高的质量，更具竞争力的价格和更快的交付速度，致力于为全球客户提供专业服务。

我们以能为你提供最佳业务解决方案而感到自豪。

如有任何疑问，请随时与我们联系。

EdaMerineRigging is an experienced manufacturer in Rigging Hardware, Boat Rigging, Marine Lifting, Carabiner Rigging and so on.

Capability: Casting, Precision Casting, Tamping, Forging, machining, Bending, Cold Forming, welding, Finishing, Polishing and electrolysis.

With more higher quality, more competitive price and more faster delivery, we committed to offer worldwide clients with professional service.

We pride ourselves on offering you the best solutions for your business.

If any questions, feel free to contact us please.



**Binzhou Eda Metal
Products Co., Ltd.**



Eda Metal Rigging



Contents

SHACKLE SERIES



01-03

TURNBUCKLE /SCREW JAW
SWAGE TERMINAL SERIES



04-07

CLIP/THIMBLE / SWIVEL SERIES



08-10

SNAP HOOK/ QUICK LINK SERIES



11-16

EYE NUT/BOLT/STRAP PLATE SERIES



17-21

CASTING HOOK SERIES



22-24

RING/HOOKS/SWIVELING/HAIR PIN
LYNCH PINS SERIES



25-34

ALUMINUM SNAP HOOK SERIES



35-37

FORGED HOOK



38

ZINC ALLOY DIE CAST SERIES




39-48

BRONZE CASTING SNAPS AND BUCKLE SERIES



49-55


WIRE ROPE SERIES



56-59

EUROPEAN TYPE DEE SHACKLE

STAINLESS STEEL AISI316
STAINLESS STEEL AISI304
SGM0001



D	A	B	C	D1
mm	mm	mm	mm	mm
4	14	8	8	4
5	17	10	10	5
6	21	12	12	6
8	28	16	16	8
10	35	20	20	10
12	42	24	24	12
14	48	28	28	14
16	56	32	32	16
18	63	36	36	18
20	70	40	40	20
22	77	44	44	22
25	87	50	50	25

EUROPEAN TYPE BOW SHACKLE


STAINLESS STEEL AISI316
STAINLESS STEEL AISI304
SGM0002



D	A	B	C	D1	F
mm	mm	mm	mm	mm	mm
4	16	8	8	4	12
5	20	10	10	5	15
6	24	12	12	6	18
8	32	16	16	8	24
10	40	20	20	10	30
12	48	24	24	12	36
14	56	28	28	14	42
16	64	32	32	16	48
18	72	36	36	18	54
20	80	40	40	20	60
22	88	44	44	22	66
25	100	50	50	25	75

LONG DEE SHACKLE


STAINLESS STEEL AISI316
STAINLESS STEEL AISI304
SGM0003



D	A	B	C	D1
mm	mm	mm	mm	mm
4	30	8	8	4
5	37	10	10	5
6	45	12	12	6
8	60	16	16	8
10	75	20	20	10
12	90	24	24	12
14	105	28	28	14
16	120	32	32	16

TWIST SHACKLE


STAINLESS STEEL AISI316
STAINLESS STEEL AISI304
SGM0004



D	A	B	C	D1
mm	mm	mm	mm	mm
4	23	8	8	4
5	28	10	10	5
6	33	12	12	6
8	44	16	16	8
10	55	20	20	10
12	66		25	12

US TYPE ANCHOR SHACKLE


STAINLESS STEEL AISI316
STAINLESS STEEL AISI304
SGM0005



D	A	B	C	D1	F
mm	mm	mm	mm	mm	mm
3/16	22	9.5	14	1/4	15
1/4	28	12	15.5	5/16	20
5/16	31	13	19	3/8	21
3/8	36	16	23	7/16	26
7/16	42	18	27	1/2	29
1/2	48	21	30	5/8	33
5/8	60	27	38	3/4	43
3/4	71	32	46	7/8	51
7/8	84	36	53	1	58
1	95	43	60	1 1/8	68

US TYPE DEE SHACKLE

STAINLESS STEEL AISI316
STAINLESS STEEL AISI304
SGM0006



D	A	B	C	D1
mm	mm	mm	mm	mm
3/16		9.5	14.1	1/4
1/4		12	15.5	5/16
5/16		13	19	3/8
3/8		16	23	7/16
7/16	42	18	27	1/2
1/2		21	30	5/8
5/8		27	38	3/4
3/4	71	32	46	7/8
7/8	84	36	53	1
1	95	43	60	1 1/8

JIS TYPE DEE SHACKLE

STAINLESS STEEL AISI316
STAINLESS STEEL AISI304
SGM0007



D	A	B	C	D1
mm	mm	mm	mm	mm
4	14	8	8	4
5	18	10	10	5
6	21	12	12	6
8	28	16	16	8
10	35	20	20	10
12	46	26	24	12
16	56	32	32	16
18	63	36	36	18
20	70	40	40	20
22	77	44	44	22
25	88	50	50	25

JIS TYPE BOW SHACKLE


STAINLESS STEEL AISI316
STAINLESS STEEL AISI304
SGM0008



D	A	B	C	D1	F
mm	mm	mm	mm	mm	mm
4	18	8	8	4	14
5	22	10	10	5	17
6	27	13	12	6	21
8	37	16	16	8	28
10	46	19	20	10	35
12	54	25	24	12	42
16	74	32	32	16	56

PLATE BOW SHACKLE


STAINLESS STEEL AISI316
STAINLESS STEEL AISI304
SGM0009



D	A	B	E	F
mm	mm	mm	mm	mm
4	15	9.5	1.5	4.8
5	17	11	2	6.7
6	23	16	3	8
8	31	23	4	8
10	40	25	5	11.5
12	50	28.5	6	14

PLATE DEE SHACKLE


STAINLESS STEEL AISI316
STAINLESS STEEL AISI304
SGM0010



D	A	B	C	E	F
mm	mm	mm	mm	mm	mm
4	17	10	9.5	1.5	5.7
5	20	12.5	12	2	7
6	24	15	14.5	3	8
8	44	21	18	4	10

PLATE DEE SHACKLE WITH CROSS BAR


STAINLESS STEEL AISI316
STAINLESS STEEL AISI304
SGM0011



D	A	B	B1	C	D1	E	F
mm	mm	mm	mm	mm	mm	mm	mm
5	17	35	8	11	3	3	6.5
6	17	41	10	15	3	3	7.5
8	24	42	12	18.5	3	4	8

PLATE TWIST SHACKLE


STAINLESS STEEL AISI316
STAINLESS STEEL AISI304
SGM0012



D	A	B	C	E	F	THICKNESS
mm	mm	mm	mm	mm	mm	mm
5	23	12.5	12	2	7	
6	36	15	14.5	3	7.5	3
8	36	18	18.5	4	8	4

TURNBUCKLE DIN 1480

STAINLESS STEEL AISI316
STAINLESS STEEL AISI304
STEEL ELECTRIC GALVANIZED
STEEL SELF COLOR
SGM0015




1.HOOK /EYE
2.HOOK/HOOK
3.EYE/EYE.

SIZE(D)	L	B	C
mm	mm	mm	mm
M5	70	120	8
M6	110	172~252	9
M8	110	182~257	10
M10	125	213~298	14
M12	125	238~318	16
M14	140	263~353	18
M16	170	320~430	22
M20	200	367~497	24

TURNBUCKLE EUROPEAN TYPE

STAINLESS STEEL AISI316
STAINLESS STEEL AISI304
STEEL ELECTRIC GALVANIZED
STEEL SELF COLOR
SGM0018




1.HOOK/EYE 2.HOOK/HOOK 3.EYE/EYE

D	L	L1	L2	B	C	S
mm	mm	mm	mm	mm	mm	mm
3/16"(5mm)	70	52	120	13	8	9
1/4"(6mm)	90	78	160	16	10	10
5/16"(8mm)	120	100	200	20	14	11
3/8"(10mm)	150	120	240	28	16	12
1/2"(12mm)	200	168	300	36	18	14
5/8"(16mm)	250	210	390	40	26	16
3/4"(20mm)	300	250	440	50	30	18

TURNBUCKLE EUROPEAN TYPE


STAINLESS STEEL AISI316
STAINLESS STEEL AISI304
STEEL ELECTRIC GALVANIZED
STEEL SELF COLOR
SGM0019



SIZE(D)	L	L1	A	D1
mm	mm	mm	mm	mm
M5	121	70	6	5.2
M6	145	90	7.5	6.2
M8	180	120	10	8.7
M10	225	150	12	9.7
M12	300	200	14	12.6
M16	380	250	16	16

RIGGING SCREW JAW/JAW


STAINLESS STEEL AISI316
STAINLESS STEEL AISI304
SGM0023



Size	L(Min-Max)	A	B	C	D
mm	mm	mm	mm	mm	mm
M5	130-190mm	7.5	9	80	5
M6	150-220mm	7.5	10	95	5
M8	180-225mm	10	11	105	8
M10	200-300mm	12	13	125	9
M12	270-385mm	14	20	150	12
M14	300-425mm	14	22	165	12
M16	330-480mm	16	26	190	16
M20	360-540mm	20	30	210	20

RIGGING SCREW JAW/SWAGE STUD


STAINLESS STEEL AISI316
STAINLESS STEEL AISI304
SGM0024



Size	Wire-Φ	L(Min-Max)	A	B	C	D	D1
mm	mm	mm	mm	mm	mm	mm	mm
M5	2.5mm	130-190mm	7.5	10	80	5	5.5
M6	3mm	150-220mm	7.5	10	95	6	6.4
M8	4mm	180-225mm	10	11	105	8	7.5
M10	5mm	200-300mm	12	13	125	9	9
M12	6mm	270-385mm	14	20	150	12	10.7
M14	7mm	300-425mm	14	22	165	12	12.7
M16	8mm	350-475mm	16	26	190	16	16
M20	10mm	390-540mm	20	30	210	20	17.8

TURNBUCKLE WITH TERMINAL/SWIVEL TOGGLE


STAINLESS STEEL AISI 316
STAINLESS STEEL AISI 304
SGM0024-1



D1	Ø	L1	L	A	D	B
mm	mm	mm	mm	mm	mm	mm
M6	3	95	180	7	6	15
M8	4	105	210	10	8	20
M10	5	125	250	12	9	25
M12	6	150	300	13	12	30
M16	8	190	390	17	16	40
M20	10	210	450	20	19	45

TURNBUCKLE WITH JAW/SWIVEL TOGGLE


STAINLESS STEEL AISI 316
STAINLESS STEEL AISI 304
SGM0024-2



SIZE	D1	D1	L1	A	L	L1
mm	mm	mm	mm	mm	mm	mm
M6	M6	6	95	7	144	90
M8	M8	8	105	10	173	105
M10	M10	9	125	12	207	125
M12	M12	12	150	13	251	150
M16	M16	16	190	17	332	190
M20	M20	19	210	19	375	210

RIGGING SCREW BODY


STAINLESS STEEL AISI316
STAINLESS STEEL AISI304
STEEL ELECTRIC GALVANIZED
STEEL SELF COLOR
SGM0025



d1	d2	d4	c	L	m
mm	mm	mm	mm	mm	mm
M12	22	10	4.0	125	15
M16	27	10	4.5	170	20
M20	32	12	5.0	210	24
M24	38	12	5.0	255	29
M27	42	14	5.5	255	34
M30	46	16	6.0	255	36
M36	56	16	8.0	295	43
M42	65	20	8.8	330	51
M48	73	20	10.0	355	58
M56	80	25	10.0	355	68
M64	89	25	10.0	425	77
M72	110	30	17.0	425	87
M80	120	30	18.0	440	96

JAW SWAGE TERMINAL


STAINLESS STEEL AISI316
STAINLESS STEEL AISI304
SGM0031



Wire-Φ	L	A	B	C	D
mm	mm	mm	mm	mm	mm
2.5	55	24	7.5	9	5
3	65	32	7.5	10	5
4	77	40	10	11	5
5	88	57	12	13	8
6	106	63	14	20	9
7	116	70	14	22	12
8	145	85	16	26	16
9	150	87	20	30	20
10	150	89	20	30	20

JAW TERMINAL


STAINLESS STEEL AISI316
STAINLESS STEEL AISI304
SGM0032



Size	L	L1	H	B	C	D
mm	mm	mm	mm	mm	mm	mm
M5	60.5	41	9	7.5	12	5
M6	72.5	50	10	7.5	14	5
M8	79	55	11	10	17.5	8
M10	96	67	13	12	20	9
M12	118.5	81	20	14	26	12
M14	130	89	22	14	26	12
M16	154	104	26	16	36	16
M20	172	116	30	20	43	20

JAW SWAGE TERMINAL


STAINLESS STEEL AISI316
STAINLESS STEEL AISI304
SGM0033



Ø	A	B	D1	D2	D3	L1	L2	L3
mm	mm	mm	mm	mm	mm	mm	mm	mm
3	5.5	3.5	5	11	5.5	41.5	30	25
4	6.5	4.4	5	13	6.35	43.5	31.5	25
5	6.5	5.3	5	13	7.5	51	36	30
6	8.5	6.5	6	16	9.0	67	48.5	40

JAW TERMINAL WITH SCREW


STAINLESS STEEL AISI316
STAINLESS STEEL AISI304
SGM0034



G	A	D1	D2	L1	L2
mm	mm	mm	mm	mm	mm
M5	5.5	5.0	11	42.5	31.0
M6	6.5	5.0	13	48.0	36.0
M8	8.5	8.0	16	60.5	42.0
M10	8.5	9.0	18	71.5	47

EYE SWAGE TERMINAL


STAINLESS STEEL AISI316
STAINLESS STEEL AISI304
SGM0036



Wire-Φ mm	L mm	A mm	B mm	C mm	D mm	D1 mm	E mm
2.5	44.5	30	13	6.0	5.5	2.8	3
3	57.5	36	13	6.5	6.4	3.5	4
4	65	39	18	8.0	7.5	4.4	5
5	80	50	22	10.0	9	5.3	6
6	94	62	28	12.5	12.7	6.5	8
7	105	68	28	12.7	14	7.5	9
8	124	85	32	14.5	16	8.4	10
10	142	90	36	16.4	17.8	10.5	12

EYE TERMINAL WITH THREAD AND WASHER


STAINLESS STEEL AISI316
STAINLESS STEEL AISI304
SGM0038



SIZE mm	A mm	B mm	C mm	D mm
M6	45	25	6.5	6
M6	60	25	6.5	6
M8	70	25	8.5	8
M8	80	25	8.5	8

SWAGE STUD


STAINLESS STEEL AISI316
STAINLESS STEEL AISI304
SGM0039



Φ mm	Thread mm	Wire-Φ mm	L mm	A mm	B mm	C mm
2.8	M5	2.5mm	70	5.5	24	38
2.8	M6	2.5mm	72	6.3	24	40
3.5	M6	3mm	80	7.5	32	40
4.4	M6	4mm	95	7.5	40	44
4.4	M8	4mm	102	7.5	40	52
5.3	M8	5mm	120	9.0	57	52
5.3	M10	5mm	130	9.0	57	63
6.5	M10	6mm	136	12.5	63	63
7.5	M12	6mm	142	12.5	63	68
7.5	M12	7mm	148	14.0	70	68
8.4	M14	7mm	160	14.0	70	79
8.4	M14	8mm	165	16.0	76	79
9.5	M16	8mm	175	16.0	76	89
9.5	M16	9mm	190	17.8	89	89
10.5	M20	10mm	230	17.8	89	120

SWAGE DOME HEAD


STAINLESS STEEL AISI316
STAINLESS STEEL AISI304
SGM0040



FUNE mm	FUNE POLL. mm	L1 mm	L2 mm	L3 mm	A mm	A1 mm	A2 mm	KG/100 mm
3.0	1/8"	35	25	32	3.5	5.5	8	0.5
4.0	5/32"	35	25	32	4.4	6.35	10.0	0.7
5.0	3/16"	47	30	41	5.3	7.5	11.5	1.0
6.0	1/4"	52	40	47	6.5	9.0	14.0	1.9
8.0	5/16"	66	50	60	8.4	12.58	18.0	5.0
10.0	3/8"	77	60	70	10.5	16.0	22.0	9.2

DIN 741 WIRE ROPE CLIPS


STAINLESS STEEL AISI316
STAINLESS STEEL AISI304
STEEL ELECTRIC GALVANIZED
SGM0041



Size mm	D mm	B mm	H1 mm	H2 mm	H3 mm	L1 mm	L2 mm
3mm	M4	12	20	7.5	3.7	17.8	4.8
5mm	M5	13	24	8.2	3.9	22	5.1
6mm	M5	13	28	10.6	5	23.5	7
8mm	M6	20	34	11.7	6	27.4	9.5
10mm	M8	21	42	13	6.3	31.8	10
11mm	M8	24.5	44.5	16	6.5	36.5	12
13mm	M10	30	55	19.5	7.5	42	13
14mm	M10	30	57	23.8	7.7	44	14.5
16mm	M12	33	63.5	26.2	9.5	49.7	17.6
19mm	M12	38	75	31.3	10.8	54.4	22.5
22mm	M12	44	85	34.5	10.8	57.5	22.9
26mm	M14	45	95	35	11	64	27.5

US TYPE WIRE ROPE CLIPS


STAINLESS STEEL AISI316
STAINLESS STEEL AISI304
STEEL ELECTRIC GALVANIZED
SGM0042



Size(inch) mm	A mm	B mm	C mm	D mm	E mm	F mm	G mm
1/16	13/16	13/12	15/32	3/16	3/8	1/2	23/32
1/8	7/8	7/16	9/16	3/16	7/16	9/16	25/32
3/16	1 1/32	1/2	9/32	1/4	9/16	21/32	15/16
1/4	1 1/4	19/32	23/32	5/16	21/32	25/32	1 1/4
5/16	1 5/8	5/8	25/32	5/16	23/32	7/8	1 11/32
3/8	1 5/16	7/8	7/8	3/8	7/8	1 1/16	1 11/16
7/16	1 3/4	29/32	29/32	3/8	31/32	1 3/16	1 7/16
1/2	1 15/16	29/32	1 1/32	7/16	1 1/16	1 5/8	2 1/8
9/16	2 1/8	1 1/32	1 1/32	1/2	1 1/16	1 3/4	2 1/4
5/8	2 1/4	1 1/16	1 1/8	1/2	1 1/16	1 3/4	2 1/2
3/4	2 3/4	1 1/16	1 1/4	9/16	1 1/8	1 3/4	2 1/2
7/8	2 11/16	1 1/2	1 1/2	5/8	1 1/8	1 3/4	3 1/16
1	3 1/16	1 11/16	1 11/32	5/8	1 1/2	2 1/2	3 1/8

SIMPLEX WIRE ROPE CLIP


STAINLESS STEEL AISI316
STAINLESS STEEL AISI304
STEEL ELECTRIC GALVANIZED
SGM0048



SIZE mm	L mm	D mm
2		M4
3	20	M4
4	21.5	M5
5	26	M6
6	30	M6
8	36	M8
10	42	M10

DUPLEX WIRE ROPE CLIP


STAINLESS STEEL AISI316
STAINLESS STEEL AISI304
STEEL ELECTRIC GALVANIZED
SGM0049



SIZE mm	L mm	D mm
2	37	M4
3	40	M4
4	43	M5
5	52	M6
6	60	M6
8	72	M8
10	84	M10

THIMBLE DIN 6899A

STAINLESS STEEL AISI316
STAINLESS STEEL AISI304
STEEL ELECTRIC GALVANIZED
SGM0050



Seil-Ø mm	A mm	B mm	L mm
2.5	3.0	10	21.5
3.0	3.5	11	23.5
3.5	4.0	12	26.5
4.0	5.0	13	28.5
5.0	6.0	14	30.0
6.0	7.0	15	33.0
7.0	8.0	16	35.0
8.0	9.0	18	39.0
9.0	10.0	20	43.0

Seil-Ø mm	A mm	B mm	L mm
10.0	11.0	22	47.5
11.0	12.0	24	51.5
12.0	13.0	26	56.5
13.0	14.0	28	61.0
15.0	16.0	32	69.5
16.0	18.0	35	78.0
18.0	20.0	40	86.5
20.0	22.0	44	95.0
24/26	26.0	48	105.0

TUBE THIMBLES


STAINLESS STEEL AISI316
STAINLESS STEEL AISI304
SGM0056



For rope dia mm	A mm	B mm	C mm	D mm
10	12	90	23	4
12	15	105	27	5
14	17	115	27	4
16	19	120	32	5
18	22	140	35	5
22	25	180	45	6
25	30	195	47	7
32	35	215	60	7
38	45	260	70	7

U.S THIMBLE G-411


STAINLESS STEEL AISI316
STAINLESS STEEL AISI304
STEEL ELECTRIC GALVANIZED
SGM0052



Seil-Ø mm	A mm	B mm	C mm	L mm
1/8"	4	17	1.2	33
3/16"	5	17.5	1.2	33
1/4"	7	18	1.2	33
5/16"	8.6	20.5	1.2	38
3/8"	10.4	24	1.5	42
1/2"	13.5	29	2	48
5/8"	16.8	35	3	57
3/4"	19.8	41	3.5	64
7/8"	23.8	48	4	89
1"	27	64	4	108
1 1/8-1 1/4"	33	70	5.5	115

EUROPEAN SWIVEL EYE AND EYE


STAINLESS STEEL AISI316
STAINLESS STEEL AISI304
SGM0057



SIZE mm	D mm	L mm
5	5	59
6	6	65
8	8	90
10	10	115
13	13	152
16	16	188
19	19	229

U.S THIMBLES G-414


STAINLESS STEEL AISI316
STAINLESS STEEL AISI304
STEEL ELECTRIC GALVANIZED
SGM0053



Seil-Ø mm	A mm	B mm	C mm	L mm
1/4"	7	22	1.5	41
5/16"	8.6	27	2	48
3/8"	10.4	29	3	54
7/16"	12	32	3	61
1/2"	13.5	38	3.5	70
9/16"	15	38	3.5	72
5/8"	16.8	44	4	82
3/4"	19.8	51	5.5	95
7/8"	24	57	5.5	108
1"	27	64	6	114
1 1/8-1 1/4"	33	73	6	130

EUROPEAN SWIVEL EYE AND JAW

STAINLESS STEEL AISI316
STAINLESS STEEL AISI304
SGM0058



SIZE mm	D mm	d mm	L mm
5	5	5	59
6	6	6	66
8	8	8	94
10	10	10	118
13	13	13	152
16	16	16	188
19	19	19	229

THIMBLES EUROPEAN COMMERCIAL

STAINLESS STEEL AISI316
STAINLESS STEEL AISI304
STEEL ELECTRIC GALVANIZED
SGM0055




SIZE mm	A mm	B mm	L mm
4	4	11	16
5	5	16	22
6	6	19	26
7	7	22	32
8	8	24	34
9	9	29	38
10	10	32	42
11	11	35	48

SIZE	A	B	L
12	12	38	51
14	14	40	57
16	16	42	60
18	18	45	67
20	20	51	76
22	22	54	83
24	24	64	88
26	26	68	102
28	28	73	110

EUROPEAN SWIVEL JAW AND JAW


STAINLESS STEEL AISI316
STAINLESS STEEL AISI304
SGM0059



SIZE mm	D mm	L mm
5	5	59
6	6	66
8	8	94
10	10	118
13	13	152
16	16	188
19	19	229

SNAP HOOK WITH EYELET DIN5299 FORM A


STAINLESS STEEL AISI316
STAINLESS STEEL AISI304
STEEL ELECTRIC GALVANIZED
SGM0063



SIZE mm	Ø A mm	B mm	C mm	D mm	F mm	W.L.L. LBS
4X40	4	20	40	5	7	80
5X50	5	25	50	5	7	100
6X60	6	30	60	5	8	140
7X70	7	35	70	7	8	200
8X80	8	40	80	10	9	250
9X90	9	45	90	10	10	280
10X100	10	50	100	13	11	400
11X120	11	57	120	13	16	500
12X140	12	67	140	15	19	600
13X160	13	74	160	17	25	700
14X180	14	86	180	17	35	900

EGG TYPE SNAP HOOK DIN5299 FORM B


STAINLESS STEEL AISI316
STAINLESS STEEL AISI304
STEEL ELECTRIC GALVANIZED
SGM0064



SIZE mm	Ø A mm	B mm	C mm	F mm	W.L.L. LBS
5X50	5	25	50	7	100
6X60	6	30	60	8	140
7X70	7	35	70	8	200
8X80	8	40	80	9	250
9X90	9	45	90	10	280
10X100	10	50	100	11	400
11X120	11	57	120	16	500
12X140	12	67	140	19	600

SNAP HOOK DIN5299 FORM C


STAINLESS STEEL AISI316
STAINLESS STEEL AISI304
STEEL ELECTRIC GALVANIZED
SGM0065



SIZE mm	Ø A mm	B mm	C mm	D mm	F mm	W.L.L. LBS
4X40	4	20	40	7	7	80
5X50	5	25	50	8	7	100
6X60	6	30	60	9	8	140
7X70	7	35	70	10	8	200
8X80	8	40	80	12	9	250
9X90	9	45	90	12	10	280
10X100	10	50	100	15	11	400
11X120	11	57	120	18	16	500
12X140	12	67	140	20	19	600
13X160	13	74	160	22	25	700
14X180	14	86	180	22	35	900

SNAP HOOK WITH SCREW DIN5299 FORM D


STAINLESS STEEL AISI316
STAINLESS STEEL AISI304
STEEL ELECTRIC GALVANIZED
SGM0066



SIZE mm	Ø A mm	B mm	C mm	D mm	F mm	W.L.L. LBS
4X40	4	20	40	7	7	80
5X50	5	25	50	8	7	100
6X60	6	30	60	9	8	140
7X70	7	35	70	10	8	200
8X80	8	40	80	12	9	250
9X90	9	45	90	12	10	280
10X100	10	50	100	15	11	400
11X120	11	57	120	18	16	500
12X140	12	67	140	20	19	600
13X160	13	74	160	22	25	700
14X180	14	86	180	22	35	900

STRAIGHT SNAP HOOK


STAINLESS STEEL AISI316
STAINLESS STEEL AISI304
STEEL ELECTRIC GALVANIZED
SGM0068



SIZE mm	Ø A mm	B mm	C mm	F mm	W.L.L. LBS
5X50	5	25	50	9	100
6X60	6	30	60	11	140
8X80	8	40	80	13	250
10X100	10	50	100	16	400
11X120	11	58	120	21	500

STRAIGHT SNAP HOOK WITH SCREW


STAINLESS STEEL AISI316
STAINLESS STEEL AISI304
STEEL ELECTRIC GALVANIZED
SGM0069



SIZE mm	Ø A mm	B mm	C mm	F mm	W.L.L. LBS
5X50	5	25	50	9	100
6X60	6	30	60	11	140
8X80	8	40	80	13	250
10X100	10	50	100	16	400
11X120	11	58	120	21	500

LONG STRAIGHT SNAP HOOK


STAINLESS STEEL AISI316
STAINLESS STEEL AISI304
STEEL ELECTRIC GALVANIZED
SGM0070



SIZE mm	Ø A mm	B mm	C mm	F mm	W.L.L. LBS
5X67	5	25	67	9	100
6X80	6	30	80	10	140
8X95	8	40	95	12	250

SNAP HOOK WITH EYELET AND SCREW


STAINLESS STEEL AISI316
STAINLESS STEEL AISI304
STEEL ELECTRIC GALVANIZED
SGM0071



SIZE mm	Ø A mm	B mm	C mm	D mm	F mm	W.L.L. LBS
5X50	5	25	50	5	7	100
6X60	6	30	60	5	8	140
7X70	7	35	70	7	8	200
8X80	8	40	80	10	9	250
9X90	9	45	90	10	10	280
10X100	10	50	100	13	11	400
11X120	11	57	120	13	16	500
12X140	12	67	140	15	19	600
13X160	13	74	160	17	25	700
14X180	14	86	180	17	35	900

OBLIQUE ANGLE SNAP HOOK


STAINLESS STEEL AISI316
STAINLESS STEEL AISI304
STEEL ELECTRIC GALVANIZED
SGM0072



SIZE	Ø A	C	D	F	W.L.L.
mm	mm	mm	mm	mm	LBS
5X50	5	50	8	9	100
6X60	6	60	9	10	140
8X80	8	80	12	13	250
10X100	10	100	15	18	400
11X120	11	120	15	24	500

OBLIQUE ANGLE SNAP HOOK WITH EYELET


STAINLESS STEEL AISI316
STAINLESS STEEL AISI304
STEEL ELECTRIC GALVANIZED
SGM0073



SIZE	Ø A	C	D	F	W.L.L.
mm	mm	mm	mm	mm	LBS
5X50	5	50	5	9	100
6X60	6	60	5	10	140
8X80	8	80	10	13	250
10X100	10	100	13	18	400
11X120	11	120	13	24	500

OBLIQUE ANGLE SNAP HOOK WITH EYELET AND SPRING PIN


STAINLESS STEEL AISI316
STAINLESS STEEL AISI304
STEEL ELECTRIC GALVANIZED
SGM0074



SIZE	Ø A	C	D	F	W.L.L.
mm	mm	mm	mm	mm	LBS
5X50	5	50	5	9	100
6X60	6	60	5	10	140
8X80	8	80	10	13	250
10X100	10	100	13	18	400
11X120	11	120	13	24	500

OBLIQUE ANGLE SNAP HOOK WITH EYELET AND RIVETS AT BOTH END


STAINLESS STEEL AISI316
STAINLESS STEEL AISI304
STEEL ELECTRIC GALVANIZED
SGM0075



SIZE	Ø A	C	D	F	W.L.L.
mm	mm	mm	mm	mm	LBS
10x90	10	90	13	13	400

SIMPLE SNAP HOOK


STAINLESS STEEL AISI316
STAINLESS STEEL AISI304
STEEL ELECTRIC GALVANIZED
SGM0076



SIZE	Ø A	B
mm	mm	mm
6X60	6	60
8X80	8	80

SPRING HOOK


STAINLESS STEEL AISI316
STAINLESS STEEL AISI304
STEEL ELECTRIC GALVANIZED
SGM0077



SIZE	Ø A	C
mm	mm	mm
6X60	6	60
8X80	8	80

DELTA SIMPLE SNAP HOOK


STAINLESS STEEL AISI316
STAINLESS STEEL AISI304
STEEL ELECTRIC GALVANIZED
SGM0078




D	L	W	S	d
mm	mm	mm	mm	mm
6	61	35	11	9
8	81	46	18	11
10	102	58	22	15
12	120	70	26	18

SNAP HOOK WITH BAR


STAINLESS STEEL AISI316
STAINLESS STEEL AISI304
SGM0078-5




SIZE	Ø A	B	C	D	F
mm	mm	mm	mm	mm	mm
13X160	13	80	160	3	33

422. SNAP HOOKSTAINLESS STEEL AISI316
STAINLESS STEEL AISI304**SGM0078-7**


SIZE mm	Ø A mm	B mm	C mm	E mm	F mm
422-4	4	17	40	1.6	6
422-5	5	15	50	2.0	8
422-6	6	35	60	2.5	12
422-8	8	40	70	2.5	14
422-10	10	45	80	3.2	15

WIDE JAW QUICK LINKSTAINLESS STEEL AISI316
STAINLESS STEEL AISI304
STEEL ELECTRIC GALVANIZED**SGM0083**


SIZE mm	Ø A mm	L1 mm	L2 mm	F mm	W.L.L. LBS
3.5	3.5	47	17	10	175
5	5	62	23	14	650
6	6	72	26.5	16	875
8	8	90	33.5	18	1525
10	10	105	40.5	20	2300
12	12	122	47.5	23	2500

SNAP HOOK WITH TWO RIVETSSTAINLESS STEEL AISI316
STAINLESS STEEL AISI304
STEEL ELECTRIC GALVANIZED**SGM0079**


SIZE mm	Ø A mm	B mm	C mm	D mm	F mm	W.L.L. LBS
5X50	5	25	50	8	7	100
6X60	6	30	60	9	8	140
7X70	7	35	70	10	8	200
8X80	8	40	80	12	9	250
9X90	9	45	90	12	10	280
10X100	10	50	100	15	11	400
11X120	11	57	120	18	16	500
12x140	12	67	140	20	19	600

DELTA SHAPED QUICK LINKSTAINLESS STEEL AISI316
STAINLESS STEEL AISI304
STEEL ELECTRIC GALVANIZED**SGM0084**


SIZE mm	Ø A mm	L1 mm	L2 mm	F mm	W.L.L. LBS
3.5	3.5	37	31	5	120
5	5	47	40	6	450
6	6	56	47	7.5	600
8	8	73	56	10	1100
10	10	87	66	12	1500
12	12	104	75	15	1650
14	14	122	86	19	1900

SNAP HOOKSTAINLESS STEEL AISI316
STAINLESS STEEL AISI304
STEEL ELECTRIC GALVANIZED**SGM0081**



SIZE mm	Ø A mm	B mm	C mm	D mm	F mm
5X50	5	25	50	8	7
6X60	6	30	60	9	8
7X70	7	35	70	10	8
8X80	8	40	80	12	9
9X90	9	45	90	12	10
10X100	10	50	100	15	11
11X120	11	57	120	18	16
12x140	12	67	140	20	19

PEAR SHAPED QUICK LINKSTAINLESS STEEL AISI316
STAINLESS STEEL AISI304
STEEL ELECTRIC GALVANIZED**SGM0085**

Ø A mm	L1 mm	L2 mm	F mm	W.L.L. LBS
3.5	52	27	9.5	120
4	60	32	11	350
5	70	37	12	450
6	81	42.8	14	600
8	100	50.8	17	1100
9	108	57	19	1300
10	117.5	63.5	20.5	1500
12	141	76	23	1650

QUICK LINKSTAINLESS STEEL AISI316
STAINLESS STEEL AISI304
STEEL ELECTRIC GALVANIZED**SGM0082**


SIZE mm	Ø A mm	L1 mm	L2 mm	F mm	W.L.L. LBS
3.5	3.5	36.5	17	5	175
4	4	40	19.5	5.5	500
5	5	49	23	6.5	650
6	6	58	26.5	7.5	875
7	7	65	30.5	8.5	1200
8	8	75	33.5	10.5	1525
9	9	82	35	11.5	1975
10	10	90	40.5	12.5	2300
12	12	107	47.5	14.5	2500
14	14	125	54.5	17	2800

CARABINE TYPE QUICK LINKSTAINLESS STEEL AISI316
STAINLESS STEEL AISI304
STEEL ELECTRIC GALVANIZED**SGM0086**

SIZE mm	Ø A mm	L1 mm	L2 mm
6	6	80	32
8	8	100	46

CARABINE TYPE QUICK LINK WITH THIMBLE


STAINLESS STEEL AISI316
STAINLESS STEEL AISI304
STEEL ELECTRIC GALVANIZED
SGM0087



SIZE mm	ØA mm	L1 mm	L2 mm
6	6	80	32
8	8	100	46

DIN 582 EYE NUT


STAINLESS STEEL AISI316
STAINLESS STEEL AISI304
STEEL ELECTRIC GALVANIZED
SGM0089



D mm	A mm	B mm	C mm	E mm
6	20	36	36	8
8	20	36	36	8
10	25	45	45	10
12	30	54	53	12
14	30	54	53	12
16	35	63	62	14
18	35	63	62	14
20	40	72	71	16
24	50	90	90	20
30	60	108	109	24
36	70	126	128	18

DIN 580 EYE BOLT


STAINLESS STEEL AISI316
STAINLESS STEEL AISI304
STEEL ELECTRIC GALVANIZED
SGM0090



D mm	A mm	B mm	C mm	L mm
6	20	36	36	13
8	20	36	36	13
10	25	45	45	17
12	30	54	53	20
14	30	54	53	20
16	35	63	62	27
18	35	63	62	27
20	40	72	71	30
24	50	90	90	36
30	60	108	109	45
36	70	126	128	54

EYE BOLT WITH NUT


STAINLESS STEEL AISI316
STAINLESS STEEL AISI304
STEEL ELECTRIC GALVANIZED
SGM0091



A mm	D mm	L mm	L1 mm	L2 mm
6	13	35	40	64
6	13	55	60	104
6	13	75	80	104
6	13	95	100	124
8	17	55	60	92
8	17	75	80	112
8	17	95	100	132
8	17	125	130	162
10	21	75	80	119
10	21	95	100	139
10	21	115	120	159
10	21	145	150	189
12	25	95	100	146
12	25	145	150	196

LAG SCREW EYE


STAINLESS STEEL AISI316
STAINLESS STEEL AISI304
SGM0091-1



D mm	D2 mm	L mm	L1 mm
4	4.2	30	45
6	6.3	32	55
8	8.4	40	60
10	10.5	55	80
12	12.5	65	105

ROUND RING W/SCREW


STAINLESS STEEL AISI316
STAINLESS STEEL AISI304
SGM0092



D mm	L mm	H mm	d mm	A mm	B mm
3	25	45	4	9	4
5	30	55	6	12	6
7	50	56	8	17	9

RING NAIL


STAINLESS STEEL AISI316
STAINLESS STEEL AISI304
SGM0093



D mm	L mm	H mm
3	25	30
4	30	35
5	35	41
6	40	43
8	45	47

WIRE EYE STRAP


STAINLESS STEEL AISI316
STAINLESS STEEL AISI304
SGM0094



D mm	L1 mm	L2 mm	H mm	h mm	d mm
4	40	32	16	11	3.2
5	50	40	16	13	4.2
6	57	44	22	16	5.2
8	63	47	25	17	5.2

STAMPED EYE STRAP


STAINLESS STEEL AISI316
STAINLESS STEEL AISI304
SGM0095



T mm	E mm	D2 mm	A2 mm	A1 mm	L mm	D1 mm
1.5	4.2	9	28	11	12	5
2	5.0	11	34	15	14	6
2	5.3	12	44	20	19	7
2	5.3	12	63	28	28	7
3	6.4	14	67	32	33	8

OVAL EYE PLATE


STAINLESS STEEL AISI316
STAINLESS STEEL AISI304
SGM0099



D mm	A mm	B1 mm	B2 mm	H mm	h mm	W mm	d mm
5	15	45	35.5	20	12	14	4.2
6	20	60	46	25	17	18	5.2
8	26	80	60	32	21	20	5.2
9	32	100	73	38	26	22	6.5

SQUARE EYE PLATE


STAINLESS STEEL AISI316
STAINLESS STEEL AISI304
SGM0096



D mm	A mm	B mm	H mm	h mm	w mm	d mm
5	30	35	19	12	14	4.2
6	35	40	26	17	18	5.2
8	40	50	33	22	20	5.2

ROUND EYE PLATE


STAINLESS STEEL AISI316
STAINLESS STEEL AISI304
SGM0100



D mm	A1 mm	A2 mm	H mm	H1 mm	W mm	D1 mm
5	33	20	20	12	12	4.2
6	40	23	26	17	17	4.2
8	50	30	32	21	20	5.2

SQUARE EYE PLATE WITH RING


STAINLESS STEEL AISI316
STAINLESS STEEL AISI304
SGM0097



D mm	A mm	B mm	H mm	d mm	L mm
5	30	35	19	4.2	30
6	35	40	26	5.2	40
8	40	50	33	5.2	50

ROUND EYE PLATE WITH RING


STAINLESS STEEL AISI316
STAINLESS STEEL AISI304
SGM0101



D mm	A1 mm	A2 mm	H mm	d mm	L mm
5	33	20	20	4.2	30
6	40	23	26	4.2	40
8	50	30	32	5.2	50

OVAL EYE PLATE WITH RING


STAINLESS STEEL AISI316
STAINLESS STEEL AISI304
SGM0098



D mm	A mm	B1 mm	B2 mm	H mm	d mm	L mm
5	15	45	35.5	20	12	30
6	20	60	46	25	17	40
8	26	80	60	32	21	50
9	32	100	73	38	26	60

DIAMOND EYE PLATE


STAINLESS STEEL AISI316
STAINLESS STEEL AISI304
SGM0102



D mm	A mm	B mm	H mm	h mm	w mm	d mm
5	37	59	22	12	11	4.2
6	50	64	26	15	15	4.2
8	60	80	33	20	18	5.2

DIAMOND EYE PLATE WITH RING


STAINLESS STEEL AISI316
STAINLESS STEEL AISI304
SGM0103



D	A	B	H	d	L
mm	mm	mm	mm	mm	mm
5	37	59	22	4.2	30
6	40	64	26	5.2	35
8	50	80	23	5.2	45

HOOK PLATE


STAINLESS STEEL AISI316
STAINLESS STEEL AISI304
SGM0104



D	A1	A2	H	h	S	d	T
mm	mm	mm	mm	mm	mm	mm	mm
5	33	19	20	12.5	10	4.2	2.5
6	40	23	26	17.5	13	5.2	2.5
8	50	29	33	22	16	5.2	3

ROUND EYE PLATE


STAINLESS STEEL AISI316
STAINLESS STEEL AISI304
SGM0105



D	A1	H	h	W	B	T
mm	mm	mm	mm	mm	mm	mm
5	33	19	11.5	15	21	2.5
6	40	25.5	17	18	25	2.5
8	50	32	20	22	27	3

ROUND EYE PLATE WITH RING


STAINLESS STEEL AISI316
STAINLESS STEEL AISI304
SGM0106



D	L	A	H	B	T
mm	mm	mm	mm	mm	mm
5	30	33	19	21	2.5
6	40	40	25.5	25	2.5
8	50	50	32	27	3

PAD EYE SWIVEL


SSTAINLESS STEEL AISI 316
SSTAINLESS STEEL AISI 304
SGM0106-1



D	A	B	H	W	D
mm	mm	mm	mm	mm	mm
5	35	30	32	15	4.2
6	40	35	40	18	4.2
8	50	40	45	19	5.7

PAD EYE SWIVEL WITH RING


SSTAINLESS STEEL AISI 316
SSTAINLESS STEEL AISI 304
SGM0106-2



D	A	B	H	W	D
mm	mm	mm	mm	mm	mm
5	35	30	32	15	4.2
6	40	35	40	18	4.2
8	50	40	45	19	5.7

CHAIN HOOK


STAINLESS STEEL AISI 304
SGM0106-5



A	B	F	L
mm	mm	mm	mm
6	25.5	11	80

OPEN HOOK


STAINLESS STEEL AISI 304
SGM0106-6



A	B	F	L
mm	mm	mm	mm
6	25.5	11	80

TOGGLE


SSTAINLESS STEEL AISI 316
SSTAINLESS STEEL AISI 304
SGM0106-7



SIZE	D1	D2	A	L
mm	mm	mm	mm	mm
5	5.5	5.2	7.0	22
6	6.6	6.3	7.0	27
8	8.5	8.3	10.0	31
10	10.0	9.3	12.0	36
12	13.0	12.4	13.0	50
14	15.0	14.0	13.0	60
16	16.5	15.5	17.0	80

DOOR HINGE

SSTAINLESS STEEL AISI 316
SSTAINLESS STEEL AISI 304
SGM0106-8



L	B	H
mm	mm	mm
74	38	4.5

STAINLESS STEEL CLEAT


SSTAINLESS STEEL AISI 316
SSTAINLESS STEEL AISI 304
SGM0106-9



SIZE	L	B	H	D	A
mm	mm	mm	mm	mm	mm
5"	125	40	23	5	56
6"	150	45	32	7	63
8"	200	53	39	6.5	70
10"	250	66	43	7	95
12"	300	70	55	7	102

SPRING SNAP


SSTAINLESS STEEL AISI 316
SSTAINLESS STEEL AISI 304
SGM0106-10



L	W	E	D
mm	mm	mm	mm
50	24	10	6.5
70	31	13	10.0
100	46	23	13.0

PELICAN HOOK


SSTAINLESS STEEL AISI 316
SSTAINLESS STEEL AISI 304
SGM0106-11



L	L1	A	B
mm	mm	mm	mm
76	39	13	M6X9
100	48	16	M8X12

FIXED SNAP SHACKLE


SSTAINLESS STEEL AISI 316
SSTAINLESS STEEL AISI 304
SGM0106-12



L	A	B
mm	mm	mm
52	12	9
66	16	12
96	22	16

SWIVEL SNAP SHACKLE ROUND HEAD


SSTAINLESS STEEL AISI 316
SSTAINLESS STEEL AISI 304
SGM0106-13



L	A	B
mm	mm	mm
70	12	12
87	16	12
120	22	16

SWIVEL SNAP SHACKLE JAW HEAD


SSTAINLESS STEEL AISI 316
SSTAINLESS STEEL AISI 304
SGM0106-14



L	A	B
mm	mm	mm
69	12	12
90	16	12
128	22	16

WELDED ROUND RING

STAINLESS STEEL AISI316
STAINLESS STEEL AISI304
STEEL ELECTRIC GALVANIZED
SGM0107




SIZE mm	ØA mm	L mm
3X25	3	25
4X25	4	25
4X30	4	30
4X40	4	30
5X30	5	30
5X40	5	40
5X50	5	50
6X30	6	30

SIZE mm	ØA mm	L mm
6X40	6	40
6X50	6	50
6X60	6	60
7X35	7	35
8X40	8	40
8X50	8	50
10X50	10	50
10X70	10	70

D RING

STAINLESS STEEL AISI316
STAINLESS STEEL AISI304
STEEL ELECTRIC GALVANIZED
SGM0108




ØA mm	L1 mm	L2 mm
3	25	22
4	25	22
4	30	27
5	30	27
5	40	37

ØA mm	L1 mm	L2 mm
6	40	37
6	50	47
8	40	37
8	50	47
10	50	47

TRIANGLE RING


STAINLESS STEEL AISI316
STAINLESS STEEL AISI304
STEEL ELECTRIC GALVANIZED
SGM0109



ØA mm	L1 mm	L2 mm
5	30	30
6	50	50
8	50	50

TRIANGLE BUCKLE


STAINLESS STEEL AISI316
STAINLESS STEEL AISI304
STEEL ELECTRIC GALVANIZED
SGM0110



ØA mm	L1 mm	L2 mm	H mm
5	40	45	5.5
6	45	50	7
8	45	50	8

SQUARE HOOK ZINC PLATED


STAINLESS STEEL AISI316
STAINLESS STEEL AISI304
STEEL ELECTRIC GALVANIZED
SGM0111



SIZE mm	Ø A mm	L1 mm	L2 mm
4	4	40	30

CHAIN CATCH


STAINLESS STEEL AISI316
STAINLESS STEEL AISI304
STEEL ELECTRIC GALVANIZED
SGM0112



A mm	L mm
4	20
5	25
6	30
8	35
9	40

KEY RING


STAINLESS STEEL AISI316
STAINLESS STEEL AISI304
STEEL ELECTRIC GALVANIZED
SGM0113




A mm	L mm
1.2	20
1.5	25
2	30
2	38

ROLLING-UP PIN WITH ROUND RING


STAINLESS STEEL AISI316
STAINLESS STEEL AISI304
SGM0114




A mm	L1 mm	L2 mm
M5	25	30
M6	25	30
M8	25	30
M10	38	30

HITCHING RING LAGSTEEL ELECTRIC GALVANIZED
SGM0114-2


D	A	B	H	L
mm	mm	mm	mm	mm
7	45	70	30	50

"S" HOOKSTAINLESS STEEL AISI316
STAINLESS STEEL AISI304
STEEL ELECTRIC GALVANIZED
SGM0115


SIZE	Ø A	L	F
mm	mm	mm	mm
3	3	25	3
4	4	35	4.5
5	5	45	6.5
6	6	55	7
7	7	65	8
8	8	75	10
10	10	105	11
12	12	120	13.5

"U" HOOKSTAINLESS STEEL AISI316
STAINLESS STEEL AISI304
STEEL ELECTRIC GALVANIZED
SGM0116


Ø A	L	F
mm	mm	mm
6	55	10.6
8	75	16.5
10	85	19

"S" HOOKSTAINLESS STEEL AISI316
STAINLESS STEEL AISI304
STEEL ELECTRIC GALVANIZED
SGM0117


Ø A	L	W1	W2	F1	F2
mm	mm	mm	mm	mm	mm
3	36	9	16	4	11
4	44	12	19	5	11
5	53	14	21	6	11
6	62	15	25	7	16

PIPE "S" HOOKSTAINLESS STEEL AISI316
STAINLESS STEEL AISI304
STEEL ELECTRIC GALVANIZED
SGM0118


Ø A	L	W1	W2	F
mm	mm	mm	mm	mm
3	50	13.5	23	13
3.4	61.8	14	29.5	13
4	65	16	35	15
4	86	30	40	28

BUTCHER HOOKSTAINLESS STEEL AISI316
STAINLESS STEEL AISI304
STEEL ELECTRIC GALVANIZED
SGM0119

Ø A	L	F
mm	mm	mm
4	80	23
5	100	28
5	120	28

ROPE SHORTENING WITH TONGUE ZIND PLATEDSTAINLESS STEEL AISI316
STAINLESS STEEL AISI304
STEEL ELECTRIC GALVANIZED
SGM0121


SIZE	Ø A	L
mm	mm	mm
5X60	5	60
6X60	6	60
6X70	6	70
7X75	7	75
8X70	8	70
8X80	8	80
9X90	9	90
10X100	10	100

ROPE SHORTENING WITHOUT TONGUE ZIND PLATEDSTAINLESS STEEL AISI316
STAINLESS STEEL AISI304
STEEL ELECTRIC GALVANIZED
SGM0122

SIZE	Ø A	L
mm	mm	mm
5X60	5	60
6X60	6	60
6X70	6	70
7X75	7	75
8X70	8	70
8X80	8	80
9X90	9	90
10X100	10	100

SIMPLE "S" HOOK


STAINLESS STEEL AISI316
STAINLESS STEEL AISI304
STEEL ELECTRIC GALVANIZED
SGM0123



SIZE mm	Ø A mm	L1 mm
10	10	120

SWING HOOK WITH BOLT AND PLASTIC WASHER


STAINLESS STEEL AISI316
STAINLESS STEEL AISI304
STEEL ELECTRIC GALVANIZED
SGM0124



Ø A1 mm	Ø A2 mm	L1 mm	L2 mm	L3 mm
8	7.3	104	76	50

HAMMOCK HOOK WITH WOODEN THREAD


STEEL ELECTRIC GALVANIZED
SGM0124-1



Ø A1 mm	Ø A2 mm	L1 mm	L2 mm	L3 mm
8.4	10	100	90	45
9.5	9.7	100	105	45

TARP ROPE HOOK


STEEL ELECTRIC GALVANIZED
SGM0124-2



Ø A1 mm	L1 mm	L2 mm	D mm
10	128	70	8

SWING HOOK WITH BOLT


STAINLESS STEEL AISI316
STAINLESS STEEL AISI304
STEEL ELECTRIC GALVANIZED
SGM0125



SIZE mm	Ø A mm	L1 mm	L2 mm
10.6X110	10.6	110	20

SWING HOOK WITH BOLT AND PLASTIC WASHER


STAINLESS STEEL AISI316
STAINLESS STEEL AISI304
STEEL ELECTRIC GALVANIZED
SGM0126



SIZE mm	Ø A mm	L mm
10.6X180	10.6	150

SWING HOOK WITH BOLT & 3 NUTS



STAINLESS STEEL AISI316
STAINLESS STEEL AISI304
STEEL ELECTRIC GALVANIZED
SGM0127



SIZE mm	Ø A mm	L mm
10.6X180	10.6	150

EYE SCREW WITH NUT

STAINLESS STEEL AISI316
STAINLESS STEEL AISI304
STEEL ELECTRIC GALVANIZED
SGM0128




MA mm	L mm	D mm
5	75	10
6	75	15
6	100	15
6	150	15
8	100	20

MA mm	L mm	D mm
8	150	20
8	200	20
10	100	25
10	150	25
10	200	25

HOOK BOLT

STAINLESS STEEL AISI316
STAINLESS STEEL AISI304
STEEL ELECTRIC GALVANIZED
SGM0129




MA	L	B	D
mm	mm	mm	mm
5	40	15	12
5	60	30	12
5	80	50	12
6	60	30	15
6	100	60	15
6	150	80	15

MA	L	B	D
mm	mm	mm	mm
8	80	30	20
8	100	40	20
8	150	80	20
10	100	40	25
10	150	70	25
12	150	70	30

HOOK SCREW


STAINLESS STEEL AISI316
STAINLESS STEEL AISI304
STEEL ELECTRIC GALVANIZED
SGM0130



MA	L	B	D
mm	mm	mm	mm
3	40	15	15
4	50	25	15
8	70	30	25

COLLAR HOOK WITH SNAP HOOK

STAINLESS STEEL AISI316
STAINLESS STEEL AISI304
STEEL ELECTRIC GALVANIZED
SGM0131



D1	D2
mm	mm
M10	25
M10	50
M10	100
M10	120
M10	140

COLLAR HOOK WITH SWING HOOK

STAINLESS STEEL AISI316
STAINLESS STEEL AISI304
STEEL ELECTRIC GALVANIZED
SGM0132



D1	D2
mm	mm
M10	25
M10	50
M10	100
M10	120
M10	140

BIT SNAP TYPE 1


STAINLESS STEEL AISI316
STAINLESS STEEL AISI304
STEEL ELECTRIC GALVANIZED
SGM0133



SIZE	φA	L	F
mm	mm	mm	mm
5	5	45	7
6	6	60	8

BIT SNAP TYPE 2

STAINLESS STEEL AISI316
STAINLESS STEEL AISI304
STEEL ELECTRIC GALVANIZED
SGM0134



SIZE	φA	L	F
mm	mm	mm	mm
5	5	60	8

EGG TYPE SNAP HOOK WITH SCREW


STAINLESS STEEL AISI316
STAINLESS STEEL AISI304
STEEL ELECTRIC GALVANIZED
SGM0135




φA	B	C	F
mm	mm	mm	mm
12	85	168	42

SPRING HOOK

STEEL ELECTRIC GALVANIZED
SGM0135-1




SIZE	A	B	C	D	F
	mm	mm	mm	mm	mm
3/8"	9.5	24	104	13	24.5

SNAP HOOK NO.115DSTEEL ELECTRIC GALVANIZED
SGM0135-2


SIZE	Ø A	D	L
mm	mm	mm	mm
75X16	6	16	75

SWIVEL SNAPZINC PLATED
NICKEL PLATED
SGM0139


SIZE
mm
25
30
40
50
60
70
80
90
100
120

HAIR PINZINC PLATED
NICKEL PLATED
SGM0140


d	L	L1	D
mm	mm	mm	mm
2	50	25	10
3	60	28	18
4	60	30	20
5	85	40	24
6	105	50	30
7	105	50	30
8	110	55	28

HAIR PIN WITH EYELETZINC PLATED
NICKEL PLATED
SGM0141

d	L	L1	D
mm	mm	mm	mm
2	50	25	10
3	62	32	16
4	78	44	23
5	92	50	26
6	120	70	30
7	130	72	30
8	130	76	30

LINCH PINSZINC PLATED
NICKEL PLATED
SGM0142


D	L	d1	d2
mm	mm	mm	mm
4.5	30	2	22
5	40	2.5	24
6	45	3	25
7	45	3	38
8	45	3.5	34
9	46	3.5	34
10	46	3.5	34
11	46	3.5	34

U-BOLT WITH NUTSTAINLESS STEEL AISI316
STAINLESS STEEL AISI304
ZINC PLATED
SGM0146

SIZE	L1	L2	L3
mm	mm	mm	mm
5	13	30	18
6	17	36	20
6	21	38	22
8	27	48	28
8	34	68	35
8	42	68	35

SLIDE BUCKLE WITH SNAPZINC PLATED
NICKEL PLATED
SGM0149


SIZE	THICKNESS
mm	mm
1"	2mm

COLD SHUTSSTEEL ELECTRIC GALVANIZED
SGM0149-2

SIZE	Ø A	L	F
mm	mm	mm	mm
3/16	5	25	10
1/4	6	30	12
5/16	8	35	12
3/8	9.5	38	14
1/2	12	48	27

QUICK PINS SQUARE TYPE

STEET ELECTRIC GALVANIZED
SGM0149-3



B	Ø A	L1	L2	L3	C
mm	mm	mm	mm	mm	mm
6	2.5	75	60	42	12

CHAIN HOOK


STEET ELECTRIC GALVANIZED
SGM0149-5



Ø A	B	C	L1	L2	L3
mm	mm	mm	mm	mm	mm
2.5	6	14	60	40	46

ALUMINUM SNAP HOOK D TYPE


SGM0150



SIZE	Ø A	L
mm	mm	mm
5x50	5	50
6x60	6	60
7x70	7	70
8x80	8	80
10x100	10	100

ALUMINUM SNAP HOOK CARBINE TYPE

SGM0151



SIZE	Ø A	L
mm	mm	mm
5x50	5	50
6x60	6	60
7x70	7	70
8x80	8	80
10x100	10	100

ALUMINUM SNAP HOOK EGG TYPE


SGM0152



SIZE	Ø A	L
mm	mm	mm
5x50	5	50
6x60	6	60
7x70	7	70
8x80	8	80
10x100	10	100

ALUMINUM SNAP HOOK D TYPE WITH PIN


SGM0153



SIZE	Ø A	L
mm	mm	mm
5x50	5	50
6x60	6	60
7x70	7	70
8x80	8	80
10x100	10	100

ALUMINUM SNAP HOOK WITH EYELET AND KEY RING


SGM0155



SIZE	Ø A	L
mm	mm	mm
5x50	5	50
6x60	6	60
7x70	7	70
8x80	8	80
10x100	10	100

ALUMINUM SNAP HOOK CARBINE TYPE


SGM0156



SIZE	Ø A	L
mm	mm	mm
5x50	5	50
6x60	6	60
7x70	7	70
8x80	8	80

ALUMINUM SNAP HOOK D TYPE


SGM0157



SIZE mm	Ø A mm	L mm
5x50	5	50
6x60	6	60
7x70	7	70
8x80	8	80

ALUMINUM SNAP HOOK D TYPE WITH PIN


SGM0158



SIZE mm	Ø A mm	L mm
5x50	5	50
6x60	6	60
7x70	7	70
8x80	8	80

ALUMINUM SNAP HOOK WITH PVC SPONAGE


SGM0159



SIZE mm	Ø A mm	L mm
12x160	12	160


ALUMINUM QUICK LINK

SGM0160




SIZE mm	Ø A mm	L1 mm	L2 mm	F mm
3.5	3.5	36.5	17	5
5	5	49	23	6.5
6	6	58	26.5	7.5
8	8	75	33.5	10.5
9	9	82	35	11.5
10	10	90	40.5	12.5
12	12	107	47.5	14.5

REPAIR LAP LINK

STEEL ELECTRIC GALVANIZED
SGM0166


d1 mm	L mm	d2 mm
3	17	7
4	20	8
5	23	10
6	29	11
7	32	14
8	37	15
9	37	16
10	38	17

EYE SLIP HOOKS

ELECTRIC GALVANIZED
H-324 FORGED CARBON STEEL
A-324 FORGED ALLOY STEEL
SGM0167


Size in.	Working Load Limit lbs	Weight lbs	Dimensions(in.)					
mm	mm	mm	C	D	E	F	G	L
1/4	1950	.40	2.75	.94	1.18	3.68	.43	2.56
5/16	2875	.70	2.95	.87	1.26	4.27	.51	2.95
3/8	4000	1.00	3.46	1.29	1.50	4.98	.63	3.35
1/2	6500	2.31	4.84	1.69	1.93	6.40	.75	4.25
5/8	9250	3.78	5.59	2.00	2.38	7.80	.83	5.22

EYE SLIP HOOKS

ELECTRIC GALVANIZED
320C-CARBON STEEL
320A-ALLOY STEEL
SGM0168

SIZE mm	d1 mm	d2 mm	h1 mm	h2 mm	m mm
8	13	25	146	107	32
10	15	28	160	118	36
12	15	29	162	120	36.5
14	17	32	178	130	40
16	18	35	195	140	44.5
18	19	36	199	145	45



CLEVIS GRAB HOOK 330

G43-CARBON STEEL
G70-ALLOY STEEL
SGM0169

Size of Chain in.	Working Load Limit lbs	Weight lbs	Dimensions(in.)						
mm	mm	mm	A	B	C	D	F	G	L
1/4	2600	.41	.35	.41	1.92	.53	3.19	.31	1.79
5/16	3900	.63	.39	.43	2.28	.43	3.74	.39	2.13
3/8	5400	1.01	.47	.55	2.66	.51	4.53	.47	2.66
1/2	9200	1.61	.59	.61	3.00	.63	5.31	.63	3.03

SWIVELING ROUND EYE BOLT SNAP

SGM0173



SIZE	A	B	C
5/8"	5/8"	3 1/2"	12mm(1/2")
3/4"	3/4"	3 1/2"	12mm(1/2")
1"	1"	3 5/8"	12mm(1/2")

SWIVELING ROUND EYE BOLT SNAP

SGM0174



SIZE	A	B	C
1"	1"	4"	1/2"(12mm)
1 1/8"	1 1/8"	4 1/8"	1/2"(12mm)
1 1/4"	1 1/4"	4 1/4"	1/2"(12mm)

SWIVEL EYE BOLT SNAP

SGM0175



SIZE	A	B	C
3/8"	3/8"	2 1/2"	5/16"(8mm)
1/2"	1/2"	2 5/8"	5/16"(8mm)
3/4"	3/4"	2 5/8"	5/16"(8mm)

SWIVELING STRAP EYE BOLT SNAP

SGM0176



SIZE	A	B	C
5/8"	5/8"	3 1/4"	12mm(1/2")
3/4"	3/4"	3 1/4"	12mm(1/2")
7/8"	7/8"	3 1/4"	12mm(1/2")
1"	1"	3 1/4"	12mm(1/2")
1 1/8"	1 1/8"	3 1/4"	12mm(1/2")
1 1/4"	1 1/4"	3 1/4"	12mm(1/2")

SWIVELING STRAP EYE BOLT SNAP

SGM0177



SIZE	A	B	C
	mm	mm	mm
5/8"	5/8"	2 3/4"	3/8"(9mm)
3/4"	3/4"	2 3/4"	3/8"(9mm)

SWIVEL TRIGGER SNAP STRAP EYE

SGM0178



SIZE	A	B	C
5/8"	5/8"	2 1/2"	7/16"(10mm)
3/4"	3/4"	2 1/2"	7/16"(10mm)
1"	1"	2 1/2"	7/16"(10mm)

SWIVEL TRIGGER SNAP STRAP EYE

SGM0179



SIZE	A	B	C
5/8"	5/8"	2 1/2"	7/16"(10mm)
3/4"	3/4"	2 1/2"	7/16"(10mm)
1"	1"	2 1/2"	7/16"(10mm)

SWIVEL TRIGGER SNAP JUMBO TYPE STRAP EYE

SGM0180



SIZE	A	B	C
5/8"	5/8"	3 7/8"	5/8"(14mm)
3/4"	3/4"	3 7/8"	5/8"(14mm)
1"	1"	3 7/8"	5/8"(14mm)
1 1/8"	1 1/8"	3 7/8"	5/8"(14mm)
1 1/4"	1 1/4"	3 7/8"	5/8"(14mm)

SWIVELS

SGM0181



SIZE	A	B
3/4"	3/4"	2"
7/8"	7/8"	2"
1"	1"	2"
1 1/4"	1 1/4"	2"

SWIVELS

SGM0182



SIZE	A	B
3/8"	3/8"	2"
1/2"	1/2"	2 1/4"
5/8"	5/8"	2 1/2"
3/4"	3/4"	2 3/4"
7/8"	7/8"	2 3/4"
1"	1"	3 1/8"

SWIVEL TRIGGER SNAP


SGM0183



SIZE	A	B	C
1/2"	1/2"	2 5/8"	1/2"(13mm)
5/8"	5/8"	2 3/4"	1/2"(13mm)
3/4"	3/4"	2 7/8"	1/2"(13mm)
7/8"	7/8"	2 7/8"	1/2"(13mm)
1"	1"	2 7/8"	1/2"(13mm)

SWIVELING STRAP CAP SNAP

SGM0184



SIZE	A	B	C
5/8"	5/8"	2 1/2"	7/32"(7mm)
3/4"	3/4"	2 1/2"	7/32"(7mm)
1"	1"	2 1/2"	7/32"(7mm)

SWIVELING ROUND CAP SNAP

SGM0185



SIZE	A	B	C
5/8"	5/8"	3 3/8"	5/16"(8mm)
3/4"	3/4"	3 1/2"	5/16"(8mm)
1"	1"	3 3/4"	5/16"(8mm)
1"	1"	4"	5/16"(8mm)

SWIVELING STRAP CAP SNAP

SGM0186



SIZE	A	B	C
3/4"	3/4"	3 1/4"	3/8"(9mm)
7/8"	7/8"	3 1/4"	3/8"(9mm)
1"	1"	3 1/4"	3/8"(9mm)
1 1/4"	1 1/4"	3 1/8"	3/8"(9mm)

DOUBLE ENDED BOLT SNAP

SGM0187



SIZE	B	C
3/8"	3 1/2"	3/8"(9mm)
3/8"	4"	3/8"(9mm)
3/8"	4 1/2"	3/8"(9mm)

SPRING SNAP WITH SQUARE STRIP


SGM0188



SIZE	A	B	C
7/8"	7/8"	2 5/8"	7/16"(10mm)
1"	1"	2 3/8"	13/32"(11mm)

SWIVELING ROUND EYE PANIC SNAP

SGM0189



SIZE	A	B
3/4"	3/4"	4 5/8"
1"	1"	4 5/8"

SWIVELING STRAP EYE PANIC SNAP

SGM0190



SIZE	A	B
3/4"	3/4"	4"
1"	1"	4"
1 1/4"	1 1/4"	4"

RIGID ROUND EYE PANIC SNAP

SGM0191



SIZE	A	B
1/2"	1/2"	4"

RIGID ROUND EYE PANIC SNAP


SGM0192



SIZE	A	B
	mm	mm
1/2"	1/2"	4"

RIGED STROP EYE SPRING SNAP

SGM0193



SIZE	A	B	C
3/4"	3/4"	2 5/8"	3/8"(9mm)
7/8"	7/8"	3"	3/8"(9mm)
1"	1"	3 1/8"	3/8"(9mm)
1 1/8"	1 1/8"	3 1/8"	3/8"(9mm)
1 1/4"	1 1/4"	3 1/2"	1/2"(12mm)
1 1/2"	1 1/2"	3 1/2"	1/2"(12mm)
1 3/4"	1 3/4"	3 1/2"	1/2"(12mm)
2"	2"	3 3/4"	1/2"(12mm)

RIGID STRAP EYE BOLT SNAP

SGM0194



SIZE	A	B	C
3/4"	3/4"	3 1/16"	3/8"(9mm)
7/8"	7/8"	3 3/8"	13/32"(11mm)
1"	1"	3 3/8"	13/32"(11mm)
1 1/8"	1 1/8"	3 1/2"	7/16"(10mm)
1 1/4"	1 1/4"	3 3/4"	7/16"(10mm)
1 1/2"	1 1/2"	3 7/8"	7/16"(10mm)
2"	2"	3 7/8"	7/16"(10mm)

RIGID ROUND EYE BOLT SNAP


SGM0195



SIZE	A	B	C
1/2"	1/2"	3 3/8"	11/32"(8.7mm)
5/8"	5/8"	3 7/16"	11/32"(8.7mm)
3/4"	3/4"	3 9/16"	11/32"(8.7mm)

SWIVELING STRAP EYE BOLT SNAP


SGM0196



SIZE	A	B	C
3/4"	3/4"	3 1/4"	1/2"(12mm)
7/8"	7/8"	3 1/4"	1/2"(12mm)
1"	1"	3 1/4"	1/2"(12mm)
1 1/4"	1 1/4"	3 1/4"	1/2"(12mm)

SWIVELING ROUND EYE BOLT SNAP



SGM0197



SIZE	A mm	B mm	C mm
1/2"	12	33	13
5/8"	16	38	16
3/4"	19	38	16
1"	25	41	16

SWIVELING STRAP EYE BOLT SNAP

SGM0198



SIZE	A mm	B mm	C mm
3/4"	19	41	13
7/8"	22	41	13
1"	25	41	13

SWIVELING ROUND EYE BOLT SNAP

SGM0199



SIZE	A mm	B mm	C mm
5/8"	16	38	13
3/4"	19	38	13
1"	25	38	13

SNAP HOOK

SGM0200



SIZE	A mm	B mm
3/4"	19	51

SNAP HOOK


SGM0201



SIZE	A mm	B mm
1/2"	13	41
3/4"	19	41
1"	25	41
1 1/4"	32	41

SNAP HOOK RIGID EYE


SGM0202



SIZE	A mm	B mm
7/8"	22	41
1"	25	41

SWIVELING SNAP HOOK

SGM0203



SIZE	A mm	B mm
5/8"	5/8"	1 1/2"

PULLEYS SINGLE WHEEL

SGM0204



SIZE	Diam mm
1/2	5/32
3/4	3/16
1	1/4
1 1/4	5/16
1 1/2	5/16
2	7/16

PULLEYS DOUBLE WHEEL

SGM0205



SIZE	Diam mm
1/2	5/32
3/4	3/16
1	1/4
1 1/2	5/16
2	7/16

PULLEY SINGLE SHEAVE SWIVEL EYE

SGM0230



SIZE	Diam mm
1/2"	9/32"
3/4"	9/32"
1"	3/8"
1 1/4"	1/2"
1 1/2"	1/2"
2"	1/2"

PULLEY DOUBLE SHEAVE SWIVEL EYE

SGM0231



SIZE	Diam mm
1/2"	9/32"
3/4"	5/16"
1"	3/8"
1 1/4"	1/2"
1 1/2"	1/2"

SNAP HOOK

SGM0206



EYE mm	Length mm
12	47

SNAP HOOK

SGM0207



EYE mm	Length mm
37	54

SWIVEL LOOP SNAP

SGM0232



SIZE	A mm	B mm	C mm
1/2"	1/2"	2"	9/32" (7mm)
5/8"	5/8"	3"	3/8" (10mm)
3/4"	3/4"	3"	3/8" (10mm)
1"	1"	3"	3/8" (10mm)

SWIVEL BOLT SNAP

SGM0233



SIZE	A mm	B mm	C mm
3/8"	3/8"	3"	3/8" (10mm)
1/2"	1/2"	3"	3/8" (10mm)
5/8"	5/8"	3 1/8"	3/8" (10mm)
3/4"	3/4"	3 3/8"	3/8" (10mm)

SQUARE LOOP BULL SNAP

SGM0234



SIZE	A mm	B mm
1"	1"	4"

BULL SNAP

SGM0235



SIZE	A	B
1"	1"	4"

SWIVEL EYE SPRING HOOK

SGM0236



SIZE	A	B
1/2"	1/2"	3 3/8"
5/8"	5/8"	3 3/8"
3/4"	3/4"	3 1/2"

SNAP HOOK RIGID EYE

SGM0237



SIZE mm	B mm
50	50
60	60
70	70
85	85
100	100
120	120

SWIVEL BOLT SNAP

SGM0238



SIZE	A	B
1/2"	1/2"	3 3/8"
5/8"	5/8"	3 3/8"
3/4"	3/4"	3 1/2"
7/8"	7/8"	3 1/2"
1"	1"	3 1/2"

SWIVEL BOLT SNHP

SGM0239



SIZE	A	B	C
3/8"	3/8"	2"	9/32"(7mm)

ROPE CLEAT

SGM0240



SIZE	B
2 1/2"	2 1/2"
4 1/2"	4 1/2"
6"	6"

OVAL WIRE ROPE CLIP



SGM0241



SIZE
2mm
3mm
4mm
5mm
6mm

1390 TURNBUCKLE EYE & HOOK



SGM0242



SIZE(D)	L mm	A mm	C mm
M 5X50	50	7	8
M 5X70	70	7	9
M 6X60	60	8	10
M 6X100	100	10	10
M 8X70	70	11	11
M 8X110	110	11	11
M 10X80	80	11	12
M 10X120	120	16	15
M 12X110	110	15	15
M 12X130	130	15	15

1391 TURNBUCKLE EYE & HOOK

SGM0243



SIZE(D)	L(closed-open)	A	C
3/16"	3 7/8" - 5 1/2"	5/16"	5/16"
7/32"	4 3/8" - 6 1/4"	3/8"	3/8"
1/4"	6 1/2" - 7 3/4"	3/8"	3/8"
5/16"	6 3/4" - 9 3/8"	7/16"	7/16"
3/8"	7 3/4" - 10 1/2"	1/2"	1/2"

251B QUICK SNAP SWIVEL ROUND EYE


BRONZE CASTING
SGM0244



ITEMNO.	SIZE	A	B
251B1	5/8"	5/8"	3 1/4"
251B2	3/4"	3/4"	3 5/8"
251B3	7/8"	7/8"	4 3/8"

0170B BOLT SNAP SWIVEL STRAP EYE

BRONZE CASTING
SGM0248



ITEMNO.	SIZE	A	B
017 B	5/8"	5/8"	2 7/8"
017 B	3/4"	3/4"	2 7/8"
017 B	1"	1"	3"
017 B	1 1/4"	1 1/4"	3 1/4"
017 B	1 1/2"	1 1/2"	3 1/4"

225B BOLT SNAP SWIVEL ROUND EYE

BRONZE CASTING
SGM0245



ITEMNO.	SIZE	A	B
225B	5/8"	5/8"	3 1/8"
225B	3/4"	3/4"	3 1/8"
225B	7/8"	7/8"	4"
225B	1"	1"	3 1/2"
225B	1 1/8"	1 1/8"	4 1/2"
225B	1 1/4"	1 1/4"	4 3/4"

830 CAP SNAP SWIVEL ROUND EYE

BRONZE CASTING
SGM0249



ITEMNO.	SIZE	A	B
830B	5/8"	5/8"	3 1/8"
830B	3/4"	3/4"	3 1/2"
830B	1"	1"	3 3/4"

227B BOLT SNAP SWIVEL ROUND EYE

BRONZE CASTING
SGM0246



ITEMNO.	SIZE	A	B
227B	3/4"	3/4"	3 3/8"

5055B BOLT SNAP SWIVEL ROUND EYE

BRONZE CASTING
SGM02450



ITEMNO.	SIZE	A	B
5055B	3/8"	3/8"	2 1/2"
5055B	1/2"	1/2"	2 1/2"

5025B BOLT SNAP SWIVEL ROUND EYE

BRONZE CASTING
SGM0247



ITEMNO.	SIZE	A	B
5025B	3/8"	3/8"	2 7/8"
5025B	1/2"	1/2"	3"
5025B	5/8"	5/8"	3"
5025B	3/4"	3/4"	3 1/4"

231B BOLT SNAP YIGID OPEN EYE


BRONZE CASTING
SGM0251



ITEMNO.	SIZE	A	B
231B	3 1/2"	3 1/2"	3 1/2"
232B	4"	4"	4"
225B	5"	5"	5"

0170B BOLT SNAP SWIVEL STRAP ROUND EYE

BRONZE CASTING
SGM0252



ITEMNO.	SIZE	A	B
0170B	1/2"	1/2"	2 3/4"
0170B	5/8"	5/8"	2 3/4"
0170B	3/4"	3/4"	3"
0170B	1"	1"	3"

350B BOLT SNAP SWIVEL ROUND EYE

BRONZE CASTING
SGM0257



ITEMNO.	SIZE	A	B
350B	3/8"	3/8"	2 1/8"
350B	3/4"	3/4"	2 1/8"
350B	7/8"	7/8"	2 1/8"

161B BOLT SNAP DOUBLE ENDED

BRONZE CASTING
SGM0253



ITEMNO.	SIZE	A	B
161B	3 1/2"	3 1/2"	3 1/2"
162B	4"	4"	4"
163B	4 1/2"	4 1/2"	4 1/2"

25B BOLT SNAP RIGID ROUND EYE

BRONZE CASTING
SGM0258



ITEMNO.	SIZE	A	B
25B	7/8"	7/8"	3 1/4"
25B	1"	1"	3 1/4"
25B	2"	2"	3 1/4"

5015B TRIGGER SNAP SWIVEL STRAP EYE

BRONZE CASTING
SGM0255



ITEMNO.	SIZE	A	B
5015B	5/8"	5/8"	2 5/8"
5015B	3/4"	3/4"	2 5/8"
5015B	1"	1"	2 5/8"

3726B SPRING SNAP RIGID STRAP EYE


BRONZE CASTING
SGM0259



ITEMNO.	SIZE	A	B
3726B	5/8"	5/8"	2 1/2"
3726B	3/4"	3/4"	2 1/2"
3726B	1"	1"	2 3/4"

5013B TRIGGER SNAP SWIVEL ROUND EYE


BRONZE CASTING
SGM0256



ITEMNO.	SIZE	A	B
5013B	3/8"	3/8"	2 1/2"
5013B	1/2"	1/2"	2 1/2"
5013B	5/8"	5/8"	2 3/4"
5013B	3/4"	3/4"	2 3/4"
5013B	1"	1"	—

249B QUICK SNAP RIGID ROUND EYE

BRONZE CASTING
SGM0260



ITEMNO.	SIZE	A	B
249B0	3/8"	3/8"	2 1/16"
249B1	5/8"	5/8"	2 3/16"
249B2	1 1/16"	1 1/16"	3"
249B3	3/4"	3/4"	3 3/4"

56B SPRING SNAP RIGID STRAP EYE

BRONZE CASTING
SGM0261



ITEMNO.	SIZE	A	B
56B	5/8"	5/8"	2 1/2"
56B	3/4"	3/4"	2 3/8"
56B	1"	1"	2 9/16"

200B SPRING SNAP RIGID STRAP EYE


BRONZE CASTING
SGM0262



ITEMNO.	SIZE	A	B
200B	5/8"	5/8"	2 5/8"
200B	3/4"	3/4"	2 3/4"
200B	1"	1"	3"
200B	1 1/2"	1 1/2"	3"

56BR SPRING SNAP RIGID ROUND EYE

BRONZE CASTING
SGM0264



ITEMNO.	SIZE	A	B
56BR	5/8"	5/8"	2 1/2"
56BR	7/8"	7/8"	2 1/2"

853B CAP DOUBLE ENDED

BRONZE CASTING
SGM0265



ITEMNO.	SIZE	B
853B	3 1/2"	3 1/2"

3142B TIE SNAP SWIVEL ROUND EYE

BRONZE CASTING
SGM0266



ITEMNO.	SIZE	A	B
3142B	7/8"	7/8"	3 3/4"
3142B	1"	1"	3 7/8"

2311B SNAP HOOK RIGID ROUND EYE

BRONZE CASTING
SGM0267



ITEMNO.	SIZE	A	B
2311B	3/4"	3/4"	4"
2311B	1 1/8"	1 1/8"	4 3/4"

3002B PANIC HOOK ROUND EYE WITH ROTARY PROTECTION

BRONZE CASTING
SGM0269



ITEMNO.	SIZE	A	B
3002 B	1"	1"	4 1/4"

0178BL PULLEY DOUBLE SHEAVE SWIVEL EYE

BRONZE CASTING
SGM0271



ITEMNO.	SIZE
0178B	3/4"
0178B	1"
0178B	1 1/2"

O176B PULLEY DOUBLE SHEAVE RIGID EYE

BRONZE CASTING
SGM0272



ITEMNO.	SIZE
0176 B	3/4"
0176 B	1"
0176 B	1 1/2"
0176 B	2"

O173B PULLEY SINGLE SHEAVE RIGID EYE

BRONZE CASTING
SGM0273



ITEMNO.	SIZE
0173 B	3/4"
0173 B	1"
0173 B	1 1/4"
0173 B	1/2"
0173 B	2"

O174B PULLEY SINGLE SHEAVE RIGID EYE

BRONZE CASTING
SGM0274



ITEMNO.	SIZE
0174 B	3/4"
0174 B	1"
0174 B	1 1/4"
0174 B	1 1/2"
0174 B	2"

26B ROPE CLAMP


BRONZE CASTING
SGM0275



ITEMNO.	SIZE
26B	5/8"
26B	3/4"
26B	7/8"
26B	1"

STEEL WIRE ROPE


6X12+7FC
SGM0208



Nominal Diameter (mm)	Approximate	(N/mm)Nominal T/S				
	Weight	1470	1570	1670	1770	1870
	(kg/100m)	(KN)Min B/L				
3	2.25	2.70	2.88	3.07	3.25	3.43
4	4.00	4.80	5.12	5.45	5.28	6.10
5	6.3	7.50	8.0	8.5	9.01	9.52
6	9.1	11.08	11.8	12.6	13.3	14.1
7	12.4	13.7	16.0	16.8	17.8	18.8
8	16.2	19.7	21.0	22.4	23.7	25.1
9	20.5	24.5	26.5	27.9	29.5	31.2
10	25.3	30.8	32.8	35.0	37.1	39.2
11	30.6	36.7	39.6	41.7	44.2	46.7
12	36.4	44.3	47.2	50.4	53.3	56.4
14	48.5	59.0	64.2	67.1	71.1	75.1
16	64.8	78.8	83.8	89.6	95.0	100.3
18	82.0	98.1	106.0	111.4	118.0	124.7
20	101.3	123.0	131.0	140.0	148.0	157.0
22	122.5	149.0	159.0	169.0	179.0	190.0
24	145.8	177.0	189.0	201.0	213.0	225.0
26	173.1	210.0	221.0	239.0	253.0	268.0

STEEL WIRE ROPE


6X24+7FC
SGM0209



Nominal Diameter (mm)	Approximate	(N/mm²) Normal T/S				
	Weight	1470	1570	1670	1770	1870
	(kg/100m)	(KN) Min B/L				
6	11.5	14.8	15.8	16.8	17.8	18.8
8	20.4	26.3	28.1	29.9	31.6	33.4
10	31.8	41.1	43.9	46.7	49.5	52.2
12	45.8	59.2	63.0	67.3	71.2	75.3
14	62.3	80.6	86.1	91.6	97.0	102.5
16	81.4	105.0	112.0	119.0	126.7	133.8
18	103.0	133.0	142.0	151.0	160.0	169.3
20	127.0	164.0	175.0	187.0	198.0	209.0
22	154.0	199.0	212.0	226.0	239.5	253.0
24	183.0	137.0	253.0	269.0	285.0	301.0
26	215.0	278.0	297.0	316.0	334.0	353.3
28	249.0	322.0	344.0	366.0	388.0	410.0
30	286.0	370.0	395.0	420.0	445.0	470.0x
32	326.0	421.0	450.0	478.0	506.0	535.0


STEEL WIRE ROPE

6x19+FC
SGM0210




STEEL WIRE ROPE

6x19+IWS
SGM0211




STEEL WIRE ROPE

6x37+IWR
SGM0213



STEEL WIRE ROPE

6x37+FC
SGM0214




Nominal Diameter (mm)	Approximate Weight (kg/100m)		(N/mm²)Normal T/S									
			1470		1570		1670		1770		1870	
							(KN)Min B/L					
	FC	IWS	FC	IWS	FC	IWS	FC	IWS	FC	IWS	FC	IWS
2	1.38	1.52	1.81	1.95	1.93	2.08	20.5	2.22	2.17	2.35	2.30	2.48
3	3.11	3.43	4.06	4.39	4.33	4.69	4.61	4.98	4.89	5.28	5.16	5.58
4	5.54	6.10	7.22	7.80	7.71	8.33	8.20	8.87	8.69	9.40	9.18	9.93
5	8.65	9.52	11.20	12.20	12.00	13.00	12.80	13.80	13.50	14.60	14.30	15.50
6	12.50	13.70	16.20	17.50	17.30	18.70	18.40	19.90	19.50	21.10	20.60	22.30
7	17.00	18.70	22.10	23.90	23.60	25.50	25.10	27.10	26.60	28.70	28.10	34.40
8	22.10	24.40	28.80	31.20	30.80	33.30	32.80	35.40	34.70	37.60	36.70	39.70
10	34.60	38.10	45.10	48.80	48.10	52.10	51.20	55.40	54.30	58.70	57.40	62.00
12	49.80	54.90	64.90	70.20	69.40	75.00	73.80	79.80	78.20	84.60	82.60	89.40
14	67.80	74.70	88.40	95.60	94.40	102.0	100.0	108.0	106.0	115.0	112.0	121.0
16	88.60	97.50	115.0	124.0	123.0	133.0	131.0	141.0	139.0	150.0	146.0	158.0
18	112.0	123.0	146.0	158.0	156.0	168.0	166.0	179.0	176.0	190.0	186.0	201.0
20	138.0	152.0	180.0	195.0	192.0	208.0	205.0	221.0	217.0	235.0	229.0	248.0
22	167.0	184.0	218.0	236.0	233.0	252.0	248.0	268.0	263.0	284.0	277.0	300.0
24	199.0	219.0	259.0	281.0	277.0	300.0	295.0	319.0	312.0	338.0	330.0	357.0
26	234.0	258.0	305.0	329.0	325.0	352.0	346.0	374.0	367.0	397.0	388.0	419.0
28	271.0	299.0	353.0	382.0	377.0	408.0	401.0	434.0	426.0	460.0	450.0	486.0
30	311.0	343.0	406.0	439.0	433.0	469.0	461.0	498.0	489.0	528.0	516.0	558.0
32	354.0	390.0	462.0	499.0	493.0	533.0	524.0	567.0	556.0	601.0	587.0	635.0
34	400.0	440.0	521.0	564.0	557.0	602.0	592.0	640.0	628.0	679.0	663.0	717.0
36	448.0	494.0	584.0	632.0	624.0	675.0	664.0	718.0	704.0	761.0	744.0	804.0
38	500.0	550.0	651.0	704.0	695.0	752.0	740.0	784.0	769.0	828.0	808.0	869.0
40	554.0	610.0	722.0	780.0	771.0	833.0	820.0	869.0	854.0	918.0	893.0	953.0
42	610.0	672.0	796.0	860.0	850.0	919.0	904.0	987.0	958.0	1030.0	1010.0	1090.0
44	670.0	738.0	873.0	944.0	933.0	1000.0	992.0	1078.0	1050.0	1130.0	1110.0	1200.0
46	732.0	806.0	954.0	1030.0	1010.0	1100.0	1080.0	1170.0	1140.0	1240.0	1210.0	1310.0
48	797.0	878.0	1040.0	1124.0	1110.0	1201.0	1181.0	1277.0	1252.0	1354.0	1322.0	1430.0
50	865.0	952.0	1128.0	1220.0	1205.0	1303.0	1281.0	1386.0	1358.0	1469.0	1435.0	1552.0
52	935.0	1030.0	1220.0	1320.0	1303.0	1409.0	1386.0	1499.0	1469.0	1589.0	1552.0	1678.0
54	1009.0	1111.0	1316.0	1423.0	1405.0	1520.0	1495.0	1616.0	1584.0	1713.0	1672.0	1810.0
56	1085.0	1195.0	1415.0	1530.0	1511.0	1634.0	1607.0	1738.0	1704.0	1842.0	1800.0	1946.0
58	1164.0	1281.0	1518.0	1641.0	1621.0	1753.0	1724.0	1865.0	1828.0	1976.0	1931.0	2088.0
60	1245.0	1371.0	1624.0	1756.0	1735.0	1876.0	1845.0	1996.0	1956.0	2115.0	2066.0	2235.0

Nominal Diameter (mm)	Approximate Weight (kg/100m)		(N/mm)Normal T/S									
			1470		1570		1670		1770		1870	
							(KN)Min B/L					
	FC	IWR	FC	IWR	FC	IWR	FC	IWR	FC	IWR	FC	IWR
5	8.65	9.52	10.80	11.70	11.50	12.50	12.30	13.30	13.0	14.10	13.70	14.90
6	12.50	13.70	15.60	16.80	16.60	18.0	17.70	19.10	18.70	20.30	19.80	21.40
8	22.10	24.40	27.70	30.0	29.60	32.0	31.50	34.0	33.40	36.10	35.30	38.10
10	34.60	38.10	43.40	46.8	46.30	50.0	49.20	53.20	52.20	56.40	55.10	59.60
12	49.80	54.90	62.40	67.50	66.60	72.10	70.90	76.70	75.10	81.30	79.40	85.90
14	67.80	74.70	84.90	91.90	90.70	98.10	96.50	104.0	102.0	110.0	108.0	116.0
16	88.60	94.50	111.0	120.0	118.0	128.0	126.0	136.0	133.0	144.0	141.0	152.0
18	122.0	123.0	140.0	151.0	150.0	162.0	159.0	172.0	169.0	182.0	178.0	193.0
20	138.0	152.0	173.0	187.0	185.0	200.0	197.0	213.0	208.0	225.0	220.0	238.0
22	167.0	184.0	209.0	226.0	224.0	242.0	238.0	257.0	252.0	273.0	266.0	288.0
24	199.0	219.0	249.0	270.0	266.0	288.0	283.0	306.0	300.0	325.0	317.0	343.0
26	234.0	258.0	293.0	316.0	313.0	338.0	333.0	360.0	352.0	381.0	372.0	403.0
28	271.0	299.0	339.0	367.0	363.0	392.0	386.0	417.0	409.0	442.0	432.0	467.0
30	311.0	343.0	390.0	422.0	416.0	450.0	443.0	479.0	469.0	508.0	496.0	536.0
32	354.0	390.0	444.0	480.0	474.0	512.0	504.0	545.0	534.0	578.0	564.0	610.0
34	400.0	440.0	501.0	542.0	535.0	578.0	569.0	615.0	603.0	652.0	637.0	689.0
36	448.0	494.0	562.0	607.0	600.0	649.0	638.0	690.0	676.0	731.0	714.0	773.0
38	500.0	550.0	626.0	677.0	668.0	723.0	711.0	769.0	753.0	815.0	796.0	861.0
40	554.0	610.0	693.0	750.0	741.0	801.0	788.0	852.0	835.0	903.0	882.0	954.0
42	610.0	672.0	764.0	827.0	816.0	883.0	869.0	939.0	921.0	996.0	973.0	1050.0
44	670.0	738.0	839.0	907.0	896.0	969.0	953.0	1030.0	1010.0	1090.0	1060.0	1150.0
46	732.0	806.0	917.0	992.0	980.0	1050.0	1040.0	1120.0	1100.0	1300.0	1160.0	1260.0
48	797.0	878.0	999.0	1080.0	1060.0	1150.0	1130.0	1220.0	1200.0	1410.0	1270.0	1370.0
50	865.0	952.0	1080.0	1170.0	1150.0	1250.0	1230.0	1330.0	1300.0	1520.0	1370.0	1490.0
52	936.0	1030.0	1170.0	1260.0	1250.0	1350.0	1330.0	1440.0	1410.0	1640.0	1490.0	1610.0
54	1010.0	1110.0	1260.0	1360.0	1350.0	1460.0	1430.0	1550.0	1520.0	1770.0	1600.0	1730.0
56	1090.0	1190.0	1350.0	1470.0	1450.0	1570.0	1540.0	1670.0	1630.0	1890.0	1720.0	1870.0
58	1160.0	1280.0	1450.0	1570.0	1550.0	1680.0	1650.0	1790.0	1750.0	2030.0	1850.0	2000.0
60	1250.0	1370.0	1560.0	1680.0	1660.0	1800.0	1770.0	1910.0	1870.0	2170.0	1980.0	2140.0

STEEL WIRE ROPE

7X7

SGM0215




Nominal Diameter	Nominal T/S	(Min.b/1)	Approximate Weight
mm	N/mm	KN	kg/100M
2	1770	2.54	1.55
3	1770	5.71	3.48
4	1770	10.10	6.19
5	1770	15.08	9.68
6	1770	22.08	13.9
7	1770	31.10	19.00
8	1770	40.60	24.80
9	1770	51.40	31.30
10	1770	63.50	38.70
11	1770	76.80	46.80
12	1770	91.5	55.70

STEEL WIRE ROPE

6X7+FC

SGM0216




Nominal Diameter	Nominal T/S	(Min.b/1)	Approximate Weight
mm	N/mm	KN	kg/100M
2	1770	2.35	1.40
3	1770	5.28	3.16
4	1770	9.40	5.62
5	1770	14.60	8.77
6	1770	21.10	12.60
7	1770	28.70	17.20
8	1770	37.60	22.50
9	1770	47.50	28.40
10	1770	58.70	35.10
11	1770	71.10	42.50
12	1770	84.60	50.50

DIN763 LINK CHIN

STAINLESS STEEL AISI316
STAINLESS STEEL AISI304
ELECTRIC GALVANIZED

SGM0218




SIZE d		INSIDE LENGHT t		OUTSIDE WIDTH b		WORKING LOAD	TEST LOAD	BREAKING LOAD	WEIGHT PER M
MM	±MM	MM	+MM	MM	+MM	KG	N	N	KG
2.0	0.5	22	1.0	8	0.4	25	800	1250	0.06
3.0		26	1.2	12	0.6	55	1050	3200	0.15
4.0		32	1.5	16	0.8	100	2500	6500	0.27
5.0		35	1.8	20	1.0	160	4000	10000	0.43
6		42	2.0	24	1.2	200	5000	12000	0.63
7		49	2.5	28	1.4	300	7500	19000	0.86
8	1	52	2.5	32	1.6	400	10000	25000	1.10
9		59	3.0	36	1.8	530	10500	32000	1.41
10		65	3.2	40	2.0	630	16000	40000	1.75
11		72	3.4	44	2.0	790	15800	47500	2.11
12		78	3.6	48	2.3	940	18000	56500	2.55
13		82	4.0	52	2.5	1000	15000	63000	2.95
16		100	5.0	64	3.2	1600	40000	100000	4.45
18		113	5.2	70	3.2	2120	42300	127000	5.65
19		119	5.6	72	3.4	2370	47300	142000	6.25
20		120	6.0	75	3.8	1500	50000	160000	7.00
22		127	6.0	82	4.0	3170	63300	190000	8.55
25		140	6.6	85	4.2	4090	81700	245000	10.90
28		152	7.0	96	4.7	6000	120000	300000	13.9
32		171	7.8	108	5.2	8000	160000	400000	18.2

DIN766 LINK CHAIN

STAINLESS STEEL AISI316
STAINLESS STEEL AISI304
ELECTRIC GALVANIZED

SGM0219




SIZE d		INSIDE LENGHT t			INSIDE WIDTH b1	OUTSIDE WIDTH b2	LENGTH PER 11 LINKS			WEIGHT PER M
MM	±MM	MM	+MM	-MM	MM	MM	KG	N	N	KG
2	0.2	12	0.2	0.2	3.5	7.5	132	1.0	0.5	0.07
3	0.2	16	0.2	0.2	4.2	11	176	1.4	0.7	0.16
4	0.2	16	0.3	0.2	5	13.5	176	2.1	1.1	0.32
5	0.2	18.5	0.4	0.2	6	17	203.5	2.4	1.2	0.5
6	0.2	18.5	0.4	0.2	7.2	20.2	203.5	2.4	1.2	0.8
7	0.3	22	0.4	0.2	8.4	23.8	242	3.0	1.4	1.1
8	0.3	24	0.4	0.2	9.6	27.2	264	3.2	1.5	1.4
9	0.4	27	0.5	0.3	10.8	30.6	297	3.6	1.8	1.8
10	0.4	28	0.5	0.3	12	34	308	3.7	1.9	2.2
11	0.4	31	0.5	0.3	13.2	37.8	341	4.0	2.0	2.7
12	0.3	36	0.6	0.3	14.4	40.8	396	4.4	2.2	3.10
13	0.5	36	0.6	0.3	15.6	44.2	396	4.6	2.4	3.8
14	0.6	41	0.7	0.4	16.8	47.6	451	5.4	2.7	4.4
16	0.6	45	0.8	0.4	19.2	54.5	495	6.0	3.0	5.7
18	0.9	50	0.8	0.4	21.6	61.2	550	6.6	3.3	7.3
19	0.4	53	0.9	0.4	22.8	64.6	583	7.0	3.7	7.97
20	1.0	56	1.0	0.5	24.0	68.0	616	7.4	3.7	9.0
22	1.2	62	1.1	0.5	26.4	75.0	682	8.0	4.0	11.0
23	1.2	64	1.1	0.5	27.6	78.2	704	8.4	4.2	12
26	1.3	73	1.2	0.6	31.2	88.4	803	9.6	4.8	15
28	1.4	78	1.3	0.65	33.8	95.2	858	10.2	5.1	18
30	1.5	84	1.4	0.7	41.0	102	924	11.0	5.5	19.5
32	1.6	90	1.5	0.75	43.0	108.8	990	11.8	5.9	23.0

DIN 5685A/C SHORT/LONG LINK CHAIN

ELECTRIC GALVANIZED
HOT DIPPED GALVANIZED

SGM0222



SIZE d MM	INSIDE LENGHT t MM	OUTSIDE WIDTH b MM	WEIGHT PER 100M KG	TEST LOAD N	BREAKING LOAD N	TYPE OF LINK
2	12	8	7	500	1250	A
	22		6			C
2.5	14	10	11	750	2000	A
	24		10			C
3	16	12	16.5	1120	2800	A
	26		15			C
3.5	18	14	22.5	1500	3850	A
	28		20			C
4	19	16	30	2000	5000	A
	32		27			C
4.5	20	18	39.5	2500	6300	A
	34		35			C
5	21	20	50	3150	7750	A
	35		43			C
5.5	23	22	60.5	3800	9500	A
	38.5		52			C
6	24	24	73	4500	11500	A
	42		63			C
6.5	26	26	86	5400	13500	A
	45.5		74			C
7	28	28	100	6000	15000	A
	49		86			C
8	32	32	130	8000	20000	A
	52		110			C
8.5	34	34	149	9000	22500	A
	56		125			C
9	36	36	165	10000	25000	A
	59		141			C
10	40	40	205	12500	31000	A
	65		175			C
11	44	44	250	15000	38000	A
	72		211			C
12	48	48	290	18000	45000	A
	78		255			C
13	52	52	345	21200	53000	A
	82		295			C

Eda Marine Rigging



**We can customize high-quality products
for you according to your drawings or samples.**



*Customized professional
products and services for you.*

Website: www.edarigging.com

Phone: +86-159-54378677 (WhatsApp)

**Address: No. 113, Xinda International city,
Binzhou City, Shandong, China**