




We are passionate about developing excellent quality and innovative idea products at the most cost effective prices. We strive to provide honest customer service to our international business partners.

Lutou Technology Co., Ltd
www.lutou-tech.com/info@lutou-tech.com/+86-755-28716871
Huinan Hi-tech industrial park, Huizhou, Guangdong
© 2020 Lutou Tech

www.lutou-tech.com
lutou-tech.en.alibaba.com



ABOUT LT TECHNOLOGY

LT Technology is a supplier of high performance landscape retrofit lamps, fixtures and transformers. Our core team has over 10 years experience on developing and manufacturing landscape lighting system. We have served the clients from North America, Europe, Asia, etc.

OUR PURPOSE

We are passionate about developing excellent quality and innovative idea products at the most cost effective prices. We strive to provide honest customer service to our international business partners.

CONTECTS

MR16.....	3-6	PATH LIGHT.....	27-30
PAR36.....	7-8	WALL WASHING.....	31-32
MR11.....	9-10	IN-GROUND LIGHT.....	33-34
MR8.....	11-12	INTEGRATED FIXTURES.....	35-40
G4.....	13-16	UNDERWATER LIGHT.....	41
BAYONET/WEDGE.....	17-18	DECK LIGHT.....	42
HARDSCAPE LIGHT.....	19-22	TRANSFORMER.....	43-44
UP LIGHT.....	23-26	ACCESSORIES.....	45

OUR PRODUCTS

We specialize in customizing landscape lighting products and strive to provide customers the Quality Materials, High Performance, Reliability, Aesthetics and unique Features, which make you outstanding and more competitive in the marketplace.





- The MR16 LED lamp has been designed to fit into standard, low voltage, MR16 fixtures.
- These LED's are thermally engineered to operate in enclosed fixture and provides added security by automatically cooling down (and reducing lumens output) only when exposed to extreme heat (air temperatures above 125F).
- In addition, there is no color shift when lumens output is reduced, and the overall lamp life is improved.

LAMP / LT1016A(MR16)




SPECIFICATIONS

Wattage	4/5/6/7W
Lumen	360/450/530/600LM
Beam Spread	15/30/45/60/100°
Operating Range	9-17V AC/DC
CRI	85
Color Temperature	WW 2700-3000K NW 4000K CW 6000k
LED Color Available	Red/Green/Blue/Amber
Replaces	20/35/50/65W Halogen
Lamp life	50,000 Hours
Warranty	5 years

FEATURES

IP65 Waterproof
Self-cooling Device
Fully potted Electronics

DIMENSIONS



LAMP / LT1016C(6 LED)




SPECIFICATIONS

Wattage	5/8W
Lumen	550/850LM
Beam Spread	15/30/45/60°
Operating Range	9-17V AC/DC
CRI	85
Color Temperature	WW 2700-3000K NW 4000K CW 6000k
LED Color Available	Red/Green/Blue/Amber
Lamp life	50,000 Hours
Warranty	5 years

FEATURES

IP65 Waterproof
Self-cooling Device
Fully potted Electronics

DIMENSIONS



LAMP / LT1016C(Smart)




SPECIFICATIONS

Part#	LT1016C-B/LT1016C-W
Wattage	6W
Voltage	9-17V AC/DC
CCT	2700-6000K
Color	RGBW
Beam spread	15°/30°/45°/60°
CRI	85
Control mode	Bluetooth or WiFi
Waterproof level	IP65
Warranty	5 years

FEATURES

WIFI control and Bluetooth control available
Colors and brightness adjustable by APP
Download Tuya APP to change lamp settings
Control system customizable

DIMENSIONS



- The PAR36 LED lamp has been designed to fit into standard, low voltage, PAR36 fixtures.
- These LED's are thermally engineered to operate in enclosed fixture and provides added security by automatically cooling down (and reducing lumens output) only when exposed to extreme heat (air temperatures above 125F).
- In addition, there is no color shift when lumens output is reduced, and the overall lamp life is improved.

LAMP / LT1036 (PAR36)





SPECIFICATIONS

Wattage	6/10/13/17W
Lumen	590/800/1130/1300LM
Beam Spread	38/60°
Operating Range	9-17V AC
CRI	85
Color Temperature	WW 2700-3000K NW 4000K CW 6000k
LED Color Available	Red/Green/Blue/Amber
Replaces	20/35/50/75/100W Halogen
Lamp life	50,000 Hours
Warranty	5 years

FEATURES

IP67 Waterproof
Self-cooling Device
Fully potted Electronics
Bluetooth contrl RGBW available in 10W

DIMENSIONS





- The MR11 LED lamp has been designed to fit into standard, low voltage, MR11 fixtures.
- These LED's are thermally engineered to operate in enclosed fixture

LAMP / LT1011(MR11)




SPECIFICATIONS

Wattage	2.5W
Lumen	180LM
Beam Spread	38/60/120°
Operating Range	9-17V AC/DC
CRI	85
Color Temperature	WW 2700-3000K NW 4000K CW 6000k
LED Color Available	Red/Green/Blue/Amber
Replaces	20W Halogen
Lamp life	50,000 Hours
Warranty	5 years

FEATURES

Fully potted Electronics and IP54 Weatherproof
Suitable for enclosed fixtures and damp location

DIMENSIONS





- The MR8 LED lamp has been designed to fit into standard, low voltage, MR8 fixtures.
- These LED's are thermally engineered to operate in enclosed fixture

LAMP / LT108(MR8)




SPECIFICATIONS


Wattage	2.5W
Lumen	160LM
Beam Spread	38/60/120°
Operating Range	9-17V AC/DC
CRI	85
Color Temperature	WW 2700-3000K NW 4000K CW 6000k
LED Color Available	Red/Green/Blue/Amber
Replaces	20W Halogen
Lamp life	50,000 Hours
Warranty	5 years

FEATURES

Fully potted Electronics and IP54 Weatherproof
Suitable for enclosed fixtures and damp location

DIMENSIONS





- The G4 LED lamp has been designed to fit into standard, low voltage, G4 fixtures.
- These LED's are thermally engineered to operate in enclosed fixture.

LAMP / LT104(G4)




SPECIFICATIONS

Wattage	2/3/4W
Lumen	200/300/400LM
Operating Range	9-17V AC/DC
CRI	85
Color Temperature	WW 2700-3000K NW 4000K CW 6000k
LED Color Available	Red/Green/Blue/Amber
Replaces	20/30/40W Halogen
Lamp life	50,000 Hours
Warranty	5 years

FEATURES

IP65 Waterproof
Brass Construction
Fully potted Electronics

DIMENSIONS



LAMP





LT104A1



Wattage	2W
Lumen	180LM
Operating Range	12V AC/DC
CRI	85
Color Temperature	2700K-6000K
LED Color Available	Red/Green/Blue/Amber
Replaces	20-25W Halogen
Lamp life	25,000 Hours
Warranty	3 years

LT104A2




Wattage	3W
Lumen	270LM
Operating Range	12V AC/DC
CRI	85
Color Temperature	2700K-6000K
LED Color Available	Red/Green/Blue/Amber
Replaces	20-25W Halogen
Lamp life	25,000 Hours
Warranty	3 years

LAMP




LT104A3




Wattage	2W
Lumen	180LM
Operating Range	12V AC/DC
CRI	85
Color Temperature	2700K-6000K
LED Color Available	Red/Green/Blue/Amber
Replaces	20-25W Halogen
Lamp life	25,000 Hours
Warranty	3 years

LT104A4




Wattage	3W
Lumen	270LM
Operating Range	12V AC/DC
CRI	85
Color Temperature	2700K-6000K
LED Color Available	Red/Green/Blue/Amber
Replaces	25-30W Halogen
Lamp life	25,000 Hours
Warranty	3 years

LT104A5



Wattage	2W
Operating Range	12V AC/DC
LED Color Available	Wi-Fi RGB
Lamp life	25,000 Hours
Warranty	3 years


LAMP



LT104W1

Wattage	1W
Lumen	100LM
Operating Range	12V AC/DC
CRI	85
Color Temperature	2700K-6000K
LED Color Available	Red/Green/Blue/Amber
Replaces	20-25W Halogen
Lamp life	25,000 Hours
Warranty	3 years


LAMP



LT104B1/LT104B2


Wattage	1/3W
Lumen	100/200LM
Operating Range	12V AC/DC
CRI	85
Color Temperature	2700K-6000K
LED Color Available	Red/Green/Blue/Amber
Replaces	10-15W/20-25W Halogen
Lamp life	25,000 Hours
Warranty	3 years

LT104W2



Wattage	3W
Lumen	270LM
Operating Range	12V AC/DC
CRI	85
Color Temperature	2700K-6000K
LED Color Available	Red/Green/Blue/Amber
Replaces	20-25W Halogen
Lamp life	25,000 Hours
Warranty	3 years

LT104B3




Wattage	5W
Lumen	400LM
Operating Range	12V AC/DC
CRI	85
Color Temperature	2700K-6000K
LED Color Available	Red/Green/Blue/Amber
Replaces	35-40W Halogen
Lamp life	25,000 Hours
Warranty	3 years



HARDSCAPE LIGHT

IP65



LT2701



Shorter mouting bracket



Wall Anchor


SPECIFICATIONS

Wattage	2/3/4W
Lumen	200/300/400LM
Operating Range	9-17V AC/DC
CRI	85
Color Temperature	WW 2700-3000K NW 4000K CW 6000k
LED Color Available	Red/Green/Blue/Amber
Replaces	20W Halogen
Lamp life	50,000 Hours
Warranty	5 years

FEATURES

- IP65 Waterproof
- Brass Construction
- Fully potted Electronics
- Glare proof
- Modular design and replaceable

DIMENSIONS



HARDSCAPE LIGHT



SPECIFICATIONS

Wattage	0.5/1.5/2.5W
Lumen	45/100/160LM
Operating Range	12V AC/DC
CRI	85
Color Temperature	WW 2700-3000K NW 4000K CW 6000k
LED Color Available	Red/Green/Blue/Amber
Replaces	20W Halogen
Lamp life	25,000 Hours
Warranty	3 years

FEATURES

IP65 Waterproof
Aluminum Construction
Fully potted Electronics

HARDSCAPE LIGHT




SPECIFICATIONS

Wattage	2/3/4W
Lumen	200/300/400LM
Operating Range	12V AC/DC
CRI	85
Color Temperature	WW 2700-3000K NW 4000K CW 6000k
LED Color Available	Red/Green/Blue/Amber
Replaces	20W Halogen
Lamp life	50,000 Hours
Warranty	3 years

FEATURES

IP65 Waterproof
Aluminum Construction
Fully potted Electronics
Glare proof
Modular design and replaceable

DIMENSIONS




UP LIGHT



LT2101

LAMP	MR16(not included)
Wattage	Up to 50W
Finish	Bronze
Material	Die-cast Brass
lens	Clear




UP LIGHT



LT2102

LAMP	MR16(not included)
Wattage	Up to 50W
Finish	Bronze
Material	Die-cast Brass
lens	Clear




New arrivals



LT2103

LAMP	MR11/Module(not included)
Wattage	Up to 50W
Finish	Bronze
Material	Die-cast Brass
lens	Clear




UP LIGHT




LT2104

LAMP	MR8/Module(not included)
Wattage	Up to 50W
Finish	Bronze
Material	Die-cast Brass
lens	Clear



LT2105

LAMP	MR16(not included)
Wattage	Up to 50W
Finish	Antique Bronze
Material	Die-cast Brass
lens	Clear




UP LIGHT




LT2106

LAMP	MR16(not included)
Wattage	Up to 50W
Finish	Antique Bronze
Material	Die-cast Brass
lens	Clear



LT2108

LAMP	MR16(not included)
Wattage	Up to 50W
Finish	Antique Bronze
Material	Die-cast Brass
lens	Clear




PATH LIGHT




LT2401

LAMP	G4 (not included)
Wattage	Up to 50W
Finish	Antique Bronze
Material	Solid Brass
lens	Clear



LT2402

LAMP	G4 (not included)
Wattage	Up to 50W
Finish	Antique Bronze
Material	Die-cast Brass
lens	Clear




PATH LIGHT




LT2403

LAMP	G4 (not included)
Wattage	Up to 50W
Finish	Antique Bronze
Material	Solid Brass
lens	Frosted



LT2404

LAMP	G4 (not included)
Wattage	Up to 50W
Finish	Antique Bronze
Material	Die-cast Brass
lens	Clear




PATH LIGHT



LT2405

LAMP	G4 (not included)
Wattage	Up to 50W
Finish	Antique Bronze
Material	Solid Brass
lens	Clear



LT2406

LAMP	G4 (not included)
Wattage	Up to 50W
Finish	Antique Bronze
Material	Die-cast Brass
lens	Clear




PATH LIGHT




LT2411

LAMP	G4 (not included)
Wattage	Up to 50W
Finish	Antique Bronze
Material	Die-cast Brass
lens	Clear




WALL WASHING



LT2301


LAMP	G4 (not included)
Wattage	Up to 25W
Finish	Antique Bronze
Material	Die-cast Brass
lens	Clear / Frosted

WALL WASHING




LT2303

LAMP	G4 (not included)
Wattage	Up to 25W
Finish	Antique Bronze
Material	Die-cast Brass
lens	Clear / Frosted



LT2302


LAMP	MR16/G4 (not included)
Wattage	Up to 50W
Finish	Antique Bronze
Material	Die-cast Brass
lens	Clear / Frosted



LT2304


LAMP	PAR36 (not included)
Wattage	Up to 50W
Finish	Antique Bronze
Material	Die-cast Brass
lens	Clear

IN-GROUND LIGHT



LT2202A


LAMP	MR16 (not included)
Wattage	Up to 50W
Finish	Antique Bronze
Material	Die-cast Brass & PVC
lens	Clear



LT2202B


LAMP	MR16 (not included)
Wattage	Up to 50W
Finish	Antique Bronze
Material	Die-cast Brass & PVC
lens	Clear

IN-GROUND LIGHT



LT2203A

LAMP	MR16 (not included)
Wattage	Up to 50W
Finish	Antique Bronze
Material	Die-cast Brass & PVC
lens	Clear




LT2203B

LAMP	MR16 (not included)
Wattage	Up to 50W
Finish	Antique Bronze
Material	Die-cast Brass & PVC
lens	Clear

INTEGRATED FIXTURES



ADJUSTABLE WATTAGE
AND BRIGHTNESS




LT2501

Wattage	1-5W(Adjustable)
Lumen	80-400LM
Voltage	12VAC/DC
CCT	2700-6000K
Beam Spread	160°
Finish	Antique Bronze
Material	Die-cast Brass



LT2502

Wattage	5W
Lumen	550LM
Voltage	12V AC/DC
CCT	2700-6000K
Beam Spread	120°
Finish	Antique Bronze
Material	Die-cast Brass




LT2503

Wattage	2W
Lumen	240LM
Voltage	12V AC/DC
CCT	2700-6000K
Beam Spread	120°
Finish	Antique Bronze
Material	Die-cast Brass

INTEGRATED FIXTURES




ADJUSTABLE WATTAGE
AND BRIGHTNESS



LT2505

Wattage	3-12W (Adjustable)
Lumen	240-840LM
Voltage	12VAC/DC
CCT	2700-6000K
Beam Spread	24/38°
Finish	Antique Bronze
Material	Die-cast Brass





LT2505B

Wattage	12W
Lumen	1440LM
Voltage	12VAC/DC
CCT	Changeable
Beam Spread	24/38°
Finish	Antique Bronze
Material	Die-cast Brass

INTEGRATED FIXTURES


WiFi Bluetooth RGBWW



LT2506L


Wattage	3-24W(Adjustable)
Lumen	210-1680LM
Voltage	12V AC/DC
CCT	2700-6000K
Beam Spread	15-60°(Adjustable)
Finish	Antique Bronze
Material	Die-cast Brass

INTEGRATED FIXTURES



LT2507A

Wattage	7W/12W/20W
Lumen	770/1320/2200LM
Voltage	12V AC/DC
CCT	2700-5000K
Beam Spread	120°
Material	Die-cast Aluminum



LT2507B

Wattage	40W
Lumen	4400LM
Voltage	12V AC/DC
CCT	2700-5000K
Beam Spread	120°
Material	Die-cast Aluminum

UNDERWATER LIGHT


IP68

DECK LIGHT




LT2801

LAMP	MR16(not included)
Wattage	Up to 50W
Finish	Antique Bronze
Material	Die-cast Brass
lens	Clear



LT2601

LAMP	G4 (not included)
Wattage	Up to 50W
Finish	Antique Bronze
Material	Die-cast Brass
lens	Frosted



TRANSFORMER



LT301

Power	100W
Input Voltage	120VAC
Output Voltage	12-15VAC
Finish	Silver
Material	304 Stainless Steel
Size	4.5"*4.5"*6.9"



LT302

Power	150W
Input Voltage	120VAC
Output Voltage	12-15VAC
Finish	Silver
Material	304 Stainless Steel
Size	5.6"*5.4"*11.6"



LT303

Power	300W
Input Voltage	120VAC
Output Voltage	12-15VAC
Finish	Silver
Material	304 Stainless Steel
Size	6"*6"*12.8"

TRANSFORMER



LT304

Power	600W
Input Voltage	120VAC
Output Voltage	12-15VAC or 12-22VAC
Finish	Silver
Material	304 Stainless Steel
Size	7.3"*6.9"*15"



LT305

Power	900W
Input Voltage	120VAC
Output Voltage	12-15VAC or 12-22VAC
Finish	Silver
Material	304 Stainless Steel
Size	7.3"*6.9"*15"


ACCESSORIES



Plastic/Brass Stake
LT401



Brass Tree Mount
LT402



Hex Louvre Lens
LT403



Brass Locknut
LT404



Brass Riser
LT406



Wire Connector
LT405



Mechanical Timer
LT407M



Digital Timer
LT407D



Photocell
LT408



Smart WIFI Socket
LT409

