












Issued on 27,Nov. 2019

LANTINO Environmental Technology Co.,Ltd can provides the best products and servies:

No.	ITEM	Reference Photo	Material	Size(mm)
COOLING TOWER FILL				
9601	Cross flow cooling tower film fill		PVC	Thickness: 0.3-0.6 Density: 1.40-1.42 Sheet pitch: 19 Width: 750、915、1050、1520、1220 Length: customized
9602	Cross flow cooling tower film fill		PVC	Thickness: 0.3-0.6 Density: 1.40-1.42 Sheet pitch: 19 Width: 1520 Length: customized
9603	Cross flow cooling tower film fill		PVC	Thickness: 0.3-0.6 Density: 1.40-1.45 Sheet pitch: 20 Width: 950 Length: 950/1270
9604	Cross flow cooling tower film fill		PVC	Thickness: 0.3-0.6 Density: 1.40-1.42 Sheet pitch: 20 Width: 750 Length: 800、1000、1200
9605	Cross flow cooling tower film fill		PVC	Thickness: 0.3-0.6 Density: 1.40-1.42 Sheet pitch: 16 Width: 850/1000 Length: 1000
9606	Cross flow cooling tower film fill		PVC	Thickness: 0.3-0.6 Density: 1.40-1.42 Sheet pitch: 19 Width: 800 Length: customized







Issued on 27,Nov. 2019

LANTINO Environmental Technology Co.,Ltd can provides the best products and servies:

No.	ITEM	Reference Photo	Material	Size(mm)
9607	Counter flow cooling tower film fill		PVC	Thickness: 0.3-0.6 Density: 1.40-1.42 Sheet pitch: 20 Width: 500 Length: customized
9608	Counter flow cooling tower film fill		PVC	Thickness: 0.3-0.6 Density: 1.40-1.42 Sheet pitch: 20 Width: 500 Length: customized
9609	Counter flow cooling tower film fill		PVC	Thickness: 0.3-0.6 Density: 1.40-1.42 Sheet pitch: 15 or 19 Width*length: 305*2stages*1220 305*2stages*1525 225*3stages*customized
9610	Counter flow cooling tower film fill		PVC	Thickness: 0.3-0.6 Density: 1.40-1.42 Sheet pitch: 12、 15、 19 Width: 305、 610 Length: customized
9611	Counter flow cooling tower film fill		PVC	Thickness: 0.3-0.6 Density: 1.40-1.42 Sheet pitch: 12 Width: 610 Length: customized






Issued on 27,Nov. 2019

LANTINO Environmetal Technology Co.,Ltd can provides the best products and servies:

No.	ITEM	Reference Photo	Material	Size(mm)
9612	Counter flow cooling tower film fill		PVC	Thickness: 0.3-0.6 Density: 1.40-1.42 Sheet pitch: 20 Width: 610*2stages Length: customized
9613	Counter flow cooling tower film fill		PVC	Thickness: 0.3-0.6 Density: 1.40-1.42 Sheet pitch: 30 Width: 610 Length: customized
9614	Counter flow cooling tower film fill		PVC	Thickness: 0.3-0.6 Density: 1.40-1.42 Sheet pitch: 20 Width: 500 Length: customized
9615	Counter flow cooling tower film fill		PVC	Thickness: 0.3-0.6 Density: 1.40-1.42 Sheet pitch: 34 Width: 750 or 500*2stages Length: customized
9616	Counter flow cooling tower film fill		PVC	Thickness: 0.3-0.6 Density: 1.40-1.42 Sheet pitch: 35 Width: 500 Length: customized
9617	Counter flow cooling tower film fill		PVC	Thicknes: 0.3-0.6 Density: 1.40-1.42 Sheet pitch: 15 Width: 730 Length: customized





Issued on 27,Nov. 2019

LANTINO Environmental Technology Co.,Ltd can provides the best products and servies:

No.	ITEM	Reference Photo	Material	Size(mm)
9618	Counter flow cooling tower film fill		PVC	Thickness: 0.3-0.6 Density: 1.40-1.42 Sheet pitch: 19 or 20 Width: 300*2 stages Length: customized
9619	Counter flow cooling tower film fill		PVC	Typical Module length: 1998mm (n* 55.5mm); Sheet pitch: 20mm; Typical Module height: 500;
9620	Counter flow cooling tower film fill		PVC	Typical Module length: 2032mm (n* 508mm); Sheet pitch: 20mm; Typical Module height: 500mm;
9621	Counter flow cooling tower film fill		PVC	Typical Module length: 1998mm (n* 55.5mm); Sheet pitch: 18mm; Typical Module height: 500mm
9622	Counter flow cooling tower film fill		PVC	Typical Module length: 2000mm (n* 50mm); Sheet pitch: 20mm; Typical Module height/ : 500mm





Issued on 27,Nov. 2019

LANTINO Environmetal Technology Co.,Ltd can provides the best products and servies:

No.	ITEM	Reference Photo	Material	Size(mm)
9623	Cooling Tower Fill- Splash Fill		PVC	Customized
9624	Cross flow cooling tower film fill		PVC or PP	Customized
9625	Cooling Tower Fill- Grid Fill		PP	
9626	Cooling Tower Fill- Grid Fill		PP	





Issued on 27,Nov. 2019

LANTINO Environmetal Technology Co.,Ltd can provides the best products and servies:

No.	ITEM	Reference Photo	Material	Size(mm)
9627	Counter flow cooling tower film fill		PVC	Thickness: 0.3-0.6 Density: 1.40-1.45 Sheet pitch: 12 Width: 305*2 Length: customized
9628	Cooling tower film fill (civil tower)		PVC	Thickness: 0.24-0.6 Density: 1.40-1.45 Sheet pitch: 15 Width: 225/300 Length: customized
9629	Counter flow cooling tower film fill		PVC	Thickness: 0.24-0.6 Density: 1.40-1.45 Sheet pitch: 19 Width: 1340 Length: 610
9630	Counter flow cooling tower film fill		PVC	Thickness: 0.24-0.6 Density: 1.40-1.45 Sheet pitch: 12 Width: 800/2 Length: customized





Issued on 27,Nov. 2019

LANTINO Environmetal Technology Co.,Ltd can provides the best products and servies:

No.	ITEM	Reference Photo	Material	Size(mm)
9631	Counter flow cooling tower film fill-Grid fill		PP	Thickness: 2mm Sheet pitch: 20 Width: 450 Length: 900
9632	Cross flow cooling tower film fill			Thickness: 0.24-0.6 Density: 1.40-1.45 Sheet pitch: 19 Width: 1330 Length: customized
9633	Cross flow cooling tower film fill			Thickness: 0.24-0.6 Density: 1.40-1.45 Sheet pitch: 19 Width: 1520 mm Length: customized
9634	Cross flow cooling tower film fill			Thickness: 0.24-0.6 Density: 1.40-1.45 Sheet pitch: 16 Width: 1000 mm Length: customized






Issued on 27,Nov. 2019

LANTINO Environmetal Technology Co.,Ltd can provides the best products and servies:

No.	ITEM	Reference Photo	Material	Size(mm)
9635	Counter flow cooling tower film fill			Thickness: 0.24-0.6 Density: 1.40-1.45 Sheet pitch: 20 Width: 300/600 mm Length: customized
9636	Cross flow cooling tower film fill			Thickness: 0.24-0.6 Density: 1.40-1.45 Sheet pitch: 19 Width: 915/1220 mm Length: customized
9637	Cross flow cooling tower film fill			Thickness: 0.24-0.6 Density: 1.40-1.45 Sheet pitch: 16 Width: 885 Length: 1060
COOLING TOWER DRIFT ELIMINATOR				
8601	Cooling tower drift eliminator		PVC	Thickness: 0.8 Interval: 50 Sheet pitch: 50 Width: 160 Length: customized

Issued on 27,Nov. 2019

LANTINO Environmetal Technology Co.,Ltd can provides the best products and servies:

No.	ITEM	Reference Photo	Material	Size(mm)
8602	Cooling tower drift eliminator		PVC	Thickness: 0.8-1.0 Interval: 45 Sheet pitch: 45 Width: 155 Length: customized
8603	Cooling tower drift eliminator		PVC	Thickness: 0.8-1.0 Interval: 40 Sheet pitch: 40 Width: 170 Length: customized
8604	Cooling tower drift eliminator		PVC	Thickness: 0.8-1.0 Interval: 45 Sheet pitch: 50 Width: 170 Length: customized
8605	Cooling tower drift eliminator		PVC	Thickness/厚度: 0.4-0.6 Interval/间距: 30 Sheet pitch: 30 Width: 150*2 stages Length/: customized
8606	Cooling tower drift eliminator		PVC	Thickness: 0.3-0.6 Interval: 20 Sheet pitch: 20 Width: 150*2 stages Length: customized





Issued on 27,Nov. 2019

LANTINO Environmetal Technology Co.,Ltd can provides the best products and servies:

No.	ITEM	Reference Photo	Material	Size(mm)
8607	Cooling tower drift eliminator		PVC	Typical Size of Pannel 2000*500*177 mm
8608	Cooling tower drift eliminator		PVC	Customized
8609	Cooling tower drift eliminator		pp	Thickness: 0.8-3.0 Interval: 20-30mm Width: 165 Length: customized
8610	Cooling tower drift eliminator			Thickness: 0.8-3.0 Interval: 35mm Width: 220 Length: customized






Issued on 27,Nov. 2019

LANTINO Environmental Technology Co.,Ltd can provides the best products and servies:

No.	ITEM	Reference Photo	Material	Size(mm)
8611	Cooling tower drift eliminator		PP	Thickness: 0.8-3.0 Interval: 10mm Width: 150 Length: customized
8612	Cooling tower drift eliminator		PP+PVC	Thickness: 1.3 Interval: 50mm Width: 170 Length: customized
8613	Cooling tower drift eliminator 冷却塔收水器		PVC	Thickness/厚度: 0.25-0.45 Interval/间距: 25mm Width/宽度: 50 Length/长度: customized/定制
8614	Cooling tower drift eliminator 冷却塔收水器			Thickness/厚度: 0.25-0.5 Interval/间距: 20mm Width/宽度: 145 Length/长度: customized/定制

Issued on 27,Nov. 2019

LANTINO Environmental Technology Co.,Ltd can provides the best products and servies:

No.	ITEM	Reference Photo	Material	Size(mm)
8615	Cooling tower drift eliminator			Interval: 35mm Width: 155 Length: customized
COOLING TOWER GARDENING WATER DEFECTOR				
7601	water defector		PVC	Thickness: 0.5-0.6 Sheet pitch: 20 Width: 1100 Length: customized
7602	water defector		PVC	Thickness: 0.5-0.6 Sheet pitch: 20 Width: 750 Length: customized
7603	water defector		PVC	Thickness/厚度: 0.5-0.6 Sheet pitch/波高: 15 Width/宽度: 1020 Length/长度: customized/定制
COOLING TOWER WATER DEFECTOR				
6601	water defector (air inlet louver)		PVC	Thickness: above 00.4 Height: 400/500/600/ A multiple of 20 Sheet pitch: 20 Width: 65*2 stages Length: customized

Issued on 27,Nov. 2019

LANTINO Environmetal Technology Co.,Ltd can provides the best products and servies:

No.	ITEM	Reference Photo	Material	Size(mm)
6602	water defector (air inlet louver)		PVC	Thickness: 0.4-0.6 Height: 350/ A multiple of 25 Sheet pitch: 25 Width: 65*2 stages Length: customized
COOLING TOWER NOISE ATTENUATOR				
5601	Noise Attenuator		PVC	Plate height: 166mm; Plate thicknes: 6mm; Plateh pitch: 111mm;
5602	Noise Attenuator		FRP Pultruded Profile	Based on the design
COOLING TOWER SPRAY				
4601	Cooling Tower Spray Nozzle		PP	Reflection-type
4602	Cooling Tower Spray Nozzle		ABS	Spiral Target Nozzle 13,17,26,28

Issued on 27,Nov. 2019

LANTINO Environmental Technology Co.,Ltd can provides the best products and servies:

No.	ITEM	Reference Photo	Material	Size(mm)
4603	Cooling Tower Spray Nozzle		PP or ABS	Spiral Target Nozzle
4604	Cooling Tower Spray Nozzle		ABS	Snail nozzle
4605	Cooling Tower Spray Nozzle		ABS	Spray Arm Extender Adapter+ EPDM Grommet+Band-it (Counterflow Distrubtion Assembly)
4606	Cooling Tower Spray Nozzle		PP	Threaded Spray Nozzles (General use in EVAPCO cooling towers and condensers)

Issued on 27,Nov. 2019

LANTINO Environmetal Technology Co.,Ltd can provides the best products and servies:

No.	ITEM	Reference Photo	Material	Size(mm)
4607	Cooling Tower Spray Nozzle		ABS	Three Splashed Nozzle
4608	Cooling Tower Spray Nozzle		PP	Two layer basket Splashed Nozzle
4609	Cooling Tower Spray Nozzle		PP & PVC	Brentwood cooling tower (Dek Spray Nozzle)
4610	Cooling Tower Spray Nozzle		PP	Spiral Target Nozzle

Issued on 27,Nov. 2019

LANTINO Environmental Technology Co.,Ltd can provides the best products and servies:

No.	ITEM	Reference Photo	Material	Size(mm)
4611	Cooling Tower Spray Nozzle		PP	
4612-1 4612-2	Cooling Tower Spray Nozzle		ABS	Rotating Basket Spray Nozzle
4613	Cooling Tower Spray Nozzle		ABS	Upward vertical spray Nozzle

Issued on 27,Nov. 2019

LANTINO Environmetal Technology Co.,Ltd can provides the best products and servies:

No.	ITEM	Reference Photo	Material	Size(mm)
4614	Cooling Tower Spray Nozzle			
4615	Cooling Tower Spray Nozzle			
4616	Cooling Tower Spray Nozzle			
4617	Cooling Tower Spray Nozzle			

Issued on 27,Nov. 2019

LANTINO Environmental Technology Co.,Ltd can provides the best products and servies:

No.	ITEM	Reference Photo	Material	Size(mm)
4618	Cooling Tower Spray Nozzle			
FRP PROFILE				
3601	FRP Recup		FRP Pultruded Profile	Based on the design
3602	Profile- H type		FRP Pultruded Profile	Normal Specification or Based on the design
3603	Profile- I type		FRP Pultruded Profile	Normal Specification or Based on the design
3604	Profile- Angle		FRP Pultruded Profile	Based on the design



Issued on 27,Nov. 2019

LANTINO Environmetal Technology Co.,Ltd can provides the best products and servies:




No.	ITEM	Reference Photo	Material	Size(mm)
3605	Deck Panel		FRP Pultruded Profile	Based on the design
3606	Ladder		FRP Pultruded Profile	Ladder Rung: 34*25*4.5mm or Based on the design
3607	Cage Ladder		FRP Pultruded Profile	Based on the design
3608	Grids		FRP Pultruded Profile	Based on the design
3609	Structural shapes		FRP Pultruded Profile	Based on the design
3610	Access Hatch		FRP Pultruded Profile	Based on the design

Issued on 27,Nov. 2019

LANTINO Environmental Technology Co.,Ltd can provides the best products and servies:

No.	ITEM	Reference Photo	Material	Size(mm)
3611	Fan Stack		Hand Lay-up FRP	Based on the design
3612	Pipe		Axial winding/ FRP	Axial winding, Corrosion resistance, pressure piping

OTHER RELEVANT PRODUCTS

2601	Gluing Machine		AISI 304	width: 500 mm
2602	Hanging system for Water Collecting Device		AISI 304	Based on the design
2603	Extension Tube of Sprayer		PP	Long size: 200mm; Standard length: 140mm;




Issued on 27,Nov. 2019

LANTINO Environmetal Technology Co.,Ltd can provides the best products and servies:

No.	ITEM	Reference Photo	Material	Size(mm)
2604	Sprayer Ring		PP	To match the different diameters of Distribution pipes/: Dia. 150/200/250/300/above
2605	Sprayer		PP	Based on the design Size: Dia.16/20/22/24/26/27/28/29/30/31/32/33/34/36/38
2606	Grid Support		PP	Big size: 150* 70mm; Standard size: 135*60mm
2607	Splash Fill Spacer (Spacing tube)		PP	Inner hole: Dia. 4mm; Outer Dia: 12mm; length: 294mm/ 50mm/ or specified requirment
2608	Tension Wire and Wire Body Clamp with a set of Hex Cap- Lock screw		AISI 316	Can be matched up between the Dia of wire and wire body clamp based on the design
2609	PVC Distribution Pipe		PVC	Based on the design

Issued on 27,Nov. 2019

LANTINO Environmetal Technology Co.,Ltd can provides the best products and servies:

No.	ITEM	Reference Photo	Material	Size(mm)
2610	Welding Elbow for PVC Distribution Pipe		PVC	Based on the design
2611	Fill Hanging system-Fastener for Slings		PA 6.6	Based on the design
2612	Fill Hanging System-Hooks		AISI 304	Based on the design
2613	Fill Hanging system-Spindles Plug		AISI 304	Based on the design
2614	Fill Hanging system-Sling		AISI 304	Based on the design
2615	Fill Hanging system-Spindles Pulley		AISI 304	Based on the design

Issued on 27,Nov. 2019

LANTINO Environmetal Technology Co.,Ltd can provides the best products and servies:

No.	ITEM	Reference Photo	Material	Size(mm)
2616	Fill Hanging System-Threaded Hook		AISI 304	Based on the design
2617	Slope sheet		PVC	Based on the design
2618	Anti-Splashing Packe		PVC	Based on the design
2619	Sealing		EPT	Based on the design
2620	Embedded Part		AISI 316	Based on the design
2621	Gasket/ HOBLOT Joint		EPDM	Available Dimensions from \varnothing 25mm to 315mm







Issued on 27,Nov. 2019

LANTINO Environmetal Technology Co.,Ltd can provides the best products and servies:

No.	ITEM	Reference Photo	Material	Size(mm)
2622	CLIP		AISI 304	Ø6 FOR SPACER TUBE
2623	BAND		AISI 304/316, Monel	Based on the requirment
2624	BUCKLE		AISI 304/316, Monel	Based on the requirment
2625	STRAPPING MACHINE FOR BAND-IT		Manually/ Pneumatic	Based on the requirment
2626	Standard Parts		AISI 304	Based on the requirment
2627	Hoeycomb D/E		PP, PVC	Based on the requirment





Issued on 27,Nov. 2019

LANTINO Environmental Technology Co.,Ltd can provides the best products and servies:

No.	ITEM	Reference Photo	Material	Size(mm)
2628	Casing and Rubber		FRP Pultruded Profile	Based on the requirment
2629	Fan		Al Blade, FRP Pultruded Profile, Hand Lay-up FRP	Based on the requirment
2630	Motor		/	Based on the requirment
2631	Saddle		Polyethylene- foam	Based on the requirment
2632	Speed Reducer		/	Based on the requirment
2633	Finned tube		Al Fins + Steel tube/Stainless steel tube	Pitch: 11 FPI length/长度 and thickness: based on the design


Issued on 27,Nov. 2019

LANTINO Environmental Technology Co.,Ltd can provides the best products and servies:

No.	ITEM	Reference Photo	Material	Size(mm)
2634	A complete set of service of purchasing goods in China Market		<p>We has a set of supplier evaluation and qualificaitn system and has a compete datebase of qualified suppliers after the actural cooperation in more than 30 oversea projects; and our local experienced quality control team can manages all subsequent actions likes expediting, process quality control, inspection and delivery surveillance.</p>	
2635	Window blinds, ventilation		Aluminum alloy	Mechanical
2636	Spherical filler		PP	Internal padding
2637	PVC Glue			

Issued on 27,Nov. 2019

LANTINO Environmetal Technology Co.,Ltd can provides the best products and servies:

No.	ITEM	Reference Photo	Material	Size(mm)
2638	Cooling Tower			

Remark:
 a) If some goods/parts are not in the above list you requiried, please send the email to me/Mr. LIU Zhao for the further inquiry; LATINO has the ability to provide the best products and service on your project;

b) Contact Information: Phone/WhatsApp: +86 0 15502267935; Email: latino-tianjin@vip.163.com;

Description
 Services and Product Catalog