

Our factory is a professional poultry slaughter equipment manufacturer over 15 years in China and we are main in Poultry processing equipment and its supporting food machinery

POULTRY SLAUGHTER EQUIPMENT

XINSHUNDA

ABOUT US

Our factory is a professional poultry slaughter equipment manufacturer over 15 years in China and we are main in Poultry processing equipment and its supporting food machinery , we have professional engineers , we can not only design and supply from 300BPH to 12000BPH poultry slaughter line but also



supply single slaughter machines and food processing machines .We will Sincerely welcome customers from both home and abroad to visit us to discuss future cooperation and seek common development. We believe our company will be your most reliable partner





ACCESSORIES SPARE PARTS FOR THE POULTRY SLAUGHTER LINE

Port Qingdao Packaging Nude
Lead Time 15-20 days after get deposit











FACTORY PRICE POULTRY CUTTING MACHINE CHICKEN CUTTER CHICKEN DIVIDING MACHINE FOR SALE

MOQ 1 Set Port Qingdao
Packaging Nude Lead Time
15-20 days after get deposit

Technical parameters:

Power:	0.75KW (FG20)
Working capacity:	200KG/H
Outline dimension:	400x400x500mm







DOUBLE TYPE CHICKEN GIZZARDS YELLOW SKIN PEELING MACHINE CHICKEN GIZZARDS PEELER

MOQ 1 Set Port Qingdao Packaging Nude Lead Time 15-20 days after get deposit

Technical parameters:

Power:	0.75kw
Stripping gizzards capacity:	400kg/h
Outline Dimensions:	830×530×800mm







HORIZONTAL TYPE CHICKEN FEATHER REMOVING MACHINE CHICKEN PLUCKER CHICKEN FEATHER REMOVAL MACHINE

MOQ 1 Set Port Qingdao
Packaging Nude Lead Time
15-20 days after get deposit

Technical parameters:

Item#:	TQW25
Power:	4kw
Feather removal capacity:	500 chickens/hour
Outline dimension:	2000x1500x1200mm







HOT SALE SPIRAL PRECOOLING MACHINE CHICKEN FEET SPIRAL PRECOOLER CHILLER FOR POULTRY SLAUGHTERHOUSE

MOQ 1 Set Port Qingdao
Packaging Nude Lead Time
15-20 days after get deposit

Main technical parameters

Power	8-14kw
Precooling time:	20-45min (Adjustable)
Outline Dimensions	9000×1800×2000mm OR Customized





FACTORY PRICE POULTRY SLAUGHTERING EQUIPMENT POULTRY SCALDER SCALDING MACHINE

MOQ 1 Set Port Qingdao
Packaging Nude Lead Time
15-20 days after get deposit

Technical parameters:

Production capacity:	3000chickens/hour
Power:	12-16kw
Outline Dimensions	9000×900×2200mm





FACTORY PRICE POULTRY SLAUGHTERING EQUIPMENT POULTRY SCALDER SCALDING MACHINE

MOQ 1 Set Port Qingdao
Packaging Nude Lead Time
15-20 days after get deposit

Technical parameters:

Item#:	TQW50
Production capacity:	2500chickens/hour For TQW50 Type
	1500chickens/hour for TQW30 Type
Power:	8KW
Outline dimension:	4500x1600x1200mm for TQW50 type
	4200x1600x1200mm for TQW30 type





CHICKEN PLUCKER FOR POULTRY ABATTOIR POULTRY SLAUGHTER MACHINE CHICKEN FEATHER REMOVING MACHINE

MOQ 1 Set Port Qingdao
Packaging Nude Lead Time
15-20 days after get deposit

Technical parameters:

Item#:	TQJ72
Production capacity:	6000chickens/hour
Power:	2.2KW
Electrical motor amount	6
Feather removal plate amount:	72
Outline dimension:	3800x2350x2600mm or customized







POULTRY HEAD AND NECK FEATHER REMOVAL MACHINE POULTRY PLUCKER

MOQ 1 Set Port Qingdao
Packaging Nude Lead Time
15-20 days after get deposit

Technical parameters:

Item#:	TJ60
Power:	3KW
Outline dimension:	2500x1200x2300mm
Main shaft rotation speed can be adjusted.	





CHICKEN PLUCKER FEATHER REMOVAL MACHINE FOR POULTRY ABATTOIR POULTRY SLAUGHTER MACHINE CHICKEN DEFEATHERING MACHINE

MOQ 1 Set Port Qingdao
Packaging Nude Lead Time
15-20 days after get deposit

Technical parameters:

Item#:	QM-80
Power:	2.2KW/380V
Weight	ABOUT 70KG
Output	300pcs/HOUR
Outline dimension	850X850X1300MM








DUCK GIZZARDS YELLOW SKIN PEELING MACHINE DUCK GIZZARDS PEELER MACHINE POULTRY GIZZARDS PEELING MACHINE

MOQ 1 Set Port Qingdao
Packaging Nude Lead Time
15-20 days after get deposit

Technical parameters:

Power:	1.1kw
Working capacity:	400kg/h
Outline dimension:	2000x1000x1450mm








FACTROY PRICE HORIZONTAL POULTRY GIZZARDS DEGREASING MACHINE POULTRY SLAUGHTER MACHINE

MOQ 1 Set Port Qingdao Packaging Standard export plywood case packaging for small machine ,for huge machine will be nude package. Lead Time 15-20 days after get deposit

Technical parameters:

Power:	2.2kw
Working capacity:	4 00kg/hour
Outline dimension:	850×850×1300mm







VERTICAL POULTRY CLAW YELLOW SKIN REMOVING MACHINE CHICKEN CLAW PEELING MACHINE POULTRY SLAUGHTER MACHINE

MOQ 1 Set Port Qingdao Packaging Standard export plywood case packaging for small machine ,for huge machine will be nude package. Lead Time 15-20 days after get deposit

Technical parameters:

Power:	2.2kw
Working capacity:	5 00kg/hour
Outline dimension:	850×850×1300mm








POULTRY TURNOVER BASKET CLEANING MACHINE /CHICKEN CAGES WASHING MACHINE/ POULTRY SLAUGHTER LINE CAGE CLEANING MACHINE

MOQ 1 Set Port Qingdao Packaging Standard export plywood case packaging for small machine ,for huge machine will be nude package. Lead Time 15-20 days after get deposit

Technical parameters:

Item#	LCX60
Outline dimension:	4200x1800x2600mm
Cleaning capacity:	1200pcs /hour
Power:	8kw







FACTORY PRICE DUCK SLAUGHTER LINE MACHINE DUCK PLUCKER DUCK COOLING MACHINE

MOQ 1 Set Port Qingdao Packaging Standard export plywood case packaging for small machine ,for huge machine will be nude package. Lead Time 15-20 days after get deposit

Technical parameters:

Item#	LQ50
Cooling temperature:	4-6
Outline dimension:	4000x1100x900mm







HIGH QUALITY DUCK SLAUGHTERING LINE EQUIPMENT DUCK WAXDIP POOL DEFEATHERING MACHINE

MOQ 1 Set Port Qingdao Packaging Standard export plywood case packaging for small machine ,for huge machine will be nude package. Lead Time 15-20 days after get deposit

Technical parameters:

Item#	JL50
Paraffin temperature:	67-73
Outline dimension:	3000x1100x900mm







CHICKEN PLUCKER FOR POULTRY ABATTOIR POULTRY SLAUGHTER MACHINE CHICKEN FEATHER REMOVING MACHINE

FOB PRICE: US$10,000-20,000 Condition: New Application: Chicken,duck,goose,turkey Place of origin: Shandong ,China

Technical parameters:

Item#	TQC48
Production capacity:	6000chickens/hour
Power:	2.2KW
Electrical motor amount	8
Feather removal plate amount:	48
Outline dimension:	4400x2350x2600mm or customized







A TYPE CHICKEN FEATHER REMOVING MACHINE-TQJ72

FOB PRICE: US$10,000-20,000
Condition: New Application: Chicken,duck,goose,turkey Place of origin: Shandong ,China

Technical parameters:

Item#	TQJ72
Production capacity:	6000chickens/hour
Power:	2.2KW
Electrical motor amount	6
Feather removal plate amount:	72
Outline dimension:	3800x2350x2600mm or customized







CHICKEN BLEED TABLE

This bleed table can be customized , you can choose how many cones you would like to have based on your real need ,also if the wheels is needed or not can be choosen by you ,below is a pictrues of the table without wheels for your kindly reference:

Technical parameters:

Size:	1.9M x 0.9M x 0.8M
Thickness:	1.5mm











STAINLESS STEEL TABLE FOR EVISCERATION

This table is made of stainless steel 304 ,and the thickness is 1.2mm ,it can be used to process internal organs for poultry

Technical parameters:

Size:	1.9M x 0.9M x 0.75M
Thickness:	1.2mm







SINGLE TYPE CHICKEN GIZZARDS YELLOW SKIN PEELING MACHINE CHICKEN GIZZARDS PEELER

FOB Price: US$950-US$1,500
Condition: New Application: Poultry slaughterhouse or poultry abattoir or poultry farm for duck chicken goose turkey and so on
Place of origin: Shandong ,China

Technical parameters:

Power:	0.75kw
Stripping gizzards capacity:	200kg/h
Outline Dimensions:	830×530×800mm







PNEUMATIC QUANTIFIED SAUSAGE STUFFER /SAUSAGE FILLER/SAUSAGE MAKING MACHINE WITH TWISTER

MOQ 1 Set Port Qingdao Packaging Standard export plywood case packaging for small machine ,for huge machine will be nude package. Lead Time 15-20 days after get deposit

Technical parameters:

Model	SGI-III	SGI-I
Voltage (v)	220	220
Volume (L)	57	57
Pressure (Mpa)	0.7	0.7
Height (mm)	850	850
Weight (kg)	180	180
Dimension (mm)	640×640×1430	640×640×1430







HIGH EFFICIENCY FISH SMOKING OVEN/MEAT SMOKER/SAUSAGE SMOKEHOUSE

MOQ 1 Set Port Qingdao Packaging Standard export plywood case packaging for small machine ,for huge machine will be nude package. Lead Time 15-20 days after get deposit

Technical parameters:

ITEM#		Outline size (mm)	Working room size (mm)	Cart size (mm)	Total power	Capacity	Layers numbers
30 type	internal fuming	1050* 1050*1650	800* 750*955	780* 720*900	15.75kw	30kg	3
	External fuming	1900* 1050*1650	800* 750*955	780* 720*900		30kg	3
50 type	internal fuming	1150* 1150*1860	950* 830*1020	900* 780*1050	16.5kw	50kg	4
	External fuming	2000* 1200*1860	950* 830*1020	900* 780*1050		50kg	4
100 type	External fuming	2250* 1200*2200	1050* 1020*1300	1010* 960*1250	18kw	100kg	5
150 type	External fuming	2250* 1200*2450	1000* 990*1600	930* 960*1530	24kw	150kg	6
200 type	External fuming	2370* 2310*2500	1050* 1350*1800	1000* 1135*1800	14.87	200kg	6
250 type	External fuming	1200* 1820*2900	1050* 1050*1960	1050* 1050*1970	27kw	250kg	7
500 type	External fuming	2420* 2300*2900	2110* 1350*2000	1050* 1050*1970	48kw	500kg	7*2
1000 type	External fuming	4520* 2310*2900	4110* 1350*2000	1050* 1050*1970	90kw	1000kg	7*4



FROZEN MEAT GRINDING MACHINE/ GRINDER/MINCER/ CUTTING MACHINE

MOQ: 1 Set Port: Qingdao Packaging: Standard export plywood case packaging for small machine ,for huge machine will be nude package. Lead Time: 15-20 days after get deposit

Technical parameters:

Model	JRD-120
Production Capacity (kg/h)	1000
Temperature	0~-18°C
Power (kw)	5.5
Twisted dragon rotation Speed (r/min)	260
Knife Orifice diameter (mm)	120
Knife Orifice diameter (mm)	Φ 3-Φ 26
Weight (kg)	258
Dimension (mm)	960*550*1080











ROSIN POT FOR DEHAIRING AND PROCESSING PIG HEAD

MOQ 1 Set Port Qingdao Packaging Standard export plywood case packaging for small machine ,for huge machine will be nude package. Lead Time 15-20 days after get deposit

Technical parameters:

Item#	DC-900	DC-1000	DC-1100	DC-1200
Volume(L)	300	400	500	600
Type	Electric heating oil type	Electric heating oil type	Electric heating oil type	Electric heating oil type
Diameter(mm)	900	1000	1100	1200
Power(kw)	18kw	24kw	30kw	30kw







CONDUCTION OIL ELECTRIC HEATING JACKETED KETTLE JACKETED POT SANDWICH POT

MOQ 1 Set Port Qingdao Packaging Standard export plywood case packaging for small machine ,for huge machine will be nude package. Lead Time 15-20 days after get deposit

Technical parameters:

Item#	ZY-D100	ZY-D200	ZY-D300	ZY-D400
Volume(L)	100L	200L	300L	400L
Diameter(mm)	700	800	900	1000
Material	SUS304	SUS304	SUS304	SUS304
Power(kw)	12	18	24	24
Heating conduction oil item#	350#	350#	350#	350#











COMMERCIAL GAS HEATING STIRRING SANDWICH POT JACKETED POT COOKING POT

MOQ 1 Set Port Qingdao Packaging Standard export plywood case packaging for small machine ,for huge machine will be nude package. Lead Time 15-20 days after get deposit

Technical parameters:

Item#	ZY-R100	ZY-R200	ZY-R300	ZY-R400
Volume(L)	100L	200L	300L	400L
Diameter(mm)	700	800	900	1000
Material	SUS304	SUS304	SUS304	SUS304
Gas species	liquefied pertroleum gas, natural gas	liquefied pertroleum gas, natural gas	liquefied pertroleum gas, natural gas	liquefied pertroleum gas, natural gas





PLASTIC POULTRY CHICKEN DRINKERS WITH DIFFERENT SIZE

Port Qingdao Packaging Nylon bag or carton Lead Time 7-10 days after get deposit

Technical parameters:

Item#	1kg	1.5kg	3kg	6kg	11kg	14kg
Total height:	14.2cm	18cm	23cm	27cm	31cm	38cm
Sank width:	2cm	2cm	2.5cm	3cm	4cm	4cm
Sand height:	2.54cm	2.6cm	3.5cm	4.5cm	5.5cm	5.5cm
Base diameter:	17.2cm	19cm	23.5cm	30.5cm	36cm	36cm
Weight	90g	140g	240g	390g	630g	735g











AUTOMATIC POULTRY CHICKEN PLASSON PLASTIC POULTRY PLASSON BELL DRINKER PLASSON DRINKER FOR CHICKEN AND DUCK


Port Qingdao Packaging Nylon bag or carton Lead Time 7-10 days after get deposit

Technical parameters:

Item#	A type	B type	C type	C2 type
Total height:	50cm	50cm	33cm	24cm
Sink width:	6cm	4.4cm	3.7cm	2.4cm
Sink height:	4.8cm	4cm	4.4cm	2.4cm
Base diameter:	17.2cm	36cm	36cm	24cm
Weight	700g	875g	770g	360g









FACTORY SUPPLY HIGH QUALITY POULTRY MANUAL PLASTIC FEEDER AND DRINKER

Port Qingdao Packaging Nylon bag or carton Lead Time 7-10 days after get deposit

Technical parameters:

Item#	1kg	1.5kg	3kg	6kg	11kg	14kg
Total height:	14.2cm	18cm	23cm	27cm	31cm	38cm
Sank width:	2cm	2cm	2.5cm	3cm	4cm	4cm
Sand height:	2.54cm	2.6cm	3.5cm	4.5cm	5.5cm	5.5cm
Base diameter:	17.2cm	19cm	23.5cm	30.5cm	36cm	36cm
Weight	90g	140g	240g	390g	630g	735g









POULTRY FARMING MANUAL TYPE PLASTIC CHICKEN FEEDER PLASTIC SCREW FEEDER

Port Qingdao Packaging Nylon bag or carton Lead Time 7-10 days after get deposit

Product parameters for the two feeder

Screw fix style:

Size:	10kg feeder
Total height:	31.5cm
Trough width:	7cm
Trough height:	6.5cm
Base diameter:	40.5cm
Weight:	700g

Size:	6kg feeder
Total height:	28.5cm
Trough width:	5.5cm
Trough height:	5.5cm
Base diameter:	33cm
Weight:	360g

Size:	3kg feeder
Total height:	22.5cm
Trough width:	4cm
Trough height:	4.5cm
Base diameter:	26.5cm
Weight:	260g

Clip on style:

Size:	10kg feeder
Total height:	30.5cm
Trough width:	6.8cm
Trough height:	6.4cm
Base diameter:	40cm
Weight:	570g

Size:	8kg feeder
Total height:	29cm
Trough width:	6.7cm
Trough height:	6.4cm
Base diameter:	38.5cm
Weight:	590g

Size:	5kg feeder
Total height:	24.5cm
Trough width:	5.6cm
Trough height:	5cm
Base diameter:	30.5cm
Weight:	260g

Size:	3kg feeder
Total height:	18.5cm
Trough width:	4cm
Trough height:	3.5cm
Base diameter:	24.5cm
Weight:	160g

Size:	2kg feeder
Total height:	19cm
Trough width:	3.6cm
Trough height:	3.1cm
Base diameter:	21.5cm
Weight:	120g







BEST QUALITY HIGH-CAPACITY POULTRY FARM FEEDER FOR CHICKEN/ DUCK/GOOSE/TURKEY CHICKEN FEEDERS AND DRINKERS

Packaging Nylon bag or carton
Lead Time 7-10 days after get deposit

Product parameters:

Size:	15kg feeder
Total height:	32cm
Trough width:	8.5cm
Trough height:	6.5cm
Base diameter:	44cm
Weight:	700g

Size:	20kg feeder
Total height:	39cm
Trough width:	8.5cm
Trough height:	8cm
Base diameter:	50cm
Weight:	1060g

Size:	40kg feeder
Total height:	53cm
Trough width:	8.5cm
Trough height:	10cm
Base diameter:	63cm
Weight:	2240g









DZ-500/2S FACTORY PRICE STAINLESS STEEL VACUUM PACKAGING MACHINE VACUUM SEALER

MOQ 1 Set Port Qingdao Packaging Standard export plywood case packaging for small machine ,for huge machine will be nude package. Lead Time 15-20 days after get deposit

Technical parameters:

weight	230kg
Power source	380V/50HZ 1.6KW
Sealing stripe center distance	420mm
Vacuum chamber size	610×535×115mm
Effective sealing size	500×8 (10) /2mm
Efficiency (times/hour)	180-300
Outline dimension	1220×635×900mm







DZ-400/2S SMALL TYPE VACUUM PACKAGING MACHINE VACUUM SEALER FOR FAMILY OR SUPERMARKET

MOQ 1 Set Port Qingdao Packaging Standard export plywood case packaging for small machine ,for huge machine will be nude package. Lead Time 15-20 days after get deposit

Technical parameters:

Power source	380V (220V) /50HZ 0.8KW
Seal stripe center distance	360mm
Vacuum chamber size	500×460×110mm
Effective sealing size	400×8 (10) /2mm
Efficiency (times/hour)	120-240
Outline dimension	1030×590×850mm
Weight	70kgs









DZ-600/L CABINET TYPE VACUUM PACKAGING MACHINE VACUUM SEALER

MOQ 1 Set Port Qingdao Packaging Standard export plywood case packaging for small machine ,for huge machine will be nude package. Lead Time 15-20 days after get deposit

Technical parameters:

Voltage	(v) 380
Frequency	(hz) 50
The gross weight	(110 kg)
Net weight	(kg) 81
Vacuum pump	(m3/h) 20.
Motor power	(kw) 900.
Machine size	(mm) 680 * 585 * 1105.
Outer box size	(mm) 760 * 665 * 1255.
Work cycle	(times/min) 2.
Vacuum chamber size	(mm) 620 * 295 * 95.
Heat seal effective size	(mm) 600 x 8.



DZ-700/2S FULL AUTOMATIC DOUBLE CHAMBER VACUUM PACKAGING MACHINE VACUUM SEALER

MOQ 1 Set Port Qingdao Packaging Standard export plywood case packaging for small machine ,for huge machine will be nude package. Lead Time 15-20 days after get deposit

Technical parameters:

Vacuum chamber size	820×705×150mm
Sealing line size	700×8/2mm
Sealing stripe center distance	520mm
Capacity	120-300 (times/hour)
Weight	400kg
Power source	380V/50HZ 3.0KW
Outline dimension	1620×820×940mm









DZ-600/2S TILTING TYPE DOUBLE CHAMBER VACUUM PACKING MACHINE VACUUM SEALER FOR LIQUID POWDER

MOQ 1 Set Port Qingdao Packaging Standard export plywood case packaging for small machine ,for huge machine will be nude package. Lead Time 15-20 days after get deposit

Technical parameters:

weight	380Kg
power source	380V 50HZ 2.2KW
Sealing stripe center distance	500mm
Vacuum chamber size	720 x 625×140mm
Effective sealing size	600×8 (10) /2mm
Efficiency (Times/hour)	180～ 300
Outline dimension	1825×750×1200mm











DZ-600/4S 4 SEALS AUTOMATIC PNEUMATIC VACUUM PACKAGING MACHINE VACUUM SEALER FOR SMALL PACKAGE

MOQ 1 Set Port Qingdao Packaging Standard export plywood case packaging for small machine ,for huge machine will be nude package. Lead Time 15-20 days after get deposit

Technical parameters:

Vacuum chamber size	750×705×90mm
Effective sealing size	600×8 (10) /4mm
Efficiency (times/hour)	120-300
Sealing stripe center distance	2805mm
Weight	400kg
Power source	380V (220V) /50HZ 2.2KW
Outline dimension	1450×740×950mm









DZ-600/2S DOUBLE CHAMBER VACUUM PACKAGING MACHINE VACUUM SEALER

MOQ 1 Set Port Qingdao Packaging Standard export plywood case packaging for small machine ,for huge machine will be nude package. Lead Time 15-20 days after get deposit

Technical parameters:

weight	360kg
power source	380V (220V) /50HZ 2.2KW
sealing stripe center distance	500mm
Vacuum chamber size	760×625×120mm
Effective sealing size	600×10mm/2
Efficiency (times/hour)	120-300
Outline dimension	1770×750×950mm









DZD-1000(1100)TYPE DUAL SEAL STRIPE ROLLING TYPE FULL AUTOMATIC VACUUM PACKAGING MACHINE VACUUM SEALER

MOQ 1 Set Port Qingdao Packaging Standard export plywood case packaging for small machine ,for huge machine will be nude package. Lead Time 15-20 days after get deposit

Technical parameters:

Item#	1000	1100
weight (no include pump)	460kg	560kg
Power source	380V 50HZ	380V 50HZ
Average power consumption	5.8Kw	5.8Kw
Vacuum chamber size	1125x440x110mm	1225x550x110mm
Effective sealing line size	1000x10 (8) mm	1000x10 (8) mm
Efficiency (times/hour)	240-360	240-360
Outline dimension	1800x1400x1500mm	1900x1620x1500mm



DZ-400/2L SINGLE CHAMBER FOOD VACUUM PACKAGING MACHINE/VACUUM SEALER FOB PRICE: GET LATEST PRICE

MOQ 1 Set Port Qingdao Packaging Standard export plywood case packaging for small machine ,for huge machine will be nude package. Lead Time 15-20 days after get deposit

Technical parameters:

weight	80kg
power source	380V (220V) /50HZ 0.8KW
sealing stripe center distance	395mm
Vacuum chamber size	500×460×110mm
Effective sealing size	400×8 (10) /2mm
Efficiency (times/hour)	120-180
Outline dimension	520×515×910mm







AUTOMATIC CONTINUOUS STRETCH FILM VACUUM PACKAGING MACHINE/VACUUM SEALER

MOQ 1 Set Port Qingdao Packaging Standard export plywood case packaging for small machine ,for huge machine will be nude package. Lead Time 15-20 days after get deposit

Technical parameters:

Item#	DLZ-320	DLZ-420	DLZ-520
Bottom mould# width(MM)	322	422	522
Top Mould width (MM)	293	393	495
vacuum degree	≤ 200	≤ 200	≤ 200
power supply(V/HZ)	380/50	380/50	380/50
average power(KW)	8	10-12	12
outline dimension (mm)	3600x780x1760	4850x880x1860	7000X1000X1800
weight of machine (kgs)	950	1380	2200
packing speed (Every minute)	4-6times	4-6times	4-6times
Cooling water	≥ 0.15MPa	≥ 0.15MPa	≥ 0.15MPa
Compressed air	≥ 0.5MPa	≥ 0.5MPa	≥ 0.15MPa



DZ-800/2S FULL AUTOMATIC DOUBLE CHAMBER VACUUM PACKAGING MACHINE VACUUM SEALER

MOQ 1 Set Port Qingdao Packaging Standard export plywood case packaging for small machine ,for huge machine will be nude package. Lead Time 15-20 days after get deposit

Technical parameters:

Vacuum chamber size	920×780×200mm
Seal line width	10 (8) mm
Seal line length	800mm
Weight	508kg
Sealing line distance	650mm
Power source	380V/50HZ 5KW
Outline dimension	1830×900×1050mm









FACTORY PRICE HIGH QUALITY VERTICAL TILTING TYPE STEAM JACKETED KETTLE SANDWICH POT COOKING POT FOR JAM

MOQ 1 Set Port Qingdao Packaging Standard export plywood case packaging for small machine ,for huge machine will be nude package. Lead Time 15-20 days after get deposit

Technical parameters:

Model	QB/T-0.5	QB/T-1	QB/T-2	QB/T-3	QB/T-4	QB/T-5
Volume(L)	50	100	200	300	400	500
Inner Diameter (mm)	530	700	800	900	1000	1100
Body Depth(mm)	340	470	520	570	620	670
Height(mm)	730	840	860	1000	1035	1110
Feet length x width(mm)	790*500	920*500	1070*600	1110*600	1300*650	1380*680
Material	SUS304/ Q235B	SUS304/ Q235B	SUS304/ Q235B	SUS304/ Q235B	SUS304/ Q235B	SUS304/ Q235B



PLANETARY STIR FRY PAN INDUSTRIAL FOOD COOKING POT SANDWICH POT

MOQ 1 Set Port Qingdao Packaging Standard export plywood case packaging for small machine ,for huge machine will be nude package. Lead Time 15-20 days after get deposit

Technical parameters:

Item#	ZY-100	ZY-200	ZY-300	ZY-400
Volume(L)	100	200	300	400
Diameter(mm)	800	900	1000	1100
Material	Sus304	Sus304	Sus304	Sus304
Rotate speed	Auto adjustable	Auto adjustable	Auto adjustable	Auto adjustable
Mode of discharging	automatic	automatic	automatic	automatic
Pot body thickness(mm)	Inner 4 Outter 3	Inner 4 Outter 3	Inner 5 Outter 3	Inner 5 Outter 3
Rotating power(kw)	1.5	1.5	1.5	1.5
Stirring power(kw)	1.5	1.5	2.2	2.2
Total power(kw)	18	27	27-36	36



DOUBLE-POT THREE-POT MULTI-POT PARALLEL TYPE STERILIZATION POT RETORT AUTOCLAVE

MOQ 1 Set Port Qingdao Packaging Standard export plywood case packaging for small machine ,for huge machine will be nude package. Lead Time 15-20 days after get deposit

Technical parameters:

Item#	1000#			2000#		3000	
Tube length(mm)	2400	2700	3000	3600	4000	3600	4500
Compressed air tank (m^3)	1.0	2.0	3.0	3.0	3.0	3.0	3.0
Air compressor	1/10	1/10	1/10	1/10	1.6/10	1.6/10	1.6/10
Water storage tank(m^3)	5.0	7.0	9.5	11.0	13.0	14.0	15.0









HOT WATER IMMERSION ROTARY HIGH TEMPERATURE HIGH PRESSURE RETORT STERILIZATION POT AUTOCLAVE

MOQ 1 Set Port Qingdao Packaging Standard export plywood case packaging for small machine ,for huge machine will be nude package. Lead Time 15-20 days after get deposit

Technical parameters:

Item#	Unit	1400#
The pot inner diameter	mm	1400
The length of the tube	mm	4000
Total volume	m^3	6.4
Overall dimensions(LxHxW)	mm	5380x1850x1850
Total power	kw	11
Design temperature	ºc	145
Working temperature	ºc	125
Test temperature	mpa	0.44
Design pressure	mpa	0.35
Working pressure	mpa	0.25
Material of main compression element.		SBOX28/K345R



ELECTRIC OR STEAM HEATING HIGH PRESSURE LABORATORY RETORT STERILIZATION POT AUTOCLAVE

MOQ 1 Set Port Qingdao Packaging Standard export plywood case packaging for small machine ,for huge machine will be nude package. Lead Time 15-20 days after get deposit

Technical parameters:

Item#	ZY-700	ZY-900	ZY-1000
Volume(m^3)	0.6	1.4	2.0
Tube length(mm)	1200	1800	2200
Designed pressure(mpa)	0.35	0.35	0.35
Test pressure(mpa)	0.44	0.44	0.44
Working pressure(mpa)	0.25	0.25	0.25
Designed temperature (ºc)	145	145	145
Working temperature(ºc)	121	121	121
Heating tube power(kw)	27	54	72



STEAM OR WATER USED SINGLE POT DOUBLE DOOR AUTOCLAVE STERILIZER STERILIZATION POT

MOQ 1 Set Port Qingdao Packaging Standard export plywood case packaging for small machine ,for huge machine will be nude package. Lead Time 15-20 days after get deposit

Technical parameters:

Type	JT-XZ
Inner diameter(mm)	1000-1700
Length of canister(mm)	2400-7000
Material	SUS304/Q235B
Designed temperature	145°C
Test pressure(Mpa)	0.44
Designed pressure(Mpa)	0.35









DOUBLE-LAYER WATER BATH TYPE AUTOCLAVE MACHINE STERILIZER MACHINE RETORT

MOQ 1 Set Port Qingdao Packaging Standard export plywood case packaging for small machine ,for huge machine will be nude package. Lead Time 15-20 days after get deposit

Technical parameters:

Item#	1000#			1200#			1300#	
Inner diameter(mm)	1000	1000	1200	1200	1200	1200	1300	1300
Tube length(mm)	2400	2200	2700	3000	3300	3600	3600	4000
Total length(mm)	4200	4000	4600	4900	5200	5500	5700	6100
The total width(mm)	1800	1800	2000	2000	2000	2000	2100	2100
Total height(mm)	3300	3300	3700	3700	3700	3700	3900	3900
Total volume(m^3)	2.5	2.2	3.6	4	4.3	4.6	5.14	5.4
Gas consumption kg/ batach	120	110	200	230	240	260	300	320
Designed temperature (ºc)	145ºc							
Test pressure(mpa)	0.44							
Designed pressure (mpa)	0.35							



COMPUTER FULL AUTOMATIC WATER SPRAY TYPE AUTOCLAVE MACHINE STERILIZER MACHINE RETORT FOR CANNED FOOD

MOQ 1 Set Port Qingdao Packaging Standard export plywood case packaging for small machine ,for huge machine will be nude package. Lead Time 15-20 days after get deposit

Technical parameters:

Item#	1236	1230	1227	1000	900
Inner diameter(mm)	1200	1200	1200	1000	900
Tube length(mm)	3600	3000	2700	2200	1800
Total volume(m^3)	4.6	4	3.6	2.0	1.4





POULTRY SLAUGHTER EQUIPMENT

+86 13475689285

LILY_3662@126.COM

WWW.XINSHUNDAMACHINERY.COM

