



Shenzhen Cresolar Technology Co.,LTD

Mob:(00)86 15575653178 Tel:+86-755-23027505
 Website: www.cresolar.com E-mail: yilynne@cresolar.com

Date: 2021.5.01


Photos	Item	Parameter	
	Oxygen Concentrator Model	CSK-9000	
	Net Weight	1.88KG (host only)	
	Overall dimension	75*210*295mm width length height	
	Consumption power	25W	
	Working air flow	≥ 6.7LPM	
	Oxygen outlet pressure	≥ 80kPa	
	Flow/oxygen concentration	50%~80%	
	Power supply voltage	AC 100-240V 50/60Hz	
	Normal working environment	Ambient temperature	:5℃-40℃
		Relative humidity	:≤80%RH
		Air pressure	: 860hPa-1060hPa
	Storage and transportation	Temperature range	: -20℃~+55℃
		Relative humidity	: ≤ 95%RH
		Atmosphere pressure	: 500hPa~1060hPa(10.15psi~15.37psi)
Flow display	1-2 Grade		



Shenzhen Cresolar Technology Co.,LTD

Mob:(00)86 15575653178 Tel:+86-755-23027505
 Website: www.cresolar.com E-mail: yilynne@cresolar.com


Date: 2021.5.01

Photos	Item	Parameter	
	Oxygen Concentrator Model	CR-01S	
	Net Weight	6.1KG	
	Overall dimension	350*280*235mm	
	Consumption power	150W	
	Average sound pressure level	30-50kPa	
	Oxygen outlet pressure	50kPa	
	Flow/oxygen concentration	1L~93%,2L~83%,3L~76%,4L~61%,5L~43%,6L~36%,7L~31%	
	Power supply voltage	220V 50Hz	
	Normal working environment	Ambient temperature	:5℃-40℃
		Relative humidity	:≤80%RH
		Air pressure	: 860hPa-1060hPa
	Storage and transportation	Temperature range	: -20℃~+55℃
		Relative humidity	: ≤ 95%RH
		Atmosphere pressure	: 500hPa~1060hPa(10.15psi~15.37psi)
	Flow display		1-7 Grade



Shenzhen Cresolar Technology Co.,LTD

Date: 2021.5.01


Photos	Item	Parameter
	Oxygen Concentrator Model	CR-Y51W
	Net Weight	9.35KG
	Overall dimension	22*30.5*42cm
	Input Power	400VA
	Sound level	≤54dB(A)
	Oxygen outlet pressure	20-70kPa
	Oxygen concentration	93%± 3%, 95.5%~87%
	Power supply voltage	220V 50Hz /110V 50Hz
	Normal working environment	Ambient temperature :5℃-40℃
		Relative humidity:30%~80%RH
		Air pressure: 860hPa-1060hPa
	Storage and transportation condition	Temperature range: -20℃~+55℃
		Relative humidity: ≤ 95%RH
		Atmosphere pressure: 500hPa~1060hPa(10.15psi~15.37psi)
Flow display	1-5 Grade	



Shenzhen Cresolar Technology Co.,LTD

Mob:(00)86 15575653178 Tel:+86-755-23027505
 Website: www.cresolar.com E-mail: yilynne@cresolar.com

Date: 2021.5.01

Photos	Item	Parameter
	Oxygen Concentrator Model	CR-11MW
	Net Weight	5.8KG
	Overall dimension	210*202*332mm
	Consumption power	150W
	Average sound pressure level	30-50kPa
	Oxygen output pressure	20~70kPa
	Flow/oxygen concentration	1L~93%,2L~70%,3L~60%,4L~45%,5L~40%,6L~35%,7L~30%
	Power supply voltage	110/220V 50/60Hz
	Normal working environment	Ambient temperature :5℃-40℃
		Relative humidity:≤80%RH
		Air pressure: 860hPa-1060hPa
	Storage and transportation	Temperature range: -20℃~+55℃
		Relative humidity: ≤ 95%RH
		Atmosphere pressure: 500hPa~1060hPa(10.15psi~15.37psi)
Flow display	1-7 Grade	
Material	ABS full plastic shell	