

High Quality Printing Rubber Blanket


Serving The World.

立足中原
服务全球



河南省远航印刷器材有限公司

HENAN VOYAGE PRINTING EQUIPMENT CO., LTD



Core Value

Innovation

Provide practicable solutions for printing consumables industry

Win-Win

Makes customers get benefits and maintain a long-term cooperative relations

Growth

Keep on moving with Positive attitude, Clear direction and the correct method

Thanksgiving

**Be grateful to customers
be grateful to the team**

ENTERPRISE INTRODUCTION

公司简介



We are mainly specializing in supplying medium and high-end printing rubber blanket with more than 10 years experiences.

Our products have won the advantage of customers trust with reliable quality, excellent service, and competitive price.

Since the beginning of its establishment, it has adhered to "integrity management" and "product quality" as the cornerstone of the company's development, committed to providing customers with high-quality products and technical services. Therefore, we have achieved good development in the printing consumables industry.


COMPANY STRENGTH

公司实力

We have our own standard production workshop of 10,000 square meters, the annual output reaches 300,000 square meters. Our main equipment includes 3 sets 2.7-meter width coating machines, 1 large grinder, 1 large drum vulcanizer and other supporting processing equipment.

Additionally, we also distributed well-known imported brand rubber blanket, such as Phoenix, Kinyo, Meiji, VULCAN and DAY etc with stable quality and responsible prices.






富士 UV-329

Features

- Small thickness tolerance
- High UV ink resistance and no swelling on the surface, so the life of the PS plate is prolonged
- Small sag, and the printing performance remains stable during long-term printing
- The internal pressure of the closed micropore is higher than the external with uniform elasticity
- Moderate hardness, strong adaptability, small elongation deformation, suitable high-speed printing
- The dots are clear and uniform, the full plate is strong, the paper separates quickly easy to clean.

Parameter

Color	Red
Appearance	Polishing
Width	1.68/1.95/2.55+0.03mm
Hardness	78° ShoreA
Flatness	Max.0.03mm
Elongation	<1.0% at 500N/5cm
Roughness <Ra>	0.8-1.2μm
Application	Sheet-fed UV printing




富士 9200A

Features

- Uniform printing quality throughout the surface
- Small thickness tolerance
- Good elasticity, strong resilience, small instantaneous tolerance
- Small Anti-elongation deformation, no need to adjust
- Good reproducibility of dots, clear and uniform dots
- Good ink absorption and transfer performance, easy to clean

Parameter

Color	Blue
Appearance	Polishing
Width	1.68/1.95/2.55+0.03mm
Hardness	78° ShoreA
Flatness	Max.0.03mm
Elongation	<1.5% at 500N/5cm
Roughness <Ra>	0.8-1.2μm
Application	Medium speed multi-color offset press




富士 9400A

Features

- The uniform printing quality on the surface, and the small thickness tolerance
- The surface expands wirelessly, so prolonged the life of the PS plate
- Small sag , and the printing performance remains stable during long-term printing
- High elasticity and uniform elasticity everywhere, small elongation deformation
- The dots are clear and uniform, and the increase in dots can be effectively controlled
- The ink transfers evenly on the entire surface and is easy to clean

Parameter

Color	Sky Blue
Appearance	Grinding
Width	1.95/1.68mm
Hardness	78° A
Flatness	Max.0.03mm
Elongation at 500N/5cm	0.1%
Breaking strength	4500N/4000N
Compressibility at 200N/cm²	0.20mm/0.19mm



富士 9900A

Features

- The uniform printing quality on the surface, and the small thickness tolerance
 - The surface expands wirelessly, so prolonged the life of the PS plate
 - Small sag , and the printing performance remains stable during long-term printing
 - The internal pressure of the closed micropore is higher than external with uniform elasticity
 - Small elongation , suitable for high-speed printing, clear and uniform dots, and the increase of dots can be effectively controlled
- The ink transfers evenly on the entire surface and is easy to clean

Parameter

Color	Sky Blue
Appearance	Grinding
Width	1.95mm
Hardness	75° A
Flatness	Max.0.03mm
Elongation at 500N/5cm	0.7%
Breaking strength	4500N
Compressibility at 200N/cm ²	0.20mm

Underpacking Paper



The underpacking paper is placed under the rubber blanket and can be used in layers. It can make the thickness between the plate cylinder and the rubber blanket cylinder liner maintain a high degree of accuracy. With the characters of high flatness, no deformation, oil and water resistance, guarantees the best printing pressure, helping improve printing quality, greatly reduces the damage of the rubber blanket, and extends the life of the rubber blanket. It is widely used by printing press machines.

Characters

- High flatness
- Anti-slip coating
- High fiber density and durability
- Long lasting
- Economical
- Width from 0.1mm-0.5mm
- Support customized according to customer requirements

Width (mm) \ Size (mm)	0.1	0.15	0.2	0.25	0.3	0.4	0.5
1030*755	✓	✓	✓	✓	✓	✓	✓
1030*795	✓	✓	✓	✓	✓	✓	✓
1050*760	✓	✓	✓	✓	✓	✓	✓
1060*910	✓	✓	✓	✓	✓	✓	✓
1450*1150	✓	✓	✓	✓	✓	✓	✓
1440*1080	✓	✓	✓	✓	✓	✓	✓
1310*1050	✓	✓	✓	✓	✓	✓	✓
1310*985	✓	✓	✓	✓	✓	✓	✓
1610*1280	✓	✓	✓	✓	✓	✓	✓
730*595	✓	✓	✓	✓	✓	✓	✓
889*554	✓	✓	✓	✓	✓	✓	✓
740*620	✓	✓	✓	✓	✓	✓	✓



Underpacking Film



Rugular Size

Width (mm) \ Size (mm)	0.5	0.55	0.12	0.14	0.16	0.18	0.2
	0.08	0.1	0.28	0.3	0.35	0.4	0.45
	0.23	0.25					
1060*730	✓	✓	✓	✓	✓	✓	✓
1030*725	✓	✓	✓	✓	✓	✓	✓
1030*740	✓	✓	✓	✓	✓	✓	✓
1030*750	✓	✓	✓	✓	✓	✓	✓
1040*750	✓	✓	✓	✓	✓	✓	✓
1140*850	✓	✓	✓	✓	✓	✓	✓
1050*735	✓	✓	✓	✓	✓	✓	✓
1058*724	✓	✓	✓	✓	✓	✓	✓
1045*800	✓	✓	✓	✓	✓	✓	✓
910*720	✓	✓	✓	✓	✓	✓	✓
750*570	✓	✓	✓	✓	✓	✓	✓
730*595	✓	✓	✓	✓	✓	✓	✓

Characters

- Accurate and uniform thickness
- Durable Polyester material
- Adhesive back to prevent sliding
- Removable adhesive, easy to disassemble and assemble
- No glue remains on the roller
- Width from 0.1mm-0.5mm
- Support customized according to customer requirements



河南省远航印刷器材有限公司

HENAN VOYAGE PRINTING EQUIPMENT CO., LTD

📍 Address: Zhongyuan Printing and Packaging Industrial Park, Pingyuan New District, Henan Province, China

📱 Mobile: 0086 185 6997 1958

☎ Telephone: 0086 371 6322 2263

✉ Email: cnrubberblanket@gmail.com

🗨 WhatsApp: 0086 185 6997 1958

🌐 Website: www.rubberblankets.com



Follow US