




Nantong Newbeat Tools Co.,Ltd

ADD: TIANFEN INDUSTRIAL PARK ZONE, LVSI TOWN, QIDONG CITY, JIANGSU PROVINCE, CHINA
TEL/FAX: 0086 513 83292040 Email:Start-tools@foxmail.com Date: 2020-July-25th

MODEL NO.	ITEM 品名	Company Mod. 订货编号	Original Reference	Picture 图片	Advantage	Packing Info. 包装	Speicification 参数
202078	ANGLE GRINDER	NBT-AG-115A	GA4030 (115/125MM)		1.Side Switch 2.Side handle 3.CNC gear 4.Small housing 5.exchangeable with original GA4030 6.spindle gear box have bearing 7.125mm wheel guard 8. Stator coating 9.125mm AB washer 10.Spanner	10PCS/CTN G.W.: 21KGS CBM: 0.06	115/125MM 11000R/MIN 710W
202071	ANGLE GRINDER	NBT-AG-115B	GSD1001 (115/125MM)		1.Back Switch 2.Side handle 3.Big Wattage 1100W 4.high torque can cut wall 5.125mm wheel guard 6. Stator coating 7.125mm AB washer 8.Spanner	10PCS/CTN G.W.: 23KGS CBM: 0.06	115/125MM 11000R/MIN 11000W
	ANGLE GRINDER	NBT-AG-115BC	9557 (NEW) (115/125MM)		1.Back Switch 2.Side handle 3.Big Wattage 1100W 4.high torque can cut wall 5.125mm wheel guard 6. Stator coating 7.125mm AB washer 8.Spanner	10PCS/CTN G.W.: 23KGS CBM: 0.06	115/125MM 11000R/MIN 11000W
202079	ANGLE GRINDER	NBT-AG-115C	GSD1002 (115/125MM) Grinder & Cutting		1.1000W 2.Back Switch 3.Side Handle 4.125mm wheel guard 5.metal net cover 6.Stator coating 7.Double Brake lock cap 8.115/125mm AB washer 9.Spanner	10PCS/CTN G.W.: 23KGS CBM: 0.06	115/125MM 11000R/MIN 1100W
202080	ANGLE GRINDER	NBT-AG-115D	GSD1004 (115mm)		1.950W 2.Back Switch 3. CNC gear 4.125mm wheel guard 5.Stator coating 6.Motor Housing with rubble 7.115mm AB washer 8.Spanner	10PCS/CTN G.W.: 21KGS CBM: 0.06	115/125MM 11000R/MIN 950W
202026	ANGLE GRINDER	NBT-AG-115E	GSD1005 (115/125mm)		1.Side Switch 2.900W Thin handle 3.High Speed 13000r/min ,good for grinder 4.side handle 5.Iron lock 6.new type push block 7.new type Switch rod 8.125mm wheel guard 9.115/125mm AB washer 10.Spanner	10PCS/CTN G.W.: 19KGS CBM: 0.06	115/125MM 13000R/MIN 900W
202081	ANGLE GRINDER	NBT-AG-115EH	GSD1005 (115/125MM)		1.Back Switch 2.900W Thin handle 3.High Speed 13000r/min ,good for grinder 4.side handle 5.Iron lock 6.new type push block 7.new type Switch rod 8.125mm wheel guard 9.115/125mm AB washer 10.Spanner	10PCS/CTN G.W.: 19KGS CBM: 0.06	115/125MM 13000R/MIN 900W
202083	ANGLE GRINDER	NBT-AG-115G	GSD801 (115/125mm)		1.Back Switch 2.1000W 3.Big torque for cutting wall and 4.Spare parts can Exchange a original DW801 5.Stator coating 6.New desig for Iron lock cap 7.Side handle 8.125mm cover 9.Sappner	10PCS/CTN G.W.: 19KGS CBM: 0.06	115/1125MM 13000R/MIN 1000W
202089	ANGLE GRINDER	NBT-AG-115H 1250W	GSD1006		1,Big Power,Back Switch,Green housing box 2.Stator coating 3.Accessory : wheel cover, spanner, side handle	10PCS/CTN G.W.: 19 KGS CBM: 0.06	115MM/125MM 13000R/MIN 1250W
202021	ANGLE GRINDER	NBT-AG-125A	GSD1003		1.Long handle with rubble 2.1000W 3.125mm Disc Cover 4.Spanner	6PCS/CTN G.W.: 24KGS CBM: 0.06	125MM 10000R/MIN 1000W



Nantong Newbeat Tools Co.,Ltd

ADD: TIANFEN INDUSTRIAL PARK ZONE, LVSI TOWN, QIDONG CITY, JIANGSU PROVINCE, CHINA


TEL/FAX: 0086 513 83292040 Email:Start-tools@foxmail.com Date: 2020-July-25th

MODEL NO.	ITEM 品名	Company Mod. 订货编号	Original Reference	Picture 图片	Advantage	Packing Info. 包装	Specification 参数
202013	ANGLE GRINDER	NBT-AG-125B	G15SA2 (125MM)		1.125mm disc cover	4PCS/CTN	125MM
					2.AB Iron washer	G.W.: 25KGS	8500R/MIN
					3.frosted power cord		
					4.Copper Brush Holder		
					5.Armature Data : 51.71mm	CBM: 0.06	1250W
202031	ANGLE GRINDER	NBT-AG-125C	GSD1252 short		1.125mm disc cover	4PCS/CTN	125MM
					2.Double Brake lock	G.W.: 25KGS	8800R/MIN
					3.1350W	CBM: 0.06	1350W
202006	ANGLE GRINDER	NBT-AG-150A	GSD1501 long cutting		1.150mm disc cover	4PCS/CTN	150MM
					2.Double Brake lock	G.W.: 24KGS	8800R/MIN
					3.Cost performance	CBM: 0.06	1680W
202063	ANGLE GRINDER	NBT-AG-150B	G15SA2 (150mm)		1.150mm disc cover	4PCS/CTN	150MM
					2.AB Iron washer	G.W.: 24KGS	8500R/MIN
					3.frosted power cord		
					4.Copper Brush Holder	CBM: 0.06	1250W
202032	ANGLE GRINDER	NBT-AG-150C	GSD1502		1.150mm disc cover	4PCS/CTN	150MM
					2.Double Brake lock	G.W.: 24KGS	8800R/MIN
					3.Cost performance	CBM: 0.06	1350W
202008	ANGLE GRINDER	NBT-AG-180A	GWS20-180		1.Improved brake lock	4PCS/CTN	180MM
					2.Stator with green coating	G.W.: 25KGS	8500R/MIN
					3.Rubble Side handle	CBM: 0.06	2000W
202019	ANGLE GRINDER	NBT-AG-180B	GA7020		1.Improved,High-performance	4PCS/CTN	180MM
					2. Rubble back handle	G.W.: 25KGS	8500R/MIN
					3.Rubble Side handle	CBM: 0.06	2200W
202053	ANGLE GRINDER	NBT-AG-180BX Soft start,handle can turing	GA7020旋转 soft start		1.Improved,High-performance	4PCS/CTN	180MM(7")
					2. With soft starting	G.W.:24KGS	8500R/MIN
					3.Rubble Side&back handle	CBM:0.06	2200W
202025	ANGLE GRINDER	NBT-AG-180C	GA7040		1.Improved,High-performance	4PCS/CTN	180MM(7")
					2. Rubble back handle,with rotational handle	G.W.:24KGS	8500R/MIN
					3.Rubble Side handle	CBM:0.06	2800W
202009	ANGLE GRINDER	NBT-AG-230A	GWS20-230		1.Improved brake lock	4PCS/CTN	230MM
					2.Stator with green coating	G.W.: 18KGS	6500R/MIN
					3.Rubble Side handle	CBM: 0.048	2000W
202037	ANGLE GRINDER	NBT-AG-230B	GA9020		1.Improved,High-performance	4PCS/CTN	230MM
					2. Rubble back handle	G.W.: 18KGS	6500R/MIN
					3.Rubble Side handle	CBM: 0.048	2020W
202072	ANGLE GRINDER	NBT-AG-230BX Soft start,handle can turing	GA9020旋转 soft start		1.Improved,High-performance	4PCS/CTN	230MM(9")
					2. With soft starting	G.W.: 24KGS	6500R/MIN
					3.Rubble Side&back handle	CBM: 0.054	2200W
202051	ANGLE GRINDER	NBT-AG-230C	GA9040		1.Improved,High-performance	4PCS/CTN	230MM(9")
					2. Rubble back handle,with rotational handle	G.W.: 24KGS	6500R/MIN
					3.Rubble Side handle	CBM: 0.054	2800W
202051	ANGLE GRINDER	NBT-AG-230AL	GWS24-230		1.Improved,High-performance	4PCS/CTN	230MM(9")
					2. Rubble back handle,with rotational handle	G.W.: 24KGS	6500R/MIN
					3.Rubble Side handle	CBM: 0.054	2500W
218008	Die Grinder	NBT-DG -25A 900W	GSD1005电磨头		1.Back Switch,Thin handle,NB Green housiing	4PCS/CTN	125MM
					2.Stator coating,new design switch lever	G.W: KGS	5300R/MIN
					3.wheel cover,spanner,side handle	CBM:0.056	650W
	Die Grinder	NBT-DG -25AS 900W	GSD1005电磨头		1.Back Switch,Thin handle,NB Green housiing	4PCS/CTN	125MM
					2.Stator coating,new design switch lever	G.W: KGS	5300R/MIN
					3.wheel cover,spanner,side handle	CBM:0.056	650W
203026	MARBLE CUTTER	NBT-MC-110A	GSD-CM45A		1.Improved,High-performance	4PCS/CTN	110MM
					2. Rubble switch handle	G.W.: 16KGS	13000R/MIN
					3.1200W,high torque for cutter	CBM: 0.047	1200W
203004	MARBLE CUTTER	NBT-MC-110B	GSD110B		1.Improved,High-performance	4PCS/CTN	110MM
					2. with metel bearing holder	G.W.: 16.5KGS	12000R/MIN
					3.1300W,high torque for cutter	CBM: 0.047	1300W



Nantong Newbeat Tools Co.,Ltd

ADD: TIANFEN INDUSTRIAL PARK ZONE, LVSI TOWN, QIDONG CITY, JIANGSU PROVINCE, CHINA
TEL/FAX: 0086 513 83292040 Email:Start-tools@foxmail.com Date: 2020-July-25th

MODEL NO.	ITEM 品名	Company Mod. 订货编号	Original Reference	Picture 图片	Advantage	Packing Info. 包装	Specification 参数
203021	MARBLE CUTTER	NBT-MC-110C	GSD115C		1.Improved,High-performance	4PCS/CTN	110MM
					2. with metel bearing holder	G.W.: 16KGS	12000R/MIN
					3.1450W,high torque for cutter	CBM: 0.047	1450W
203018	MARBLE CUTTER	NBT-MC-125A	GSD110C		1.Depth of Cut:125mm	4PCS/CTN	125MM
					2. with Side handle	G.W.: 16.5KGS	12000R/MIN
					3.1680W,high torque for cutter	CBM: 0.047	1680W
203003	MARBLE CUTTER	NBT-MC-125AX with degree	GSD110CX Bevel cutting suit for wood and stone		1.Depth of Cut :125mm with 45degree	4PCS/CTN	125MM
					2. with Side handle	G.W.: 18KGS	12000R/MIN
					3.1680W,high torque for cutter	CBM: 0.052	1680W
203035	MARBLE CUTTER	NBT-MC-125C	GSD110D 5° Bevel cutting suit for wood and stone		1.New Depth of Cut:125mm	4PCS/CTN	125MM
					2. with Side handle	G.W.: 20KGS	13000R/MIN
					3.1800W,high torque for cutter	CBM: 0.052	1800W
203031	MARBLE CUTTER	NBT-MC-150A	GSD150C		1.New Depth of Cut:150mm	4PCS/CTN	150MM
					2. with Side handle	G.W.: 16KGS	8300R/MIN
					3.1800W,high torque for cutter	CBM: 0.036	1680W
203032	SLOT CUTTER	NBT-SC-125A	GSD6 Six Blades		1. cutting 6 pcs slot cutter	4PCS/CTN	Width 26mm Depth:38mm
					2.Big torque with high power	G.W.: 20KGS	8200R/MIN
					3.Switch handle with rubble	CBM: 0.052	1800W
203005	CUT OFF MACHINE	NBT-CO-355A	LG355 Small Cover		1.Changeable LG355 model	1PCS/CTN	355MM
					2.Hi power 2100W	G.W.: 18KGS	3800R/MIN
						CBM: 0.08	2100W
203025	CUT OFF MACHINE	NBT-CO-355B	GSD355A Soft starting Bevel cutting		1.Industrial Quality 3200W	1PCS/CTN	355MM
					2.With soft starting,keep good balance when cutting	G.W.: 18KGS	3400R/MIN
					3.Rubber swtich handle	CBM: 0.08	3200W
204001	DEMOLITION HAMMER	NBT-DH-17A	HM 0810T BMC box		1.1 pcs point chisel,1 pcs flat chisel	2PCS/CTN	17MM
					2.aliminum connect rod	G.W.: 20KGS	2900T/MIN
					3.Rubber side handle		
204016	DEMOLITION HAMMER	NBT-DH-17B	0810 Aluminum head, 4 pcs screw cylinder		4.new type switch handle		
					5.power cord:2*0.75mm*2.5m	CBM: 0.055	1050W
					6.VDE Wire		
204016	DEMOLITION HAMMER	NBT-DH-17B	0810 Aluminum head, 4 pcs screw cylinder		1,0810T Aliminum barrel	2PCS/CTN	17MM
					2,4 pcs screw cylinder	G.W.: 19.56	2900T/MIN
					3,Iron box with color sleeve	CBM: 0.044	1050W
204033	DEMOLITION HAMMER	NBT-DH-17C	0810 Aliminum barrel		1.Improved quality	2PCS/CTN	17MM
					2,Aliminum barrel	G.W.:	2900T/MIN
					3,4 pcs screw cylinder	CBM: 0.044	1400W
204038	DEMOLITION HAMMER	NBT-DH-17D	MKS0830 (4 pcs srew)		1,0810T Aliminum barrel	2PCS/CTN	17MM
					2,4 pcs screw cylinder	G.W.:	2900T/MIN
					3,Iron box with color sleeve	CBM: 0.044	1200W
204034	DEMOLITION HAMMER	NBT-DH-17E	JY-0810T (new)		1,0810 type Aliminum barrel	2PCS/CTN	17MM
					2,4 pcs screw cylinder	G.W.:	2900T/MIN
					3,SDS-MAX	CBM: 0.044	1300W



Nantong Newbeat Tools Co.,Ltd

ADD: TIANFEN INDUSTRIAL PARK ZONE, LVSI TOWN, QIDONG CITY, JIANGSU PROVINCE, CHINA

TEL/FAX: 0086 513 83292040 Email: Start-tools@foxmail.com Date: 2020-July-25th

MODEL NO.	ITEM 品名	Company Mod. 订货编号	Original Reference	Picture 图片	Advantage	Packing Info. 包装	Specification 参数
204026	DEMOLITION HAMMER	NBT-DH-18A	0835 type SDS-MAX		1,0835 SDS-MAX	2PCS/CTN	18MM
					2, 5 MAX	G.W.: 21.28	2900T/MIN
					3,Iron box with color sheet	CBM: 0.046	1400W
204032	DEMOLITION HAMMER	NBT-DH-18B	0810 type Aliminim barrelSDS-MAX		1,0810 type Aliminim barrel	2PCS/CTN	18MM
					2,4 pes screw cylinder	G.W.: 21.3	2900T/MIN
					3,SDS-MAX	CBM: 0.046	1200W
204003	DEMOLITION HAMMER	NBT-DH-18C	11E		1.exchangealbe GSH11E	1PCS/CTN	18MM
					2.Hi-performance Heavy duty	G.W.: 15.82	900-1890T/MIN
					3,BMC box with color box	CBM: 0.046	1500W
204004	DEMOLITION HAMMER	NBT-DH-65A	PH65A		1.Exchangeable PH65A	1PCS/CTN	30MM
					2.Hi-performance Heavy duty	G.W.: 21.1	1400T/MIN
					3.Metel box foam with color box	CBM: 0.038	1240W
204008	DEMOLITION HAMMER	NBT-DH-65H	PH65H dongcheng long motor FF02-15		1.Hi-power ,dobule insulation	1PCS/CTN	30MM
					2.exchangealbe Dongcheng PH65A	G.W.: 22.56KGS	1400T/MIN
					3.Metel box foam with color box	CBM: 0.038	1500W
219012	CIRCULAR SAW	NBT-CS-185A	GSD180SL Plastic house with aluminun base		1.Hi-performance Heavy duty	4PCS/CTN	185MM
					2,aliminun base	G.W.: 19KGS	4500R/MIN
					3,Rubble switch handle	CBM: 0.065	1400W
219004	CIRCULAR SAW	NBT-CS-185B	GSD185SL		1.Hi-performance Heavy duty	4PCS/CTN	185MM
					2,aliminun base	G.W.: 18KGS	4500R/MIN
					3,Rubble switch handle	CBM: 0.055	1450W
219005	CIRCULAR SAW	NBT-CS-235A	GSD235ST		1.Hi-performance Heavy duty	2PCS/CTN	235MM
					2,aliminun base	G.W.: 18KGS	3800R/MIN
					3,Rubble switch handle	CBM: 0.055	2200W
219007	CIRCULAR SAW	NBT-CS-255A	GSD255SL		1.Hi-performance Heavy duty	2PCS/CTN	235MM
					2,aliminun base	G.W.: 18KGS	3800R/MIN
					3,Rubble switch handle	CBM: 0.055	2680W
219008	CIRCULAR SAW	NBT-CS-305A	GSD305SL		1.Hi-performance Heavy duty	2PCS/CTN	305MM
					2,aliminun base	G.W.: 18KGS	3100R/MIN
					3,Rubble switch handle	CBM: 0.055	2800W
206001	ELECTRIC MIXER	NBT-EM-160A	Dongcheng 0813 mixer good rod		1.exchanalbeDongcheng 0813 mixer	5PCS/CTN	16MM
					2.Good rod	G.W.: 16KGS	800R/MIN
						CBM: 0.042	1020W
206003	ELECTRIC MIXER	NBT-EM-160B	GSD160B Steering wheel type		1.Steering wheel type	2PCS/CTN	160MM
					2.with 2 handles eacy hold	G.W.: 16KGS	980R/MIN
						CBM: 0.042	1150W



Nantong Newbeat Tools Co.,Ltd

ADD: TIANFEN INDUSTRIAL PARK ZONE, LVSI TOWN, QIDONG CITY, JIANGSU PROVINCE, CHINA
TEL/FAX: 0086 513 83292040 Email:Start-tools@foxmail.com Date: 2020-July-25th

MODEL NO.	ITEM 品名	Company Mod. 订货编号	Original Reference	Picture 图片	Advantage	Packing Info. 包装	Specification 参数
206005	ELECTRIC MIXER	NBT-EM-160C	GSD160SJ Plastic house		1.Hi-performance Heavy duty	4PCS/CTN	160MM
					2.With 1good rod&1pes of adopt	G.W.: 16KGS	980R/MIN
					3.rubble switch handle	CBM: 0.042	1150W
206002	ELECTRIC MIXER	NBT-EM-160D	GSD160LJ With Speed		1.Hi-performance Heavy duty	4PCS/CTN	160MM
					2.With 1good rod&1pes of adopt	G.W.: 16KGS	980R/MIN
					3.rubble switch handle	CBM: 0.042	1150W
205004	ELECTRIC DRILL	NBT-ED-6.5A	Hitachi/dongcheng 6.5A		1.Dongcheng 6.5A	10PCS/CTN	6.5MM
					2.with high quality	G.W.: 13.5KGS	0-3800R/MIN
						CBM: 0.038	350W
205051	ELECTRIC DRILL	NBT-ED-6.5B	6.5 (Iron chuck)		1.Iron chuck	10PCS/CTN	6.5MM
						G.W.: 13.5KGS	0-3000R/MIN
						CBM: 0.038	400W
205025	ELECTRIC DRILL	NBT-ED-10A	10mm (Iron chuck) double gear		1.Iron chuck	10PCS/CTN	10MM
					2.double gear	G.W.: 13.5KGS	0-2200R/MIN
						CBM: 0.038	750W
205052	ELECTRIC DRILL	NBT-ED-10B	10mm (Iron chuck) single gear		1.double gear	10PCS/CTN	10MM
					2.single gear	G.W.: 13.5KGS	0-3000R/MIN
						CBM: 0.038	400W
205061	ELECTRIC DRILL	NBT-ED-10C	10mm Keyless NEW		1.double gear	10PCS/CTN	10MM
					2.single gear	G.W.: 13.5KGS	0-3000R/MIN
						CBM: 0.038	450W
205050	ELECTRIC DRILL	NBT-ED-16A	GSD16LS		1.Palstic housing	4PCS/CTN	16MM
					2.with side handle	G.W.: 13.5KGS	980R/MIN
					3.with switch rubble	CBM: 0.038	1150W
205031	ELECTRIC DRILL	NBT-ED-16B	GSD16LS		1.Plastic housing	4PCS/CTN	16MM
					2.with switch rubble	G.W.: 14.5KGS	980R/MIN
					3.adjust speed	CBM: 0.042	1150W
205005	IMPACT DRILL	NBT-EID-13A	MT1630		1.exchangeable makita HP1630	5PCS/CTN	13MM
					2.with side handle	G.W.: 14.5KGS	0-3200R/MIN
						CBM: 0.042	710W
205059	IMPACT DRILL	NBT-EID-13B	MB6604		1.Aluminum gear box	5PCS/CTN	13MM
					2.Virable speed switch	G.W.: 14.5KGS	0-3200R/MIN
						CBM: 0.042	850W



Nantong Newbeat Tools Co.,Ltd

ADD: TIANFEN INDUSTRIAL PARK ZONE, LVSI TOWN, QIDONG CITY, JIANGSU PROVINCE, CHINA
TEL/FAX: 0086 513 83292040 Email:Start-tools@foxmail.com Date: 2020-July-25th

MODEL NO.	ITEM 品名	Company Mod. 订货编号	Original Reference	Picture 图片	Advantage	Packing Info. 包装	Specification 参数
205059	IMPACT DRILL	NBT-EID-13B			1.Aluminum gear box 2.Virable speed switch	5PCS/CTN G.W.: 14.5KGS CBM: 0.042	13MM 0-3200R/MIN 710W
2140128	CORDLESS DRILL	NBT-CD-12A	5C/1300AMH		1.Direct charger 2. plastic box with color seelve 3.2Speeds with LED light	10PCS/CTN G.W.: 18.73KGS CBM: 0.042	10MM 0-350R/MIN Battery:1300mA*2pcs
2140141	CORDLESS DRILL	NBT-CD-12AT	5C/1300AMH		1.with twist drill: ø2.3.4.5.6 2. plastic box with color seelve 3.2Speeds with LED light	10PCS/CTN G.W.: 18.73KGS CBM: 0.042	10MM 0-350R/MIN Battery:1300mA*2pcs
2140106	CORDLESS DRILL	NBT-CD-12B	5C/1800AMH		1.machine with rubble 2.plastic box with color sleeve 3.2Speeds with LED light	10PCS/CTN G.W.: 18.73KGS CBM: 0.042	10MM 0-350R/MIN Battery:1800mA*2pcs
2140142	CORDLESS DRILL	NBT-CD-12BT	5C/1800AMH LED,machine with rubble ,plastic box with color sheet		1.with twist drill: ø2.3.4.5.6 2.one pcs bits with double header 3.stripe type small bits 10 pcs	10PCS/CTN G.W.: 18.73KGS CBM: 0.042	10MM 0-350R/MIN Battery:1800mA*2pcs
2140116	CORDLESS DRILL	NBT-CD-18A	5C/1300AMH 5串,直充0.8A		1.machine with rubber 2.green big plastic box with color sheet	5PCS/CTN G.W.: 12.28KGS CBM: 0.041	10MM 0-350R/MIN Battery:1300mA*2pcs
2140146	CORDLESS DRILL	NBT-CD-18AT	5C/1300AMH 5串,直充0.8A		1.18V with twist drill: ø2.3.4.5.6 2.one pcs bits with double header 3.stripe type small bits 10 pcs	5PCS/CTN G.W.: 12.28KGS CBM: 0.041	10MM 0-350R/MIN Battery:1300mA*2pcs
2140127	CORDLESS DRILL	NBT-CD-21A	5C/1800, machine with rubble 线充		1.21V,big motor,big card 2,digiral display 3.green big plastic box with color sheet	5PCS/CTN G.W.: 12.56KGS CBM: 0.04	10MM 0-350R/MIN Battery:1800mA*2pcs
2140147	CORDLESS DRILL	NBT-CD-21AT	5C/1800, machine with rubble 线充,21V,big motor,big card,digiral display		1.21V with twist drill: ø2.3.4.5.6 2.one pcs bits with double header 3.stripe type small bits 10 pcs	5PCS/CTN G.W.: 12.56KGS CBM: 0.04	10MM 0-350R/MIN Battery:1800mA*2pcs
21403003	CORDLESS IMPACT DRILL	NBT-CID-21A	21V/IMPACT		1,impact drill 2,with rubber	5PCS/CTN G.W.: 12.56KGS CBM: 0.04	10MM 0-350R/MIN Battery:1500mA*2pcs
21403004	CORDLESS DRILL SET	NBT-CID-21AT	5e/1500AMH with rubber 21V /IMPACT		1,impact drill 2,big motor 3,bigger card 4,have twist drill:ø2.3.4.5.6mm 5,Cement drill bits 6,8,10mm (4.7) 6,have one pcs bits with double header 7,stripe type small bits 10 pcs	5PCS/CTN G.W.: 12.56KGS CBM: 0.04	10MM 0-350R/MIN Battery:1500mA*2pcs
2140115	Cordless Brushless IMPACT WRENCH	NBT-CIW-21A	without rubble, 牧田插脚,		1, 21V, 2, spindle with hole 3,plastic box with color sheet 4.1 pcs bits with double header	5PCS/CTN G.W:16.38 CBM:0.038	0-3000r/min;0-3300r/min Max Fastenging Torque:330N.m Battery:21V/3.0Ah*2pcs
	Cordless Brushless IMPACT WRENCH	NBT-CIW-21AT	5C/2000AMH Tool kits,machine without rubble		1.5 pcs 38mm sleeve, 14, 17, 19, 24, 22 (60mm) ,1 pcs 10mm chuck,1 pcs connect rod, 2,1 pcs all-purpose sleeve, 3,1 pcs bits with double header,1 pcs bag,25g Grease	5PCS/CTN G.W:16.38 CBM:0.038	0-3000r/min;0-3300r/min Max Fastenging Torque:330N.m Battery:21V/4.0Ah*2pcs
2140105	Cordless Brushless IMPACT WRENCH	NBT-CIW-21B	With rubble 5C/2000, 座充		1, 21V 2,plastic box with color sheet 3.with grip rubble handle	5PCS/CTN G.W:17.48 CBM:0.048	0-3000r/min;0-3300r/min Max Fastenging Torque:330N.m Battery:21V/4.0Ah*2pcs



Nantong Newbeat Tools Co.,Ltd

ADD: TIANFEN INDUSTRIAL PARK ZONE, LVSI TOWN, QIDONG CITY, JIANGSU PROVINCE, CHINA

TEL/FAX: 0086 513 83292040 Email:Start-tools@foxmail.com Date: 2020-July-25th

MODEL NO.	ITEM 品名	Company Mod. 订货编号	Original Reference	Picture 图片	Advantage	Packing Info. 包装	Speticification 参数
	Cordless Brushless IMPACT WRENCH	NBT-CIW-21BT	With rubble 5C/2000, 座充		1,5 pcs 38mm sleeve, 14, 17, 19, 24, 22 (60mm) ,1 pcs 10mm chuck,1 pcs connect rod, 2,1 pcs all-purpose sleeve, 3,1 pcs bits with double header,1 pcs bag,25g Grease	5PCS/CTN G.W:17.48 CBM:0.048	0-3000r/min;0-3300r/min Max Fastenging Torque:330N.m Battery:21V/4.0Ah*2pcs
21404006		NBT-CAG-115CA	21V 9553 Brushless		1,2000Amh/5C,21V, 2,9553 model cordless angle grinder, 3,big desktop charger,big elecircuit board,high of 30mm, 4,CNC gear, 5,Accessory:side handle, Injection screw,black wrench,100mm green color disc blade, 6,color	5PCS/CTN G.W:11.32 CBM:0.055	115MM Battery:21V,2000Amh/5C*2pcs
21404007		NBT-CAG-115CB 2000Amh/10C	21V 9553 Brushless		1,2000Amh/10C,21V, 2,9553 model cordless angle grinder,big desktop charger 2.0A,big elecircuit board, 3,high of rotor 30mm, 4,CNC gear, 5,Accessory : side handle, Injection screw,black wrench,115mm green color disc blade,disc cover, 6,color sheet	5PCS/CTN G.W: 11.32 CBM:0.055	115MM Battery : 21V/2000Amh/10C*2pcs
201016	Cordless Brushless Rotary Hammer	NBT-CRH-26A	10C/2000AMH 大座充2.0A		1,21V Brushless 2,6.8.10mm drill bits,2 pcs chisel 14*250 3,side handle,BMC with color sheet	2PCS/CTN G.W:11.32 CBM:0.055	26MM Battery:10C/2000AMH*2pcs
21408002	Cordless Brushless Rotary Hammer	NBT-CRH-26B	10C/2000AMH JY-0828A 大座充2.0A		1,21V Heavy Duty 2,6.8.10mm drill bits,2 pcs chisel 14*250 3,side handle,BMC with color sheet	2PCS/CTN G.W:11.32 CBM:0.055	26MM Battery:10C/2000AMH*2pcs
	Cordless Reciprocating Saw	NBT-CSS-21A	5C/1500, charger 1.5A		1,with 1 pcs wood saw 2,with 1 pcs iron saw	PCS/CTN G.W: CBM:	Battery:5C/1500AMH*2pcs
2140115	Cordless Brushless Chain	NBT-CC-16A	42V,5016		1,42V Brushless chain 2,5200Amh 3,desktop charger	2 PCS/CTN G.W: CBM:	Battery:5C/1500AMH*2pcs
217009	BLOWER	NBT-EB-40A	550W		1.six-step adjust speed 2.with stronger motor housing 3.with virable speed	8PCS/CTN G.W: CBM:	5.5Kpa 1600R/MIN 600W
208001	ELECTRIC PLANER	NBT-EP-82A	1900B		1,new material housing 2,Pated planner knife 3.Color Box with foam	4PCS/CTN G.W.: 21KGS CBM: 0.057	82MM 16000R/MIN 600W
208004	ELECTRIC PLANER	NBT-EP-82B	2510		1,electric planer 2,Color Box with foam	4PCS/CTN G.W.: 21KGS CBM: 0.057	82MM 16000R/MIN 750W
	ELECTRIC PLANER	NBT-EP-82C	牧科191		1,electric planer 2,Color Box with foam	4PCS/CTN G.W.: 21KGS CBM: 0.057	82MM 16000R/MIN 600W



Nantong Newbeat Tools Co.,Ltd

ADD: TIANFEN INDUSTRIAL PARK ZONE, LVSI TOWN, QIDONG CITY, JIANGSU PROVINCE, CHINA
TEL/FAX: 0086 513 83292040 Email:Start-tools@foxmail.com Date: 2020-July-25th

MODEL NO.	ITEM 品名	Company Mod. 订货编号	Original Reference	Picture 图片	Advantage	Packing Info. 包装	Specification 参数
227001	JIG SAW	NBT-JG-80A	MAKITA 4328 Adjust speed		1.Housing with rubber,NB green color 2.Accessory : Hexagon wrench,one set carbon brush	PCS/CTN G.W.: KGS	MM R/MIN
						CBM:	W
231003	ELECTRIC HEAT GUN	NBT-HG-2000A	HEAT GUN		1.2000W 2.constant temperature heat gun	5PCS/CTN G.W.:	
					3. 9 Function Heat adjust,	CBM:	2000W
231004	ELECTRIC HEAT GUN	NBT-HG-2000B	YB2000W SET 5 sets Tools		1.2000W 2.constant temperature heat gun	5PCS/CTN G.W.:	
					3.Accessory :	CBM:	2000W
201002	ROTARY HAMMER	NBT-RH-20A	GBH2-20		1.Hi-performance Heavy duty 2.with 3drills	4PCS/CTN G.W.: 18KGS	20mm 0-850R/MIN
					3.BMC box with color box	CBM: 0.055	500W
201003	ROTARY HAMMER	NBT-RH-26A	GBH2-26		1.Hi-performance Heavy duty 2.with 3drills ,2chisels	4PCS/CTN G.W.: 18KGS	26mm 0-850R/MIN
					3.BMC box with color box	CBM: 0.055	850W
201030	NBT-RH-26B	NBT-RH-26B	Dongcheng03-26		1.SDS ,3pcs drill bits6.8.10mm,2 pcs chisels 14*250mm 2.Power wire:2*0.75*2.2M	PCS/CTN G.W.: KGS	26mm 0-850R/MIN
					3,one pcs oil pot,one set gloves	CBM:	950W
225007		NBT-LL-2B	Green rays		2 lines	8PCS/CTN 2LINES Green Battery	 2LINES Green Battery
225003		NBT-LL-5A	Green rays		5 lines	8PCS/CTN 5Lines Geen Battery	 2LINES Green Battery
225006	LASER LEVEL	NBT-LL-5B	Green rays		5 lines	8PCS/CTN 5Lines Geen Battery	 2LINES Green Battery
225004	LASER LEVEL	NBT-LL-12A	Blue rays		12 lines	8PCS/CTN 12Lines Green Battery	 2LINES Green Battery
117173	STAND OF LASER LEVEL		1. 2M		1.2M	30PCS/CTN G.W.: CBM:	
207001	Diamond Core Drill	NBT-DCD-200A	200A new materials housing		1,Stand length 90mm 2,side handle 3,with water pipe and water tap	1PCS/CTN G.W.: CBM:	 3800W



Nantong Newbeat Tools Co.,Ltd

ADD: TIANFEN INDUSTRIAL PARK ZONE, LVSI TOWN, QIDONG CITY, JIANGSU PROVINCE, CHINA
TEL/FAX: 0086 513 83292040 Email:Start-tools@foxmail.com Date: 2020-July-25th

MODEL NO.	ITEM 品名	Company Mod. 订货编号	Original Reference	Picture 图片	Advantage	Packing Info. 包装	Speicification 参数
207004	Diamond Core Drill	NBT-DCD-250A	250A new materials housing		1.Stand 90mm 2.side handle 3.with water pipe and water tap	1PCS/CTN G.W.: CBM:	3800W
207002	Diamond Core Drill	NBT-DCD-300A	300A new materials housing		1.Stand 90mm 2.side handle 3.with water pipe and water tap	1PCS/CTN G.W.: CBM:	3800W
235001	HIGH PRESSURE AIRLESS SPRAYER	NBT-AS-4500	AS 4500		Piston type	1PCS/CTN G.W.: CBM:	220v-240v ,50Hz 3000PSI 1600W
235002	HIGH PRESSURE AIRLESS SPRAYER	NBT-AS-9900	AS9900		Diaphragm type	1PCS/CTN G.W.: CBM:	220v-240v ,50Hz 2800W
209001	Welding Machine	NBT-MMA-200BP	120A 塑壳		120A Plastic housing	1PCS/CTN G.W.: CBM:	220v-240v ,50Hz
209002		NBT-MMA-200CP	140A 塑壳		140A Plastic housing	1PCS/CTN G.W.: CBM:	220v-240v ,50Hz
209005		NBT-MMA-250BP	160A 塑壳		160A Plastic housing	1PCS/CTN G.W.: CBM:	220v-240v ,50Hz
209007		NBT-MMA-315BP	200A 塑壳		200A Plastic housing	1PCS/CTN G.W.: CBM:	220v-240v ,50Hz
209008		NBT-MMA-315CP	250A 塑壳		250A Plastic housing	1PCS/CTN G.W.: CBM:	220v-240v ,50Hz
119127		NBT-LPA-18A	Adport Li battery		250A Plastic housing	1PCS/CTN G.W.: CBM:	220v-240v ,50Hz

NEW ITEMS

NBT-AG-100BC



wattage:1100w
disc size :100/115mm
no-load speed11000rpm/min

NBT-AG-E9913



wattage:850w
disc size :100/115mm
no-load speed10000rpm/min



Nantong Newbeat Tools Co.,Ltd

ADD: TIANFEN INDUSTRIAL PARK ZONE, LVSI TOWN, QIDONG CITY, JIANGSU PROVINCE, CHINA

TEL/FAX: 0086 513 83292040 Email:Start-tools@foxmail.com Date: 2020-July-25th

MODEL NO.	ITEM 品名	Company Mod. 订货编号	Original Reference	Picture 图片	Advantage	Packing Info. 包装	Speicification 参数
		NBT-AC-30L			Rated Voltage220V-240V Frequency50-60Hz No-load Speed1400r/min Tank Volume30L Input Power750W*2 128L/min Work Pressure0.8MPa Out Dimension 54*30*56cm		
		NBT-AC-50L			Rated Voltage220V-240V Frequency50-60Hz No-load Speed1400r/min Tank Volume30L Input Power850W*2 280L/min Work Pressure0.8MPa Out Dimension 70*35.5*66cm		
		NBT-CAG-100KT			battery: 21v/4.0mah*2 size: 100mm/115mm no-load speed: 1500/3500/7000rpm/min		
		NBT-CID-21KT			RatedVoltage: 21V Torque:16-30N.m No-Load Speed: I: 0-350rpm/min II: 0-1400rpm/min		
		NBT-CID-12KT			RatedVoltage: 12V Torque:16-30N.m No-Load Speed: I: 0-350rpm/min II: 0-1400rpm/min		
		NBT-CT-135			Battery: 12V/1.3mah*2 Diameter:135mm sucking diameter:112mm max sucking weight 1.50kgs vibration rate:2800-5500r/min		
		NBT-CB-2.0A			battery :21V /4.0AH*2 no-load speed:14500r/min wind voume:2.2m³/min		
		NBT-CIS-21B			Battery 21V/3.0AH*2 Square Drive Size:12.7mm/1/2" Rated Impact Frequency: 0-3300/min Max Fastening Torque: 330N.m Made in china		
		NBT-CD-16B			RatedVoltage: 16V Torque:16-30N.m No-Load Speed: I: 0-350rpm/min II: 0-1400rpm/min		
		NBT-EB-30A			Voltage:220-240V rated frequency:50-60hzh wattage:550w no-load speed:19500r/min wind voume:2.8m³/min		
		NBT-EIW-20C			Rated Voltage:22-240V Rated Frequency:50-60Hz Rated Input Power:450W No-Load Speed:1900r/min Square Driver:12.7*12.7mm (1/2") Max.Fastening Torque:260N.m		



Nantong Newbeat Tools Co.,Ltd

ADD: TIANFEN INDUSTRIAL PARK ZONE, LVSI TOWN, QIDONG CITY, JIANGSU PROVINCE, CHINA

TEL/FAX: 0086 513 83292040 Email: Start-tools@foxmail.com Date: 2020-July-25th

MODEL NO.	ITEM 品名	Company Mod. 订货编号	Original Reference	Picture 图片	Advantage	Packing Info. 包装	Speicification 参数
		NBT-EIW-22C			Rated Voltage:22-240V Rated Frequency:50-60Hz Rated Input Power:600W No-Load Speed:1800r/min Square Driver:19*19mm(3/4") Max.Fastening Torque:600N.m		
		NBT-CS-583			Model HR583 7 in 185mm Max Kedalaman potong 66mm 90 derajat 44mm 45derajat Kecapatan: 4900RPM/min		
		NBT-MP-10m			NBT-MP-10M mini size rubber dust cap powerful 10 meters		