


振宇丝网

Zhenyu Wiremesh



海 / 无 / 边 / 诚 / 做 / 舟 / 产 / 品 / 无 / 最 / 质 / 为 / 峰



安平县振宇金属丝网制造有限公司

振宇丝网

ANPING COUNTY ZHENYU METAL MESH PRODUCTS CO.,LTD.



企业简介 Brief Introduction

河北安平县振宇金属丝网制造有限公司创建于2005年，本公司是改制后的一家综合生产型企业，前身为安平县利菲彤电焊网厂，现今主要从事金属丝网，丝网制品的生产和国内外贸易，属于工贸一体型企业。其座落于河北省安平县严疃工业区，是一家专业制造和销售五金丝网制品的大型生产企业。主营：电焊网、网片、不锈钢网、方眼网、轧花网、勾花网、六角网、钢板网、冲孔网、护栏网、刺绳、刀片刺绳、金属丝等丝网制品及电焊网机、钢板网机、丝网编织机和打轴机。

我公司产品广泛应用于国防、工业、铁路、公路、煤碳、矿山、机械、纺织、造纸、食品、医药、养殖、海洋、航空、石油、化工、建筑材料、农副业、园林、公园、商场、电子、家电等工业部门和科研领域的防护筛选装饰等产品销往全国各地，同时出口到欧洲、中东、东南亚、香港等许多国家和地区，优质的产品质量和最具竞争力的价格赢得了国内外客户的好评和赞誉。多年来我司奉行“以质量求生存、以信誉求发展”的企业宗旨，坚持“质量第一、用户第一、诚信第一”的发展意识，在丝网行业中持续创造佳绩，在新老客户中不断取得信赖。


我们始终坚持以质量求发展，以产品求信誉，以优质的产品满足顾客的要求。我们实实在在做生意，在每一次合作时，我们以真诚的态度，高质量的服务，最快的速度提供我们的产品。我们配备有先进的测试仪器及设备，根据市场的需求开发新的产品，可根据顾客的要求加工开发产品，强大的研发实力使我们每天都在创新，相信能够满足您的需求。

Hebei Province Zhenyu Metal Mesh Products Company is located in "the hometown of wire mesh"—Anping county. Our company is specialized in producing welded wire mesh, panel, stainless steel wire mesh, square wire mesh, hexagonal wire mesh, aluminum alloy window screen, chain link fence, barbed wire and galvanized wire. Besides, we can produce the machines: welded wire mesh machine, expanded metal machine, wire mesh weaving machine and wire rewinding machine.

We follow the policy of "the quality first, customer be highest, timely delivery, reasonable price, excellent service" in doing business with the clients. And we are in the light of the production principle of "the quality strives for existence, the prestige strives for a development" to win the trust of the large lately old customer. For Many years, with the forerunners technique, lead hard quality, good prestige, superior quality of service, we build up the firmness relation of providing goods with large customers. At present, our products are widely exported to the USA, Germany, Australia, Saudi Arabia, Egypt, India, Japan and Korea.

We have the advanced equipment, the consummate craft and the scientific examination methods. The products are strictly examined according to the international standard. We are sincerely hoping to build up a close trade relationship on the base of equal benefit and honest cooperation at home and abroad

创中国名牌/建设一流企业 立足金属丝网/诚信服务全球



WELDED WIRE MESH

电焊网

电焊网是用优质的低碳钢铁丝或不锈钢丝自动焊接而成,产品具有焊接点牢固,网面平整,网目均匀、局部机加工性能良好、机械化生产,日产量大等优点,并且具有稳定、防腐、防蚀性好、美观、用途广泛等特点。

电焊网广泛用于工农业建筑,交通及矿业。常用作家禽围栏、鸡蛋筐、家禽围场、排水架、水果汁过滤、护栏等。

Electro Gal Welded Wire Mesh

We supply welded wire mesh electro galvanized, in the forms of rolls or panels, for construction, fences and other industrial uses. It enjoys the feature of corrosion resistance compared with plain welded wire mesh. Mainly used as fencing panels or further fabricated into wire partitions, wire container panels, wire baskets, welded wire fences, poultry fences and other welded products.

Hot Dipped Gal Welded Wire Mesh

This kind of welded wire mesh is made with plain steel wire welded together in square opening, then going through the hot dipped zinc coating process. Application: Suitable product for constructing animal cages, enclosure works, fabricating of wire containers and baskets, grills, partitions, machine protection fences, gratings and other construction applications. Hot dipped zinc coated welded wire mesh is made in accordance to English.

PVC Coated Welded Wire Mesh

PVC coated welded wire mesh is made of quality welded low carbon steel wire mesh galvanized before, then coated with PVC powder or PE powder. The coated layer is even, strong adhere siveness and bright luster with long live good anti-corrosive property. All kinds of colors can be coated according to customers' special requirements.

Welded Wire Mesh Panels

Welded Wire Mesh Panels is made of superior quality welded mesh, with flat even surface, firm structure, be used extensively in building, food, agriculture and so on. Assortments available: Welded Stainless Steel Wire Mesh Panels Galvanized Welded Mesh Panels Hot-dip Zinc Plating Welded Mesh Panels.

Heavy Type Welded Wire Mesh

We offer heavy type welded wire mesh panels including steel bar welded wire mesh. Wire diameter for welded steel bar panels ranges from 5mm to 16mm. Welded bar panels opening: 75mm to 300mm. Panel length: 100cm to 1400cm. Panel width: 100cm to 300cm.



Specification List of Welded Wire Mesh		
Opening		Wire Diameter<BWG>
In inch	In metric unit(mm)	
1/4" x 1/4"	6.4mm x 6.4mm	22,23,24
3/8" x 3/8"	10.6mm x 10.6mm	19,20,21,22
1/2" x 1/2"	12.7mm x 12.7mm	16,17,18,19,20,21,22,23
5/8" x 5/8"	16mm x 16mm	18,19,20,21,
3/4" x 3/4"	19.1mm x 19.1mm	16,17,18,19,20,21
1" x 1/2"	25.4mm x 12.7mm	16,17,18,19,20,21
1-1/2" x 1-1/2"	38mm x 38mm	14,15,16,17,18,19
1" x 2"	25.4mm x 50.8mm	14,15,16
2" x 2"	50.8mm x 50.8mm	12,13,14,15,16

Technical Note:
1. Standard roll length: 30m; width: 0.5m to 1.8m
2. Special sizes available at request
3. Packing: in waterproof paper in rolls. Custom packing available at request.

Galvanized Fencing Mesh		
Opening		Wire Diameter<BWG>
In inch	In metric unit(mm)	
2" x 3"	50mm x 75mm	2.0mm, 2.5mm, 1.65mm
3" x 3"	75mm x 75mm	2.67mm, 2.41mm, 2.11mm, 1.83mm, 1.65mm
2" x 4"	50mm x 100mm	2.11mm, 2.5mm
4" x 4"	100mm x 100mm	2.0mm, 2.5mm

Technical Note:
1. Standard roll length: 30m; width: 0.5m to 1.8m
2. Special sizes available at request
3. Packing: in waterproof paper in rolls. Custom packing available at request.

PVC Coated Welded Mesh		
Opening		Wire Diameter<BWG>
In inch	In metric unit(mm)	
1/2" x 1/2"	12.7mm x 12.7mm	16,17,18,19,20,21
3/4" x 3/4"	19mm x 19mm	16,17,18,19,20,21
1" x 1"	25.4mm x 25.4mm	15,16,17,18,19,20

Technical Note:
1. Standard roll length: 30m; width: 0.5m to 1.2m
2. Special sizes available at request
3. Packing: in waterproof paper in rolls. Custom packing available at request.

电焊网片

WELDED WIRE MESH PANELS

电焊网片是用优质低碳钢铁丝自动碰焊而成具有焊接点牢固，网面平整，机械化生产，日产量大等优点，网面平整、网目均匀、焊点牢固、局部机加工性能良好、稳定、防腐、防蚀性好电焊网，具焊接牢固、美观、用途广泛等特点。电焊网广泛用于工农业建筑，交通及矿业。常用作家禽围栏、鸡蛋篮、家禽围场、排水架、水果汁过滤、护栏等。

Welded Wire Mesh Panels is made of superior quality welded mesh, with flat even surface, firm structure, be used extensively in building, food, agriculture and so on.

Wire Diameter: 2mm-6mm (BWG14-BWG4)






Aperture: 1"-8"

Assortments available:

Welded Stainless Steel Wire Mesh Panels

Galvanized Welded Mesh Panels

Hot-dip Zinc Plating Welded Mesh Panels



烧烤网


BARBECUE GRILL NETTING

材料：不锈钢丝、低碳镀锌丝。

编制及特点：编焊而成；耐高温不变形、不生锈、无毒无味、使用方便，其形状分圆形、方形、弧形等。

用途：用于面食、肉食等的烧烤。

Wire mesh used for roast is weaved and welded of stainless steel wire or low carbon galvanized wire, it has the weaving and characteristics: high-temperature-resisting, fixed shape, corrosion-resisting, nonpoisonous, tasteless, used conveniently, it can roast, wheaten food meat, etc. The shapes include round, square, curve, etc.



轧花网

CRIMPED WIRE MESH



轧花网/方眼网：根据材质不同还可称为铝轧花网、铁轧花网、钢轧花网、不锈钢轧花网。轧花网轧花网/方眼网是由轧花轮对各种金属丝轧花后由编织机编织而成的方形网孔具有多种用途的筛网产品。

材料：铁丝、高锰钢丝、镀锌铁丝、黑钢丝、镀锌钢丝 30MnSi, 65Mn、铜丝、不锈钢丝等各种有色金属。

编织方法：先轧后编制。

轧花形式：双向隔波弯曲、双向弯曲、双向紧缩弯曲、平顶弯曲。





特点：结构美观，坚固耐用。

用途：多用于矿山、采石场、煤矿、建筑、石油化工、建筑机械。

Material: Iron wire.

Weaving Pattern: Weaving after crimping

General Use: Crimped wire mesh is used in screening in mine, coal factory, construction and other industries. Some galvanized crimped wire mesh and stainless steel crimped wire mesh are for roasting of flour food and meat.



wire diameter	aperture
5.0mm-4.0mm	6mm-20mm
4.0mm-3.0mm	5mm-15mm
3.0mm-2.0mm	1.8mm-10mm
2.0mm-1.0mm	1.1mm-8mm
1.0mm-0.4mm	0.8mm-5.5mm

方眼网

SQUARE WIRE MESH

材质：由低碳铁丝、镀锌铁丝、不锈钢丝、铜丝及铝丝等制成

特点：结构精密，网眼均匀，抗腐蚀性好和结实耐用等特点。

种类：波形(卷曲)方眼网 标准方眼网 铁丝网 织后热浸镀锌方眼网 织前电镀方眼网 织后电镀方眼网。

用途：广泛用于工业及建筑业，筛选砂粒，过滤液体及气体。还可用于机械附件的安全防护等。而且它还可用来代替木条制作墙壁及天花板

Material: Galvanized iron wire, or stainless steel wire



Wire Gauge: BWG38-BWG16

Mesh: 3mesh-60mesh

Property: Square Wire Mesh is made of selected low carbon iron wire with precision construction, uniform mesh, fine rust-resisting and durable function.

Packing: In rolls, wrapped with waterproof paper then covered with hessian-cloth. Special packing may be arranged if necessary.

Uses: Square Wire Mesh is widely used in industries and constructions to sieve grain powder, filter liquid and gas, for other purposes like safe guards on machinery enclosures. Besides, it is widely applied for the substitute of wood strips in making wall and ceiling.



不锈钢网主要用于酸、碱环境条件下筛分和过滤，石油工业作泥浆网、化工化纤工业作筛滤网、电镀工业作酸洗网，气体、液体过滤和其它介质分离用。一般采用不锈钢网丝、镍丝、黄铜丝为材料。金属丝编织密纹网中纬丝紧密排列，有平纹编织，斜纹编织，平纹荷兰编织，斜纹荷兰编织，反向荷兰编织五种方法。不锈钢网的规格20目-630目。

不锈钢网具有过滤性能稳定、精细等特点。也可根据用户需要设计制作各种型号的不锈钢网产品。不锈钢耐热、耐酸、耐腐蚀、耐磨损。正因为这些特性，不锈钢丝网才广泛用于矿业、化工、食品、医药等行业。

Stainless steel :Stainless steel is selected for their wear-resisting, heat-resisting, acid-resisting and corrosion resisting characteristics. Many different grades of stainless are used in wire cloth. T304 is the most common, but other are used in specific applications to take advantage of each grade's unique properties. The wire mesh made of stainless steel is extensively used in mining , chemical industry, food industry and pharmaceutical industry.

Materials: 304,304L,316,316L,Wire Diameter:0.018mm-1.6mm,Mesh:4mesh-635mesh

Plain weave: Each weft wire passes over one and under one warp wire, and each warp wire passes over one and under one weft wire, every weft wire have and warp wire the same diameter.

Characteristics: square aperture ,high flow through , relative high open area, as result less pressure drop during filtration suitable for all kinds of filtration up to 63 μm.

不锈钢网

STAINLESS STEEL WIRE MESH



铜丝网


BRASS WIRE MESH

材料：黄铜丝、紫铜丝、磷铜丝。

编织及特点：平织或斜织而成。


用途：用于各种颗粒粉末、瓷土及玻璃器印花的过滤液体、气体等。

Materials:brass wire,red copper wire,phosphor bronze wire.Weaving and characteristics:plain weaving or twill weaving.Uses:used in all kinds of liquid and gas filter of powder,porcelain clay and glass print.



六角网

HEXAGONAL WIRE MESH



材质：低碳钢丝、不锈钢丝。编织：正捻、反捻、双向搓捻、先编后镀、先镀后编，又分热镀锌、电镀锌、PVC涂塑等。特点：结构坚固，表面平坦，具有良好的防腐蚀、抗氧化等特点。

用途：用于饲养鸡、鸭、鹅、兔及动物园围栏，机械设备的防护，高速公路护栏，体育场所围网，马路绿化带防护网。该丝网在制作成箱子状的容器后，用乱石等填满网箱，可用于保护和支持海堤、山坡、路桥、水库及其他土木工程，是防洪和抗洪上好材料

Material: Quality low carbon steel wire, stainless steel wire.

In normal twist: Mesh: 3/8"4" Wire Gauge: BWG27-BWG14

In reverse twist: Mesh: 1"-3" Wire Gauge: BWG22-BWG18


Weaving pattern: Normal twist, reverse twist

Process: Electric galvanizing or hot dipped zinc plating after weaving; galvanized before weaving

Variety available: Galvanized hexagonal mesh, hot dipped zinc plating hexagonal mesh, PVC coated hexagonal mesh, enameled hexagonal mesh, stainless steel hexagonal mesh

Advantage: Good corrosion resistance, anti-oxidizing

Use: As reinforcement, protection and heat preservation material in construction, petroleum, chemical industry, breeding, garden fencing and foodstuff industry.



勾花网

CHAIN LINK FENCE

勾花网材料：优质低碳钢丝、镀锌丝、不锈钢丝、PVC涂塑丝
勾花网编织及特点：勾编而成；编织简洁、安装拼接灵活、美观实用。产品易于施工，颜色亮丽，易保养，是美化城市环境工程的首选产品。
勾花网用途：主要用于休闲体育广场、篮球场、公园、花园、绿地及停车位、建筑、河道、边坡固定泥土（岩石）、住宅的安全防护等。
涂塑丝斜方网（菱形网） 镀锌丝斜方网（菱形网） 铝合金丝斜方网（菱形网） 不锈钢丝斜方网（菱形网）

宽度：3'、4'、5'、6'、7'、8'

规格：1"、2"、3"、4"、5"

金属丝：8#-20#

Material: Low carbon steel wire, stainless steel wire, aluminum alloy wire.

Weaving: Woven diamond pattern provides strong, durable and flexible construction. The closely spaced diamond mesh construction gives your fence linear strength and springy texture to protect horses from injury and prevent predators from entering paddocks and pastures.

Uses: Diamond mesh is used as fencing for sports field, river banks, construction and residence, also animal fencing.

Benefits: Low carbon steel diamond mesh has a heavy galvanized coating to ensure a long life. The Diamond Mesh wire construction is: strong; safe and flexible; does not break; does not sag or roll up at the bottom.



电话[Tel]: +86-318-5280065 +86-318-7060618

传真[Fax]: +86-318-7060518 手机[Mob]: +86-13623385025

网址[Web]: www.zy-wiremesh.com 邮箱[E-mail]: sales@zy-wiremesh.com

振宇丝网

Zhenyu Wiremesh

刺绳

BARBED WIRE

刺绳引由全自动化的刺绳机拧编而成。民间俗称铁蒺藜。
 成品种类：单丝拧编和双丝拧编。
 原材料：优质的低碳钢丝[电镀锌，热镀锌，涂塑，喷塑]丝，有蓝、绿、黄等颜色。
 用途：用于草场边界、铁路、高速公路的隔离防护等。
 Wire Materials: Galvanized steel wire, PVC coated iron wire in blue, green, yellow and other colors. General Use: Barbed Wire mainly serves in protecting of grass boundary, railway, highway, etc. Typical modern agricultural barbed wire.



Gauge of Strand and Barb in B.W.G.	Approximate Length per Kilo in Meter			
	Barbs Spacing 3"	Barbs Spacing 4"	Barbs Spacing 5"	Barbs Spacing 6"
12x12	6.0617	6.7590	7.2700	7.6376
12x14	7.3335	7.9051	8.3015	8.5741
12-1/2x12-1/2	6.9223	7.7190	8.3022	8.7221
12-1/2x14	8.1096	8.814	9.2242	9.5620
13x13	7.9808	8.899	9.5721	10.0553
13x14	8.8448	9.6899	10.2923	10.7146
13-1/2x14	9.6079	10.6134	11.4705	11.8553
14x14	10.4569	11.6590	12.5423	13.1752
14-1/2x14-1/2	11.9875	13.3671	14.3781	15.1034
15x15	13.8927	15.4942	16.6666	17.5070
15-1/2x15-1/2	15.3491	17.1144	18.4060	19.3386



刀片刺绳

RAZOR BARBED WIRE









Razor Barbed Wire is a kind of modern security fencing materials fabricated with razor-sharp steel blade and high-tensile wire. Razor Barbed Wire can be installed to achieve the result of frightening and stopping to the aggressive perimeter intruders, with piecing and cutting razor blades mounted at the top of the wall, also the special designs making climbing and touching extremely difficult.
 Material: Galvanized blade, stainless steel blade.
 Characteristic: Compact and rational structure, high safety factor, for the protection of prison and key project etc.

刀片刺绳也称为刀片刺丝、刀片刺网，是一种新型防护网。刀片刺绳具有美观、经济实用、防阻效果好、施工便利等优异特点，刀片刺绳已被广泛应用于许多国家的工矿企业，园林公寓，边防哨所，军事领域，监狱，看守所，政府建筑物和其他国家的安全设施。

刀片刺绳按照安装方法不同可分为：(蛇腹式)螺旋式刀片刺绳，直线型刀片刺绳，平板式刀片刺绳，刀片刺绳焊接网等。刀片刺绳按结构分为螺旋型、直线型、螺旋交叉型三种形式。



Razor Blade Type and Specification (刀片规格)						
Reference Number	Blade Style	Thickness	Wire Dia	Barb Length	Barb Width	Barb spacing
BTO-12		0.5 ± 0.05	2.5 ± 0.1	12 ± 1	15 ± 1	26 ± 1
BTO-15		0.5 ± 0.05	2.5 ± 0.1	15 ± 1	15 ± 1	33 ± 1
BTO-22		0.5 ± 0.05	2.5 ± 0.1	22 ± 1	15 ± 1	34 ± 1
BTO-30		0.5 ± 0.05	2.5 ± 0.1	30 ± 1	18 ± 1	45 ± 1
CBT-60		0.6 ± 0.05	2.5 ± 0.1	60 ± 2	32 ± 1	100 ± 2
CBT-65		0.6 ± 0.05	2.5 ± 0.1	65 ± 2	21 ± 1	100 ± 2

冲孔网

PERFORATED MESH



别名：圆孔、方孔、三角孔、人字孔、梅花孔、十字孔、百叶孔、六角孔、椭圆孔等各种异形冲孔网。

材料：低碳钢板，不锈钢板，铜板，镍板，铝板等。


特性：网面平整，光滑，美观，坚固耐用有广的用途。

规格：卷板1X20M，平板1.5×2.5M，板厚0.2-15mm

编制：冲压而成。

用途：矿山，医药，粮食筛选，室内隔音，消音，粮库通风，机械防护。冲孔网产品可根据用户所需规格型号，提供图纸均可顶做生产

Stainless steel board, aluminium board, cold-hot steel board, copper board, fibre board, plastic board. Lightweight, Versatile, Easily customized, and Beautiful designs. Long hole, Square Hole, Circular Hole, Triangle Hole, Hexagon Hole, Fish scale Hole, Draw the heterotypic Hole, specifications and size can be produced as clients' requirements.



钢板网

EXPANDED METAL MESH

材质：低碳钢薄板、铝板、不锈钢板、铝镁合金板、铜板、镍板。


用途：广泛用于公路、铁路、民用建筑、水利等建设；各种机械、电器、窗户的防护及养殖等。我公司可根据客户具体要求，加工定做各种特殊规格产品；同时承接来料加工

Expanded metal mesh can be made from a range of materials, such as carbon steel, aluminum metal, stainless steel metal, nickel metal and so on. Expanded metal mesh are widely used as steel reinforcement materials in petroleum, chemical industry and building. Surface treatment: hot-dipped, electrol galvanized, pvc-coated.

Thickness: 0.5mm-8mm

Minimum SWD and LWD: 2.5mm×4.5mm

Maximum SWD and LWD: 50mm×100mm



镁铝合金窗纱

ALUMINUM ALLOY WINDOW SCREEN

铝镁合金窗纱由含镁的铝合金丝编织而成，又称为“铝镁合金窗纱”“铝窗纱”，铝合金窗纱颜色为银白色，耐腐蚀，适宜潮湿的环境使用。铝合金窗纱经过涂环氧树脂漆，可以涂敷成绿色、银灰色、黄色、蓝色等等各种颜色，所以又称呼为“环氧树脂漆铝窗纱”。涂敷环氧树脂漆的铝合金窗纱是高档产品，主要销售到美国、欧洲等地区。

铝镁合金窗纱材质：铝-镁合金丝

铝镁合金窗纱特点：耐腐蚀能力强

铝镁合金窗纱网目：14目、16目、18目、18X14目等

丝径：0.18-0.5mm

宽度：50cm至150c

铝镁合金窗纱多种色泽，常温不脱落，高温120不褪色，耐酸碱，抗腐蚀，韧性好，强度高，不生锈。广泛用于家庭装饰，防蚊虫、建筑门窗、各种高档网罩接收信号等。铝镁合金窗纱特殊规格可加工定织。






We offer Aluminum Alloy Window Screening , widely used in hotels and buildings to prevent insects and bugs from entering.

General specifications: 14mesh x 14 mesh, 16mesh x 14mesh, 16mesh x 16mesh, 18mesh x 16mesh, 18mesh x 18mesh, 18mesh x 14mesh General

Wire diameter: 0.15-0.50mm

Materials: Aluminum Wire ,aluminum magnesium alloy wire.

It is provided in rolls or panels according to hte customers" request.



护栏网

WIRE MESH FENCE




材料：选用低碳钢丝、铝镁合金丝，喷塑。

编织及特点：编焊而成；坚固耐用、不生锈、美观大方

用途：用于公路、铁路、机场、小区、港口码头、花园、饲养、畜牧等的护栏防护。

制作工艺：预直丝、裁剪、预弯、焊接、检验、置框、破坏性实验、美化(PE、PVC、热浸)、包装、入库根据用户要求生产、订做。

Zhenyu Metal Mesh Products Co., Ltd offers PVC coated fence .Wire Mesh Fence and Decorating Railings for Highway, Railway, Garden, City Construction (Protecting Wire Mesh Fence, Garden Fence, Chain Link Fence,Grillage,Grid) and its Accessories, such as Barbed Wire, Razor Wire, Fencing Posts, Caps, Clamps, Connectors, Bolts & Nuts and so on.



网格布

FIBERGLASS MESH

Zhenyu Metal Mesh Products Co., Ltd offers fiberglass mesh in different patterns materials and thickness.

Material: fiber glass

Applications: this is mainly used as window screen

Packing: cartons.

Weave type: plain weave.

玻璃纤维网格布是以中碱或无碱玻璃纤维机织物为基础，经耐碱涂层处理而成。该产品强度高、粘帖性好、服帖性、定位性极佳，广泛应用于墙体增强、外墙保温、屋面防水等方面，还可以应用于水泥、塑料、沥青、大理石、马赛克等墙体材料的增强，是建筑行业理想的工程材料。

常规规格：

- 1 网眼：5mm×5mm 4mm×4mm 3mm×3mm
- 2 每平方克重：80克——160克
- 3 每卷长度：50米或100米
- 4 幅宽：1米——2米
- 5 颜色：白色（标准）蓝色 绿色或其他颜色
- 6 包装：每卷吸塑包装，四卷或六卷一个纸箱，一十六卷或三十二卷一个托盘。
- 7 特殊规格和特殊包装可以根据客户预定制作。



电话[Tel]: +86-318-5280065 +86-318-7060618

传真[Fax]: +86-318-7060518 手机[Mob]: +86-13623385025

网址[Web]: www.zy-wiremesh.com 邮箱[E-mail]: sales@zy-wiremesh.com

振宇丝网

Zhenyu Wiremesh



不锈钢丝

STAINLESS STEEL WIRE

材质: 201、202、304、304L、316、316L、410、430。

规格: 直径0.02mm-0.50mm。

用途: 再拉丝、编网、软管、橱卫架、钢丝绳、过滤器材、钢胶线、弹簧等。

We offer stainless steel wire drawn from choice of stainless steel materials.

Uses of stainless steel wire:weaving of wire mesh,drawing of wire,
welding of wire,in manufacturing of fie wire,nails and other metal works.

Diameter:0.02mm-0.4mm



镀锌丝

GALVANIZED IRON WIRE

Galvanized wire can be devided into hot-dipped galvanized iron wire, electro galvanized iron wire according to manufacture technics .

- 1、 hot-dipped Galvanized iron wire:SIZE:8# -36#(3.8mm-0.19mm).
- 2、 electro galvanized iron wire:SIZE:8# -38#(3.8mm-0.15mm).
- 3、 PVC coated galvanized iron wire.

Uses:used in communication equipment,medical devices,weaving wire mesh,brush,tightrope,
filtered mesh,high pressure pipe,architecture craftwork,etc.

镀锌丝分类: 热镀锌铁丝、电镀锌铁丝

热镀: 8# -36# (3.8mm-0.19mm)

电镀: 8# -38# (3.8mm-0.15mm)

PVC涂塑镀锌丝

用途: 主要用于通信器材、医疗器机及编织网、刷子、钢锁、滤网、高压管、建筑、工艺品等行业。



扎肋丝

BALING WIRE



材料: 通常使用黑铁丝, 镀锌铁丝, 烤漆铁丝, 涂塑铁丝, 不锈钢丝等作为原料。

丝经: 0.5MM-6.0MM。

用途: 应用于建筑行业和林园行业的捆绑。

We supply low carbon oiled baling wire at various wire diameters,produced according to YB/T5033-2001 standard.

Features:Good surface shine,uniform galvanizing coating layer,good adhesion
strength,excellent corrosion resistance.

Packing:In coils of 10kg each.

Sizes:Standard as 1.6mm and 6mm.

Baling wire coil diameter:Inside dia300mm to 700mm.

Uses:Mainly for baling of waste items,used as tie wire or cotton baling wire,hey baling wire.

Forms of Supply:Coil wire,cut wire(any length).



振宇丝网

安平县振宇金属丝网制造有限公司

ANPING COUNTY ZHENYU METAL MESH PRODUCTS CO.,LTD.

地址：河北省衡水市安平县为民西街严疃工业区

Add: Yantuan Industrial Zone, Weimin West Street, Anping County,
Hebei Province, China

邮编[Postcode]: 053600

电话[Tel]: +86-318-5280065 +86-318-7060618

传真[Fax]: +86-318-7060518

手机[Mob]: +86-13623385025

网址[Web]: www.zy-wiremesh.com

邮箱[E-mail]: sales@zy-wiremesh.com