



>>> Wuxi Lvyin Artificial Turf Co.,Ltd

始于1998
since 1998

Improve quality to add value.
Become reliable artificial grass manufacturer.

以品质提升价值，做值得受信赖的企业



目 录

Contents

公司简介

Company Introduction

企业文化

Corporate Culture

产品性能

Functions and Features

产品图片及参数

Specifications

工程案例

Project Cases

公司资质

Qualification Documents

施工工艺

Installation Process

公司简介

Company Introduction



注重科技，以人为本！

Technology First , People oriented.

无锡市绿茵人造草坪地毯有限公司是一家经过多年发展历程的专业生产运动草坪和休闲草坪的厂家，已成为国内人造草坪行业中具有影响力的品牌。并且产品畅销国内外，逐步巩固了市场地位和稳定了客户群体。

Wuxi LvYin Artificial Turf Co.,Ltd is a professional manufacturer of sports turf and landscape grass with years of development and rich experience. Therefore, after years of efforts we have become an influential brand in the domestic artificial turf industry. Our products sell well in both domestic and international markets and help us consolidate our market position and develop regular customers.





>>> 无锡市绿茵人造草坪地毯有限公司



绿茵草坪一如既往的坚持每一道环节采用高品质的原材料进行生产，以保证产品的抗老化性，耐磨性能及环保性能，产品适用于幼儿园、各类学校、屋顶、景观、健身中心、训练型运动场所、高尔夫及多用途运动场。

Wuxi LvYin Artificial Turf Co.,Ltd unswervingly uses high quality new raw materials in every process as always to ensure the products are anti-aging, wear resistant and environmentally friendly.

The products are suitable for kindergartens, all kinds of schools, roof, landscape, fitness center, training sports place, golf and multi-purpose sports ground.

本产品外观与天然草皮相类似，且更具有排水快、耐用、抗老化、防腐、防霉、环保、维修方便的特性，是各类场所的优质选择。

Our products look similar to natural grass while they have the advantage of fast drainage, durability, anti-aging, anti-corrosion, anti-mildew, environmental protection, and easy maintenance. Artificial grass is a good choice for various places.

无锡市绿茵人造草坪作为专业草坪制造企业，凭借着专业的经营理念，严格的质保体系，精湛的技术经验，标准化的管理体系，专业化的技术和服 务，在国内草坪行业中树立了良好的企业形象口碑。

As a professional artificial turf manufacturer, Wuxi LvYin Artificial Turf Co.,Ltd has established a good corporate image and reputation in the domestic turf industry with our professional business philosophy, strict quality assurance system, outstanding technical experience, standardized management system, professional technology and service.

企业文化

Corporate Culture

Excellent corporate culture promotes good development of the company.

Under the guidance of "Technology First. People oriented.", Wuxi LvYin Artificial Turf now has an experienced and high-quality staff team, which is capable of the whole process in product research and design, project design, planning of whole process, construction, engineering maintenance, and after-sales service.


Wuxi LvYin Artificial Turf Co.,Ltd is committed to developing of national sports, improving the physical fitness of Chinese I people. We sincerely hope that we can cooperate with all sectors of the society to promote sports cause to a higher level.

团结互助
Solidarity

平等友爱
Equality and
Friendliness

坦诚沟通
Open
Communication

讲究效率
Efficiency
High Working



优秀的企业文化促进企业的良好发展

绿茵草坪一贯“注重科技，以人为本”，现拥有一支经验丰富且素质优良的员工团队，具有产品研发，工程设计，整盘策划，施工营建，工程维护，售后服务全过程的系统运作能力。

绿茵人造草坪将致力于发展民族体育事业，提高国民身体素质。真诚的希望与社会各界通力合作，共同推进体育事业迈向更高境界。

Technology First.
People Oriented.
注重科技、以人为本

Bring You Unexpected
Scenery.
给您带来意想不到的风景

Improve quality to add value
Become one of the most
reliable artificial grass
manufacturer.
以品质提升价值，做最受信赖的企业

管理理念
Management
philosophy

公司使命
Company
mission

公司愿景
Company
vision

生产工艺 Production Process



现代人造草坪需要经过流水线的精加工，而草坪的品质与每一道工序的运行、员工操作的熟练程度以及工作责任心密切相关，为此无锡绿茵人造草坪特设专业的生产管理部，设有专业人员团队对绿茵人造草坪从原料、毯面、后整理、成品、包装等全方位的跟踪检查，以保证每批产品能够按时、优质的入库。并有专职检验员对最终入库的每批产品质量进行抽样检查，以确保交付给客户的是优质产品。故无锡绿茵人造草坪的品质在国内外市场上深受信赖。

Artificial turf needs to be processed by the production line, the quality is closely related to each process, working proficiency and staff responsibility.

We have set up a professional production management department where our staff would check and follow each step, raw materials, carpet surface, finishing process, product completion and packages to ensure that each batch with high quality is placed in storage on time.

And inspectors check products carefully to ensure that customers would receive products in best condition.

Therefore, the quality of Wuxi LvYin Artificial Turf is highly trusted in domestic and foreign markets.

核心性能指标 Core Performance Indicators

回力性能 Resilience

回力性能良好的人造草坪，更适合奔跑、运动，有效的防止运动员摔伤，更接近天然草坪。

The more resilient, the more comfortable the artificial turf is for sports. It can effectively prevent athletes from being injured and keep natural grass looking.

耐磨性能 Wear Resistance

耐磨性能良好的人造草坪更耐用，使用寿命更长久。

The more wear resistant, the more durable and longer-lived the artificial turf is.



LABOSPORT

5000H

草丝 **UVA** 检测

TEST ON FIBER

抗老化性能 UVA Resistance

2020年7月1日,我们的草丝顺利通过法国LABOSPORT实验室的5000个小时的草丝UVA检测。LABOSPORT是世界领先的FIFA指定的专门检测各种运动地面和器材设施的独立实验室。

在设定的温度、湿度环境条件下,采用欧米吉WOM模拟正常太阳紫外线照射人造草坪,即人工模拟气候,达到设定的时间,观察、测试人造草坪的颜色及相关物理性能的变化,称之为人造草坪抗老化性能测试。

通常条件下,抗老化性能强的人造草坪颜色耐久,不易变脆,更稳定,很少掉草苗,使用寿命也更长久。

On July 1st, 2020, our fiber passed the 5,000-hour UVA anti-aging test of the French LABOSPORT laboratory. LABOSPORT is the world's leading independent laboratory designated by FIFA, specializing in testing various sports fields and equipment facilities.

Testing artificial grass under WOM simulated sun UVA ray in preseted temperature and moisture (that), observing and testing the change of artificial grass color and other physical performances, it' s called artificial grass anti-UVA test.

In normal ways, artificial grass with better UVA resistance is more durable in color and performance, has less fiber damage and longer life span.

生产工艺

Production Process



环保性能 Environmental Protection

我们的草坪通过权威机构根据 REACH 标准检测的 181 项高度关注有关有毒有害化学物质的检测，及 8 大重金属例如可溶性铅、可溶性锑和可溶性砷等的检测。

Our grass was tested by REACH in 2018 for 181 substances of high concern (SVHC) and 8 heavy metal elements, such as soluble lead (Pb), soluble antimony (Sb) and soluble arsenic (As), etc.

运动型人造草坪优点 Advantages of Sports Artificial Turf

耐磨、耐踩 Wear and Pressure Resistance

抗老化 UV Resistance

仿真度高 Natural Looking

手感柔软 Soft feeling

回弹性高 High Resilience

100% 安全环保 100% Safe and Environmental Protection

使用寿命长 Long Service Life

休闲景观型人造草坪优点 Advantages of Landscape Artificial Turf

低成本 Low Cost

安装方便快捷 Easy and Fast Installation

滴水静音 Mute of Water Drops

超低维护成本 Ultra-low Maintenance Cost

使用范围广 Wide ange of Applications

100% 安全环保 100% Safe and Environmental Protection



产品图及参数 Specifications

▼ 休闲景观类 LANDSCAPE



型号: LX-1002
 材质: PP
 草纤维纤度: 2200 DTEX
 草高: 8毫米
 行距: 5/32 英寸
 针距: 20针/10厘米
 簇密度: 50500株/平方米
 底布: PP+丁苯合成胶

Item: LX-1002
 Yarn: PP
 Dtex: 2200
 Pile Height: 8mm
 Gauge: 5/32"
 Stitches: 20/10cm
 Density: 50500/SQM
 Backing: PP+SBR Latex



型号: LX-1003
 材质: PP
 草纤维纤度: 2400 DTEX
 草高: 8毫米
 行距: 5/32 英寸
 针距: 32针/10厘米
 簇密度: 80640株/平方米
 底布: PP+丁苯合成胶

Item: LX-1003
 Yarn: PP
 Dtex: 2400
 Pile Height: 8mm
 Gauge: 5/32"
 Stitches: 32/10cm
 Density: 80640/SQM
 Backing: PP+SBR Latex



型号: LX-1003J
 材质: PP
 草纤维纤度: 2400 DTEX
 草高: 8毫米
 行距: 5/32 英寸
 针距: 32针/10厘米
 簇密度: 80640株/平方米
 底布: PP+丁苯合成胶

Item: LX-1003J
 Yarn: PP
 Dtex: 2400
 Pile Height: 8mm
 Gauge: 5/32"
 Stitches: 32/10cm
 Density: 80640/SQM
 Backing: PP+SBR Latex



型号: LX-1008
 材质: PP
 草纤维纤度: 3300 DTEX
 草高: 10毫米
 行距: 5/32 英寸
 针距: 20针/10厘米
 簇密度: 50500株/平方米
 底布: PP+丁苯合成胶

Item: LX-1008
 Yarn: PP
 Dtex: 3300
 Pile Height: 10mm
 Gauge: 5/32"
 Stitches: 20/10cm
 Density: 50500/SQM
 Backing: PP+SBR Latex



型号: QS-2012
 材质: PE+PP
 草纤维纤度: 8500 DTEX
 草高: 20毫米
 行距: 3/8 英寸
 针距: 12针/10厘米
 簇密度: 12600株/平方米
 底布: PP+丁苯合成胶

Item: QS-2012
 Yarn: PE+PP
 Dtex: 8500
 Pile Height: 20mm
 Gauge: 3/8"
 Stitches: 12/10cm
 Density: 12600/SQM
 Backing: PP+SBR Latex



型号: W6080-2516
 材质: PE+PP
 草纤维纤度: 9000 DTEX
 草高: 25毫米
 行距: 3/8 英寸
 针距: 16针/10厘米
 簇密度: 16800株/平方米
 底布: PP+网格布+丁苯合成胶

Item: W6080-2516
 Yarn: PE+PP
 Dtex: 9000
 Pile Height: 25mm
 Gauge: 3/8"
 Stitches: 16/10cm
 Density: 16800/SQM
 Backing: PP+net+SBR Latex

▼ 休闲景观类 LANDSCAPE



型号: W6081-2516 **Item: W6081-2516**
 材质: PE+PP Yarn: PE+PP
 草纤维纤度: 9000 DTEX Dtex: 9000
 草高: 25毫米 Pile Height: 25mm
 行距: 3/8 英寸 Gauge: 3/8"
 针距: 16针/10厘米 Stitches: 16/10cm
 簇密度: 16800株/平方米 Density: 16800/SQM
 底布: PP+网格布+丁苯合成胶 Backing: PP+net+SBR Latex



型号: XQS-2518四色 (定制) **Item: XQS-2518 4Tone**
 材质: PE+PP Yarn: PE+PP
 草纤维纤度: 8500 DTEX Dtex: 8500
 草高: 25毫米 Pile Height: 25mm
 行距: 3/8 英寸 Gauge: 3/8"
 针距: 18针/10厘米 Stitches: 18/10cm
 簇密度: 18900株/平方米 Density: 18900/SQM
 底布: PP+网格布+丁苯合成胶 Backing: PP+net+SBR Latex



型号: W6081-3520 **Item: W6081-3520**
 材质: PE+PP Yarn: PE+PP
 草纤维纤度: 9000 DTEX Dtex: 9000
 草高: 35毫米 Pile Height: 35mm
 行距: 3/8 英寸 Gauge: 3/8"
 针距: 20针/10厘米 Stitches: 20/10cm
 簇密度: 21000株/平方米 Density: 21000/SQM
 底布: PP+网格布+丁苯合成胶 Backing: PP+net+SBR Latex



型号: QS-3516 四色 **Item: QS-3516 4Tone**
 材质: PE+PP Yarn: PE+PP
 草纤维纤度: 11000 DTEX Dtex: 11000
 草高: 35毫米 Pile Height: 35mm
 行距: 3/8 英寸 Gauge: 3/8"
 针距: 16针/10厘米 Stitches: 16/10cm
 簇密度: 16800株/平方米 Density: 16800/SQM
 底布: PP+网格布+丁苯合成胶 Backing: PP+net+SBR Latex



型号: UQS-3516 三色 (定制) **Item: UQS-3516 3Tone (customizable)**
 材质: PE+PP Yarn: PE+PP
 草纤维纤度: 13000 DTEX Dtex: 13000
 行距: 3/8 英寸 Gauge: 3/8"
 草高: 35毫米 Pile Height: 35mm
 针距: 16针/10厘米 Stitches: 16/10cm
 簇密度: 16800株/平方米 Density: 16800/SQM
 底布: PP+网格布+丁苯合成胶 Backing: PP+net+SBR Latex



型号: UQS-3516 四色 (定制) **Item: UQS-3516 4Tone (customizable)**
 材质: PE+PP Yarn: PE+PP
 草纤维纤度: 13000 DTEX Dtex: 13000
 草高: 35毫米 Pile Height: 35mm
 行距: 3/8 英寸 Gauge: 3/8"
 针距: 16针/10厘米 Stitches: 16/10cm
 簇密度: 16800株/平方米 Density: 16800/SQM
 底布: PP+网格布+丁苯合成胶 Backing: PP+net+SBR Latex

产品图及参数 Specifications

▼ 休闲景观类 LANDSCAPE



型号: WAQS-35164T115 (定制) Item: WAQS-35164T115
(customizable)
材质: PE+PP Yarn: PE+PP
草纤维纤度: 11500 DTEX Dtex: 11500
草高: 35毫米 Pile Height: 35mm
行距: 3/8 英寸 Gauge: 3/8"
针距: 16针/10厘米 Stitches: 16/10cm
簇密度: 16800株/平方米 Density: 16800/SQM
底布: PP+网格布+丁苯合成胶 Backing: PP+net+SBR Latex



型号: SQS-3516 四色 (定制) Item: SQS-3516 4Tone
(customizable)
材质: PE+PP Yarn: PE+PP
草纤维纤度: 13500 DTEX Dtex: 13500
草高: 35毫米 Pile Height: 35mm
行距: 3/8 英寸 Gauge: 3/8"
针距: 16针/10厘米 Stitches: 16/10cm
簇密度: 16800株/平方米 Density: 16800/SQM
底布: PP+网格布+丁苯合成胶 Backing: PP+net+SBR Latex



型号: FQS-3516 四色 (定制) Item: FQS-3516 4Tone
(customizable)
材质: PE+PP Yarn: PE+PP
草纤维纤度: 14000 DTEX Dtex: 14000
草高: 35毫米 Pile Height: 35mm
行距: 3/8 英寸 Gauge: 3/8"
针距: 16针/10厘米 Stitches: 16/10cm
簇密度: 16800株/平方米 Density: 16800/SQM
底布: PP+网格布+丁苯合成胶 Backing: PP+net+SBR Latex



型号: CQS-40164T75 (定制) Item: CQS-40164T75
(customizable)
材质: PE+PP Yarn: PE+PP
草纤维纤度: 7500 DTEX Dtex: 7500
草高: 40毫米 Pile Height: 40mm
行距: 3/8 英寸 Gauge: 3/8"
针距: 16针/10厘米 Stitches: 16/10cm
簇密度: 16800株/平方米 Density: 16800/SQM
底布: PP+网格布+丁苯合成胶 Backing: PP+net+SBR Latex



型号: 25彩色跑道 Item: 25 Rainbow runway
材质: PE+PP Yarn: PE+PP
草纤维纤度: 9000 DTEX Dtex: 9000
草高: 25毫米 Pile Height: 25mm
行距: 3/8 英寸 Gauge: 3/8"
针距: 16针/10厘米 Stitches: 16/10cm
簇密度: 16800株/平方米 Density: 16800/SQM
底布: PP+网格布+丁苯合成胶 Backing: PP+net+SBR Latex

备注: 以上产品均可定制高度、密度, 定制产品请在购买前与相关人员进行沟通确认

Remarks: All the specification can be customized, such as grass height, density or color etc.



型号: CDS-5001 Item: CDS-5001
 材质: PE Yarn: PE
 草纤维纤度: 7500 DTEX Dtex: 7500
 草高: 50毫米 Pile Height: 50mm
 行距: 3/4 英寸 Gauge: 3/4"
 针距: 20针/10厘米 Stitches: 20/10cm
 簇密度: 10500株/平方米 Density: 10500/SQM
 底布: PP+网格布+丁苯合成胶 Backing: PP+net+SBR Latex



型号: DS-5002 Item: DS-5002
 材质: PE Yarn: PE
 草纤维纤度: 8800 DTEX Dtex: 8800
 草高: 50毫米 Pile Height: 50mm
 行距: 3/4 英寸 Gauge: 3/4"
 针距: 20针/10厘米 Stitches: 20/10cm
 簇密度: 10500株/平方米 Density: 10500/SQM
 底布: PP+网格布+丁苯合成胶 Backing: PP+net+SBR Latex



型号: DS-50J09 Item: DS-50J09
 材质: PE Yarn: PE
 草纤维纤度: 10000 DTEX Dtex: 10000
 草高: 50毫米 Pile Height: 50mm
 行距: 3/4 英寸 Gauge: 3/4"
 针距: 20针/10厘米 Stitches: 20/10cm
 簇密度: 10500株/平方米 Density: 10500/SQM
 底布: PP+网格布+丁苯合成胶 Backing: PP+net+SBR Latex



型号: SDS-5007 Item: SDS-5007
 材质: PE Yarn: PE
 草纤维纤度: 12500 Dtex: 12500
 草高: 50毫米 Pile Height: 50mm
 行距: 3/4 英寸 Gauge: 3/4"
 针距: 20针/10厘米 Stitches: 20/10cm
 簇密度: 10500株/平方米 Density: 10500/SQM
 底布: PP+网格布+丁苯合成胶 Backing: PP+net+SBR Latex



型号: MCS-3018 Item: MCS-3018
 材质: PE+PP Yarn: PE+PP
 草纤维纤度: 15000 DTEX Dtex: 15000
 草高: 30毫米 Pile Height: 30mm
 行距: 3/8 英寸 Gauge: 3/8"
 针距: 18针/10厘米 Stitches: 18/10cm
 簇密度: 18900株/平方米 Density: 18900/SQM
 底布: PP+网格布+丁苯合成胶 Backing: PP+net+SBR Latex



型号: YK-3018 Item: YK-3018
 材质: PE Yarn: PE
 草纤维纤度: 16000 DTEX Dtex: 16000
 草高: 30毫米 Pile Height: 30mm
 行距: 3/8 英寸 Gauge: 3/8"
 针距: 18针/10厘米 Stitches: 18/10cm
 簇密度: 18900株/平方米 Density: 18900/SQM
 底布: PP+网格布+丁苯合成胶 Backing: PP+net+SBR Latex

产品图及参数 Specifications

▼ 运动类 SPORTS



型号: WMCS-2526	Item: WMCS-2526
材质: PE	Yarn: PE
草纤维纤度: 12000 DTEX	Dtex: 12000
草高: 25毫米	Pile Height: 25mm
行距: 3/8 英寸	Gauge: 3/8"
针距: 26针/10厘米	Stitches: 26/10cm
簇密度: 27300株/平方米	Density: 27300/SQM
底布: PP+PP+丁苯合成胶	Backing: PP+PP+SBR Latex



型号: FMCS-3522	Item: FMCS-3522
材质: PE+PP	Yarn: PE+PP
草纤维纤度: 13000 DTEX	Dtex: 13000
草高: 35毫米	Pile Height: 35mm
行距: 3/8 英寸	Gauge: 3/8"
针距: 22针/10厘米	Stitches: 22/10cm
簇密度: 23100株/平方米	Density: 23100/SQM
底布: PP+网布+丁苯合成胶	Backing: PP+net+SBR Latex



型号: GPE-10	Item: GPE-10
材质: PE	Yarn: PE
草纤维纤度: 6300	Dtex: 6300
草高: 10毫米	Pile Height: 10mm
行距: 5/32 英寸	Gauge: 5/32"
针距: 25针/10厘米	Stitches: 25/10cm
簇密度: 63000株/平方米	Density: 63000/SQM
底布: 复合底+丁苯合成胶	Backing: PP+non-woven+SBR Latex



型号: HG-1525	Item: HG-1525
材质: PP	Yarn: PP
草纤维纤度: 5000 DTEX	Dtex: 5000
草高: 15毫米	Pile Height: 15mm
行距: 5/32 英寸	Gauge: 5/32"
针距: 25针/10厘米	Stitches: 25/10cm
簇密度: 63000株/平方米	Density: 63000/SQM
底布: 复合底+丁苯合成胶	Backing: PP+non-woven+SBR Latex




型号: YM-1529	Item: YM-1529
材质: PE	Yarn: PE
草纤维纤度: 6300 DTEX	Dtex: 6300
草高: 15毫米	Pile Height: 15mm
行距: 5/32 英寸	Gauge: 5/32"
针距: 29针/10厘米	Stitches: 29/10cm
簇密度: 73080株/平方米	Density: 73080/SQM
底布: 复合底+丁苯合成胶	Backing: PP+non-woven+SBR Latex






型号: RDS-2520	Item: RDS-2520
材质: PE	Yarn: PE
草纤维纤度: 8800 DTEX	Dtex: 8800
草高: 25毫米	Pile Height: 25mm
行距: 3/8 英寸	Gauge: 3/8"
针距: 20针/10厘米	Stitches: 20/10cm
簇密度: 21000株/平方米	Density: 21000/SQM
底布: PP+网布+丁苯合成胶	Backing: PP+net+SBR Latex

▼ 足球场相关产品 RELATED PRODUCTS TO SPORTS



塑胶跑道操场 Plastic Running Track



工程案例 Project Cases



注重科技，
以人为本！
Technology First ,
People oriented.



施工工艺

Installation Process

人造草坪施工工艺 The installation of Artificial Turf

施工准备 Preparation before Installation

草坪入场前要保证场地平整干净；随后将草坪按照铺装图铺开，确认草坪的数量、颜色，确定草丝倒向一致，准备相关的辅料、施工设备及小工具，施工应尽量选择 10℃ 以上且没有下雨的天气。

Flat and clean site is a prerequisite for installation. Then spread out rolls according to laying maps, confirm color and quantity, make sure fiber is in the same direction, prepare related accessories, installation equipment and tools. Also, it would be better if the installation could be carried out in the weather above 10℃ without rain.





测量放线 Field Measurement

根据场地设计图纸在场地上标记出场地各边线及线条的位置，标识应清楚明确。

Mark the location of each line on the site according to the site map, and the marking should be clear.

施工 Installation

1. 将接缝布沿线条标识粘结于底层布料之上。

Paste the seam cloth along marks on the base fabric .

2. 将人造草坪线条沿线条标识粘结于粘结带之上，确保其平整牢固。

Stick artificial turf to the glue along the mark and ensure it is flat and firm.

3. 用专用工具对人造草坪进行切边、拼接，拼接间距应 < 2mm。

Use the special tools to cut and splice artificial turf, the splicing distance should be less than 2mm.

4. 对草坪拼缝进行粘结，草坪拼缝之间都应用于粘结带粘结。

Bonding lawn seams and only use the seam cloth for the purpose

5. 对草坪拼缝进行压实，确保拼缝平整牢固。

Compact the seam of the lawn to ensure that the seam is smooth and firm.

6. 用专用设备将填充物进行填充，应保证其均匀、平整、密实。

Fill the filler with special equipment to make sure it is flat and dense.

8. 用专用设备对草坪进行梳理，使其填充物充分沉降。

Use special equipment to comb the lawn to completely settle the filling.

备注：场地施工中也可以将草坪完全拼接完后再使用专用工具切出线条位置，并将人造草坪线条镶嵌入线条标识处。

Remarks: During installation, another method is to cut the line out after the lawn is completely laid down and then place the artificial turf line.

施工工艺

Installation Process

人造草坪施工工艺 The installation of Artificial Turf

施工准备 Preparation before Installation

草坪入场前要保证场地平整干净；随后将草坪按照铺装图铺开，确认草坪的数量、颜色，确定草丝倒向一致，准备相关的辅料、施工设备及小工具，施工应尽量选择 10℃ 以上且没有下雨的天气。

Flat and clean site is a prerequisite for installation. Then spread out rolls according to laying maps, confirm color and quantity, make sure fiber is in the same direction, prepare related accessories, installation equipment and tools. Also, it would be better if the installation could be carried out in the weather above 10℃ without rain.





测量放线 Field Measurement

根据场地设计图纸在场地上标记出场地各边线及线条的位置，标识应清楚明确。

Mark the location of each line on the site according to the site map, and the marking should be clear.

施工 Installation

1. 将接缝布沿线条标识粘结于底层布料之上。

Paste the seam cloth along marks on the base fabric .

2. 将人造草坪线条沿线条标识粘结于粘结带之上，确保其平整牢固。

Stick artificial turf to the glue along the mark and ensure it is flat and firm.

3. 用专用工具对人造草坪进行切边、拼接，拼接间距应 < 2mm。

Use the special tools to cut and splice artificial turf, the splicing distance should be less than 2mm.

4. 对草坪拼缝进行粘结，草坪拼缝之间都应用于粘结带粘结。

Bonding lawn seams and only use the seam cloth for the purpose

5. 对草坪拼缝进行压实，确保拼缝平整牢固。

Compact the seam of the lawn to ensure that the seam is smooth and firm.

6. 用专用设备将填充物进行填充，应保证其均匀、平整、密实。

Fill the filler with special equipment to make sure it is flat and dense.

8. 用专用设备对草坪进行梳理，使其填充物充分沉降。

Use special equipment to comb the lawn to completely settle the filling.

备注：场地施工中也可以将草坪完全拼接完后再使用专用工具切出线条位置，并将人造草坪线条镶嵌入线条标识处。

Remarks: During installation, another method is to cut the line out after the lawn is completely laid down and then place the artificial turf line.

施工工艺

Installation Process

填充物用量: Filling Quantity

减震垫: 常规使用1毫米高度, 特殊场地定制


Anti-vibration pad: The standard height is 1mm, which, can be customized according to special requirements

石英砂: 每平方米填充25-28公斤

Quartz sand: filled 25-28 kg per sqm

环保颗粒: 每平方米填充4-5公斤

Environmental protection particles: filled with 4-5 kg per sqm



场地验收 Project Check and Approval

1. 场地完工后应标线准确，颜色一致
Accurate marking and correct color.
2. 场地应无明显拼缝及高低落差
The field has no seams and is flat.
3. 草坪拼缝处应粘结牢固，无气泡
The joints should be firmly bonded without air bubbles.
4. 填充物应均匀、平整、密实
The filling should be flat and dense.
5. 可参考国家人工材料体育场地使用要求或其它标准（人造草坪场地）等相关检验方法
Refer to relevant inspection methods such as the national artificial material sports field use requirements or other standards (artificial turf field).

维护保养指南 Maintenance Guide

1. 禁止车辆等重物长时间碾压草坪。
Heavy objects such as vehicles run over the lawn for a long time are prohibited.
2. 禁止进行标枪、铅球等投掷型器械运动以及穿钉鞋、高跟鞋进入场地。
Throwing equipment such as javelins and shot puts, and wearing spikes and high heels are prohibited.
3. 粘质性物品（口香糖等）禁止丢弃在场地。
Discarding sticky items (chewing gum, etc.) on the ground is prohibited.
4. 严禁在场地区吸烟及放置易燃物品。
Smoking and placing flammable materials in the area are prohibited.
5. 遇雪天禁止即刻踩踏，需将表面浮雪清理干净后再进行使用。
Do not step on it in snowy days, and clean the floating snow on the surface before use.
6. 场地填充物沉降后应做适当补充，以保证填充物高度。
After the filler settles, it should be supplemented appropriately to ensure the height of the filler.





Company: Wuxi Lvyin Artificial Turf Co., Ltd

Address: Room 201~202 No.2188 Taihu West Avenue Binhu District Wuxi, China

Mob/Whatsapp/Wechat: 0086-13814241466

Tel: 0086-510-88156708

Web: www.china-grass.com

Email: info@lvinturf.com

Mob/Whatsapp/Wechat: 0086-13814241466