



J&V Electronic Science and Technology Co., Ltd

Type	Picture	Model	Installation Size	Terminal	Lamp Shade Installation Way	Certificated
		88.11.1.13	30*70mm	250/Female Terminal(6.3*0.8)	Snap-in	
		88.211.1.13	30*70mm	250/Female Terminal(6.3*0.8)	Snap-in	
		88.11.1.12	30*70mm	250/Female Terminal(6.3*0.8)	Snap-in	
		88.11.1.13	30*70mm	250/Female Terminal(6.3*0.8)	Snap-in	
		88.11.1.13	30*70mm	250/Female Terminal(6.3*0.8)	Snap-in	
		88.11.1.12	30*70mm	250/Female Terminal(6.3*0.8)	Snap-in	

	88.111.1.13	30*70mm	Terminal(6.3*0.8)	Snap-in	
	88.21.1.13	30*70mm	250/Female Terminal(6.3*0.8)	Snap-in	
	88.11.4.23	55*70mm	250/Female Terminal(6.3*0.8)	Snap-in	
	88.11.4.23	55*70mm	250/Female Terminal(6.3*0.8)	Snap-in	
	88.21.4.23	55*70mm	250/Female Terminal(6.3*0.8)	Snap-in	
	88.51.4.23	55*70mm	250/Female Terminal(6.3*0.8)	Snap-in	
	88.11.2.22	55*70mm	250/Female Terminal(6.3*0.8)	Snap-in	

					
	88.11.4.21	55*70mm	250/Female Terminal(6.3*0.8)	Snap-in	
	88.21.2.22	55*70mm	250/Female Terminal(6.3*0.8)	Snap-in	
	88.21.4.22	55*70mm	250/Female Terminal(6.3*0.8)	Snap-in	
	88.22.4.22	55*70mm	250/Female Terminal(6.3*0.8)	Snap-in	
	88.22.7.25	55*70mm	250/Female Terminal(6.3*0.8)	Snap-in	
	88.23.4.21	55*70mm	250/Female Terminal(6.3*0.8)	Snap-in	
					

	88.23.7.25	55*70mm	250/Female Terminal(6.3*0.8)	Snap-in	
	88.31.4.22	55*70mm	250/Female Terminal(6.3*0.8)	Snap-in	
	88.31.7.24	55*70mm	250/Female Terminal(6.3*0.8)	Snap-in	
	88.32.4.21	55*70mm	250/Female Terminal(6.3*0.8)	Snap-in	
	88.32.7.25	55*70mm	250/Female Terminal(6.3*0.8)	Snap-in	
	88.51.4.22	55*70mm	250/Female Terminal(6.3*0.8)	Snap-in	
	88.51.7.25	55*70mm	250/Female Terminal(6.3*0.8)	Snap-in	

Hot
Oven
Lamps

	88.11.7.23	35~70mm	Terminal(6.3*0.8)	Snap-in	
	88.11.3.31	φ35.5mm	250/Female Terminal(6.3*0.8)	Spiral tightening	
	88.11.3.34	φ35.5mm	250/Female Terminal(6.3*0.8)	Spiral tightening	
	88.11.3.35	φ35.5mm	250/Female Terminal(6.3*0.8)	Spiral tightening	
	88.11.3.42	φ35.5mm	250/Female Terminal(6.3*0.8)	Spiral tightening	
	88.11.3.52	φ35.5mm	250/Female Terminal(6.3*0.8)	Spiral tightening	
	88.21.3.35	φ35.5mm	250/Female Terminal(6.3*0.8)	Spiral tightening	

 					
 	88.22.3.31	φ35.5mm	250/Female Terminal(6.3*0.8)	Spiral tightening	
 	88.22.3.34	φ35.5mm	250/Female Terminal(6.3*0.8)	Spiral tightening	
 	88.22.3.35	φ35.5mm	250/Female Terminal(6.3*0.8)	Spiral tightening	
 	88.22.3.42	φ35.5mm	250/Female Terminal(6.3*0.8)	Spiral tightening	
 	88.22.3.52	φ35.5mm	250/Female Terminal(6.3*0.8)	Spiral tightening	
 	88.31.3.31	φ35.5mm	250/Female Terminal(6.3*0.8)	Spiral tightening	
					

	88.31.3.34	φ35.5mm	250/Female Terminal(6.3 *0.8)	Spiral tightening	
	88.31.3.52	φ35.5mm	250/Female Terminal(6.3 *0.8)	Spiral tightening	
	88.32.3.31	φ35.5mm	250/Female Terminal(6.3 *0.8)	Spiral tightening	
	88.31.3.35	φ35.5mm	250/Female Terminal(6.3 *0.8)	Spiral tightening	
	88.31.3.43	φ35.5mm	250/Female Terminal(6.3 *0.8)	Spiral tightening	
	88.32.3.34	φ35.5mm	250/Female Terminal(6.3 *0.8)	Spiral tightening	
	88.32.3.35	φ35.5mm	250/Female Terminal(6.3 *0.8)	Spiral tightening	

	88.32.3.33	φ35.5mm	Terminal(6.3*0.8)	Spiral tightening	
	88.32.3.43	φ35.5mm	250/Female Terminal(6.3*0.8)	Spiral tightening	
	88.32.3.52	φ35.5mm	250/Female Terminal(6.3*0.8)	Spiral tightening	
	88.51.3.35	φ35.5mm	250/Female Terminal(6.3*0.8)	Spiral tightening	
	88.51.3.42	φ35.5mm	250/Female Terminal(6.3*0.8)	Spiral tightening	
	88.11.9.91	φ35.5mm	250/Female Terminal(6.3*0.8)	Spiral tightening	
	88.23.6.63	φ48mm	250/Female Terminal(6.3*0.8)	Spiral tightening	

	88.31.6.63	φ48mm	250/Female Terminal(6.3*0.8)	Spiral tightening	
	88.32.6.63	φ48mm	250/Female Terminal(6.3*0.8)	Spiral tightening	
	88.22.5.72	φ67mm	250/Female Terminal(6.3*0.8)	Spiral tightening	
	88.61.5.71	φ67mm	250/Female Terminal(6.3*0.8)	Spiral tightening	
	88.61.5.72	φ67mm	250/Female Terminal(6.3*0.8)	Spiral tightening	
	88.21.1.13	30*70mm	250/Female Terminal(6.3*0.8)	Snap-in	
					

Wet Steamer Light		88.22.3.35	φ35.5mm	250/Female Terminal(6.3 *0.8)	Spiral tightening	
		88.22.3.52	φ35.5mm	250/Female Terminal(6.3 *0.8)	Spiral tightening	
		88.51.3.35	φ35.5mm	250/Female Terminal(6.3 *0.8)	Spiral tightening	
		JV-LEDZXD-001	φ22mm	250/Female Terminal(6.3 *0.8)	Glue	
Wet Dishwas		88.22.5.73	φ67mm	250/Female Terminal(6.3 *0.8)	Screw fastening	
		88.21.1.15	30*100mm	250/Female Terminal(6.3 *0.8)	Screw fastening	
		88.21.4.24	55*70mm	250/Female Terminal(6.3 *0.8)	Screw fastening	

her Light		88.21.4.24	33*70mm	Terminal(6.3*0.8)	Screw fastening	
		88.51.7.27	30*100mm	250/Female Terminal(6.3*0.8)	Screw fastening	
		88.22.6.63	φ48mm	250/Female Terminal(6.3*0.8)	Screw fastening	
LED烤箱 灯		JV-LEDKXD-002	φ40mm	250/Female Terminal(6.3*0.8)	Spiral tightening	
		JV-LEDKXD-003	30*70mm	250/Female Terminal(6.3*0.8)	Snap-in	
		JV-LEDKXD-004	55*70mm	250/Female Terminal(6.3*0.8)	Snap-in	